

## HEALTH -ANNEX 6 REHAPETILATION EQUIPMENT

<b>02-04-00001</b>	<b>EQUIPMENT: TELEPHONE EXCHANGE</b> MODEL: CITEL ALCATEL V-2505 MEDIUM CAPACITY EPABX (64X320) CABINET REEERENCE 0A0750580101 (2A 0750044/E) PROGRAM REEEGRENS FAH 04H 10H 03H COMPANY NAME CITEL ALCATEL QUANTITY INSTALLED: 6 SYSTEMS SITE: Baghdad (Ibn Albaladi - Habebia)- Dwania- Najaf- Nasseria - Ramadi NOTE:- ALL THE CARDS EQUIPED WITH MEMORY (PROGRAMED) INTEGRATED CIRCUITS, CODE IS ORANG.
--------------------	--

Description	Qty.
CPU Card XG 0816630103	12
Convertor XR 0460230101	12
Mem.C 0815980100	6
Mem. C 0816660100	6
Back up mem	6
Complete operator consnklsole	6
SEC Card XG 0815860403 ED2	18
USART Card (slot 18) XG 0815910103 ED4	6
Mem A (slot 12) XG 0816670106 ED3	6
Mem A (Slot 13) XG 0816670106 ED3	6
Mem A (Slot 15) XG 08166703006 ED3	6
Mem B (Slot 14) oG 0815980100 Ed 1.4	6
Mem C(Slot 16) OG 0816660100 ED2.5	6
Mem C(Slot 17)OG 0816660100 ED 2.5	6
Mem.Back up Battery OD 0822240100 ED 2.5	6
Doughter Card Urta 05082147 Ed1	6

<b>02-04-00002</b>	<b>Spare Parts for Cabinet</b> Alarmlamp 42v plugged in type Alorm card oT 0817530200 EDI Circuit Breaker 25A Cables with connec tos:- a- system to operator consol b- conversion to operolor console c- system lA 34 printer d- opevator console to Tty e- controler to frontal }0A0410040018 f- frontal to frontal }0A0410040015 0A0410040017 0A0410040013 0A0410020043 0A0410020039 0A0410020036 0A0410020032 0A0410010026 0A0410020030 g- spare connectors for controllers and frontats	3.6 6 12 6 sets
--------------------	--	--------------------------

<b>02-04-00003</b>	<b>spare parts for operator console</b>	
operatar console complefe		1
mother board oG 0815820200 ED2A		6
mother key board xT 081070601 ED1		8
Doughter card for key board xt 081070601 ED1		6
Display board xt 0816560300 EDB		6
TTY card ot 0817560100 EDIA		6
Audio card OG 0896640100 EDN2		6
Number key board 0s0815830105 ED1.1		6
Telephone hondset with juck		12
Operatds console strip connector		6 sets

<b>02-04-00004</b>	<b>Spare parts for TTY silent700 Ref-no 73kSR –EIAL TTY (WE) partno og 83804 -0201 jerial no 04744 (54130)</b>	
TTY complete		6
print head ( thermal dot matrix ) 0474454130		12
Thermal print paper		60 R0lls
GA Card XG 0816610102 ED4		12
GB Card XG 08020360302 ED4		6
CPU Card XG 0816630103 ED3		12
Mem A Card XG 0816670106 ED3		6
Ringng Generator XT 0816840301 ED3 Series n2 – 061086		12
Convertor ( Power Supply) xR 0460230101 ED5 Series no 004655		24
Doutor Card mem. A XG 0816750102 ED1		6

02-04-00005	EQUIPMENT: COLD STORE			
Type	Refrigeration	Temperature	V	Fluid
PRB9	MR 75	+2+4 C	220V/1/50	BP145
PRB13	MC 250x2	-22 C	380/3/50	LUC350x2
PRB9	MR 100	+1+2 C	220V/1/50	BP215
PRB9	MR 150	+4+6 C	380/3/50	BP415
PRB9	MR 150	+6 C	220/1/50	BP290
PRBO	MR 100	+2 C	220/1/50	BP290

COMPANY NAME: BONNET QUANTITY INSTALLED: 42 SITE: Baghdad (Ibn Albaladi - Habebia)- Dwania- Najaf- Nasseria - Ramadi	
---	--

Description	Qty.
Compressor	24
Condenser Fan	24
Air Cooler Fan	24
Reciever	12
dryer	12
Expansion valve	12
Tele thermometer	12
Control thermostat	24
Defrost Timer	24
Protection Circuit breaker	24
Indiction Lamp	60
Single pole revers switch	12
Comind switch	12
Four pole switch	12
Fuse	60
Relay	24
Starting Capacitor	24
Permanent capacitor	24
Defrost heater	30

02-04-00006	EQUIPMENT: DEEP FREEZ	
	COMPANY NAME: TRADING & INVESTEMT QUATITY INSTALLED: 33	

Mercury contactor Cat No. 35 No.220	30
AH,Coil2081240V,50HZ	
Timer,MLCS-220A-IXS-15M-6151A	30
Fan motor G.B 230V,50HZ,25A Type S TK NO 5421	50
Compressor,Bristol,230V-1-50 Linb 262 EBCB	30
Battry 15V	30
Valve Pressure	20
Small cabillary tube	20
Large cabillary tube	20

<b>02-04-00007</b>	<b>EQUIPMENT: DEEP FREEZ, BLOAD BANK &amp; AIRCONDITIOING</b> COMPANY NAME: TRADING & INVESTEMNT QUANTITY INSTALLED: 4053
--------------------	---

<u>Decription</u>	<u>Qty.</u>
Compressor 1.5 tons for aircondeuons window type	500
Compressor 2 tons for aircondetion window type	1000
Compressor with overload and capacitor 1/3 hp	350
Compressor with overload and capacitor 1/5 hp	400
Comressor prest cold LTD,Type: K 150/0020 FLA:11 A,220 V,%0 HZ,1 Phase	2
Compressor copelmatic,type:KAH2-0050-CAG 230V, 1 Phase, 50HZ,FLA 3.4A	2
Compressor copeland,type:REY3-0175-PFJ 220V,1 Phase, 50HZ	2
temperature recorder Pen (the pen is asealed capsule contains an anti-spread ink the pen is dispoable)	1000

<b>02-04-00008</b>	<b>EQUIPMENT: COLD STORE</b> COMPANY: TRADING & INVESTMENT QUANTITY INSTALLED: 70
--------------------	--

<u>Decription</u>	<u>Qty</u>
Compressor Type: D40100,FRIGOPOL,0.73KW, 1450min, 3/50	10
Compressor Type: 9RBI-0505-ESL, Coplematic, 3/50/380	15
Compressor type:LAHI-00-0310-IAD,Coplematic, 3/50/380	10
Timer Type: 8145-53 USA	15
Fan motor,Roller,220v,75W,75W,50Hz,W.G	15
Filter dryer,1/2 in, Alco controls,EK-164	20
Fan motor DWN copeland 60W,type, LS63A-SI	15
Fan motor 220V,50HZ 40W, 1300min, Type: VN-10-2-	20
Compressor H2-28/4-074/12 R12	10
Temprature Johnnnson control A-28AA-9006	20
Thermostat for aircondition	1000
Selector switch for aircondition	1000

<b>02-04-00009</b>	<b>EQUIPMENT: COLD STORE</b> COMPANY NAME: PMT QUANTITY INSTALLED: 50	
<u>Description</u>	<u>Ref.No.</u>	<u>Qty.</u>
Starter	Moller WG DIL-31	20
Motor Fan with blade	MOD UN-10-20 prot, Imp, 1300rpm	50
Contactora	16A	20
Motor Fan	RE 350 Roller 220V 50Hz 75W	30
Dual Press	PZ2 LA-IC	30
Timer	Model 6145-20 Defrost Control, USA	30

<b>02-04-00010</b>	<b>EQUIPMENT: COLD STORES</b> COANY NAME: SMETCO QUANTITY INSTALLED: 50	
<u>Description</u>	<u>Ref.No.</u>	<u>Qty.</u>
Dual Pressure	Peen Pz2LA-1	50
Timer Micro-fush, France	15021-172, 16A, 250V	50
Timer Defrost	5981-6A,220V, 50Hz Italy	30
Fan Motor	SP,Bgst 29z,220V, 50Hz	20
Fan Motor	W.G copeland, LS, 3A, 51-60W	20
Compressor	CAJ 4492 AA, R-12, 220V, 50Hz, Tecumsch.	30
Expansion Valve	R-12, TMX CL5	30
Filter Dryer	1/4	30
Solenoid Valve		20

<b>02-04-00011</b>	<b>EQUIPMENT: MORTUARY COLD STORE</b> COMPANY NAME: TRADING & INVESTMENT QUANTITY: 34	
<u>Description</u>		<u>QTY</u>
Compressor (MRBI-0500- TFD) 3ph, 50 HZ		20
Evapoator fan motor		40
Blades for evaporator fan		15
Blades for condensor fan		20
Thermostat		20
Litgh Low presses. Cut out		30
oil pressure Cut out		30
coutactor for compressor		20
Rellay type : E SSEX		50
134 -20303-333		
12F1-A60LRA		
18A USPAT 286,765,4,724,977		
Expansion valve		10
Filter drier		50
Fuse		60
solenoid Valve		10

<b>02-04-00012</b>	<b>EQUIPMENT: KEROCENE REFEREGERATOR</b> COMPANY NAME: SIBIR QUANTITY: 300	
<u>Desecription</u>		<u>Qty.,</u>
Heater		300
Thermostat		30
Wick		300
Blue flame bumer		50

<b>02-04-00013</b>	<b>EQUIPMENT: BODY STORE</b> MODEL: KONREI COMPANY: QUANTITY INSTALLED: 13 <b>MARUBENI (A9-13)</b>	
Thermostat		10
Fan motor 200V ,20W ,2 Phase		50
Electromagnatic coutactor		50
Over current relay for compressor		50
Internal thermostat for compressor		50
Power source lamp(W)		50
Operation lamp (G)		50
Defrost lamp (O)		50
Timer limit relay		50
Solenid Valve		10
Pressur switch		10
Fan for		10
Drain pan heater		10

<b>02-04-00014</b>	<b>EQUIPMENT: REFRIGENATER</b> MODEL: SR-124M 3.6CU. FT COMPANY: SANYO JAPAN QUANTITY INSTALLED: 78 <b>MARUBENI (B6-1)</b>		
02-04-00133	Thermostat -K-23	4-233C-21200	50
02-04-00134	Gasket assy's F	831-0-3216-76470	10
02-04-00135	Gasket assy's R	831-0-3216-76670	10
02-04-00136	Lock Guide	831-2-3312-80100	10
02-04-00137	Cmpressor assy	801-0-0803-06286	50
02-04-00138	PTC temistor	4-204C-13200	10
02-04-00139	Power cord		10

<b>02-04-00015</b>	<b>EQUIPMENT: REFRIGARATER</b> MODEL: MBR-105D COMPANY: SANYO JAPAN QUANTITY INSTALLED: 36 <b>MARUBENI (B6-2)</b>		
Compressor			20
Condensing fan motor	823-0-04102-117-00		20
Printed Circuit Board	823-0-5203-107-00		20
Temp. controller proper	823-0-5305-113-00		10
Senser Assy	323-2-5108-105-00		10
Fluoresent lamp stabilizer	823-05311-103-00		20
Push button Switch	4-2319-420-96		10
Fanmotor FL2-021BM	524-0-8500		20
Defrost thermo OTB-S109	4-2339-422-37		20
BL-Metal thermo 28 Coff	823-2-5109-104-04		20
Flvorcent lamp (6W)	4-6149-420-01		20
Fan motor FL2-011BM	524-0-8200		20
Fan motor Vibration insulating rubber	831-2-2322-122-00		20
Over Load Relay OE-T	4-2339-641-85		20
Starting Relay SB-H	4-2329-620-73		50
Dehydrator	831-0-4202-108-00		10

<b>02-04-00016</b>	<b>EQUIPMENT: COLD ROOM PHARMACY</b> MODEL: MCU-1000 COMPANY: SANYO JAPAN QUANTITY INSTALLED: 13 <b>MARUBENI (D6-2)</b>	
Compressor Assy		15

<b>02-04-00017</b>	<b>EQUIPMENT: REFRIGARATER, LAB, BLOOD &amp; DRUG</b> MODEL: CYLINDER COMPANY: KATOMAN SEISAKUSHO QUANTITY INSTALLED: 13 <b>MARUBENI (D6-17)</b>
Battery Chargable	10
Compressor unit	20
Compressor	20
Fan motor for condenser	20
Fan motor for evaporatar	20
Dryer	50
Thormostate	50
Pilot lamp.	10

<b>02-04-00018</b>	<b>EQUIPMENT: REFRIGARATER, LAB, BLOOD &amp; DRUG</b> MODEL: CYLINDER COMPANY: KATOMAN SEISAKUSHO QUANTITY INSTALLED: 13 <b>MARUBENI (D6-17)</b>
Compressor, 220V 830-1-5269	20



<b>02-04-00019</b>	<b>EQUIPMENT: CHILLERS</b> COMPANY NAME: TRADING & INVESTMENT QUANTITY: 36
<u>Description</u>	<u>Qty.,</u>
Compressor-Carrier-Mod El No.06EF299610 400V-PM-3HZ-50R22 LRA345	6
Compressor-Carrier-Mod El NO.06E6 299610 400V-PM-3HZ-50R22 LRA345	4
Compressor-TRANE-Type L2E5G 89N 400V-PH-3HZ-50R22 138A	4
Compressor-Carrier-MogEl 06EJ 175660 400V-PH-3HZ-50 RLA-47 LRA200	5
Compressor-YORK-MoEl 1S63H M65 380V-R22-PH-3 HZ-50 RLA 40g9	4
Compressor-DunHam-Bush-Type 66AmogEl BE8HHC-400V-PH-3 HZ-50R22	2
Compressor-Hitachi-SRM SCREW MogEl 4002SC 380V-PH-3 HZ-50R22	2
Motor 4KW-380V 1430/min 50 HZ 8.9A	4
Motor HP-15 PH-3 HZ-50 RPH 1400V-380	5
Motor 7.5KW-380V PH-3 HZ-50 8A RPH 1440	6
Contactor 62A 600V	10
Contactor 50A 600V	10
Contactor 25A 400V	10
Timer Type 117 PB 200 220V RPH3 CY50	15
Pilot Duty Realay-P283-1907 HN 61 KK 324 Coil volt-24V	10
Run Capaciter Type P291-0503 Volt 370V Maje in mexico,MFD-5	25
Temperaure sensor + 5To + 45oC Type sen 2301	15
Electronic thermostat Type-TEI 201 supply 200-240V 50 HZ-20 to +70oC	15
Contactor Type DIL 08-3I,MoELLER	30
Timer electric Type HK 25AZ-082 Carrier	10
Solenoid Valve-Type EVJD20 V-220,R22 50HZ	10
Solenoid Valve AS CO,TYPE HV 1981172 220V 6 WT.R22	10
Contactor Type DIL,08-80 30A MOELLER	30
contactor Dil 00A-52 20A-MOELLER	30
Contactor Dil 00A-652 20A	30
Over Load – Type M625,6.3-10A 380V STOTV	20
Over Load – BENEDIKT JAGER 380V 10-14A	20
Over LOad - 13 ENEDIKT JAGER 350V 6 to 9A	20
Alpak – Induction MOtor BS-5000 PT 10 Sive D132M. No,EA 310-10162 7.5KW-3PH 50HZ. Made in UK	5
Motor Elin3 – Mot Nr. 3913863LKM-311 Mo4 F6B – 112M 380V - DVE M10/801 8-8A - 1432/min	5
Motor Elin – RoBAX 3 - Mot Nr. 3916586 - LKM-413 Mo 4 F6B 7.5KW. 132 MI 380V 16.5A,1450/min	5

<b>02-04-00020</b>	<b>EQUIPMENT: CHILLER</b> COMPANY NAME: Copeland
Compressor complete 60 Ton	4

<b>02-04-00021</b>	<b>EQUIPMENT: CENTRIFUGAL CHILLER, RECIPROCATING CHILLER</b> MODEL: ECVGA 034 A10, LCGE 213E A- Example serial No:- E56589 , E66473 ORDER: 12L25A, 06B240 COMPANY NAME: TRANE QUANTITY INSTALLED: 33 CENTRIFUGOD 66 RECIPROCATING
<b>Description</b>	<b>Qty.,</b>
Electrical motor Complete tofit burned motor	2
shaft and Impeller overhalling Kit (Kit Content to be specified by part no)	2
Bearing overhalling Kit (Content to be specified by part no)	33
Heater Thermostat	30
O-ring oil tank head	30
Chilled water temp senser (RTI)	30
Demand switch (ESW)	30
Flow switch (Fs12)	30
Main fuse (500A , 500VAC) jecamec (set) starting Pannel	20
Vane actuator motor 24V	5
Resistance in starting Pannel	60
Overload oil (Red) (50.cc Bottle)	20
Manual Disconnecting switch type; 60 jacomec 800A 500 VAC	5
Oil pump and motor	12
Control module	33
Safety valve 3/4 350 PSI-25 bar for LCGE213	5
Sight glass oil tank for centrifugal	20
Valve solenoid 220V for centrifugal SV1, SV2	20
Charging valve	30
Star contactor (Telemecaniq)	20
Delta contactor (telemecaniq)	20
Line contactor (Telemecaniq)	20
Oil caella D (68)	9000Lit
Set tools for repairing	15set
Pump out unit for refrigernat	2
Timer TR1 for start RP for comp	20
Timer TR2 for stant oil pump	10
Oil pump compressor E	5
Oil filter	120
Complete compressor + Motor for CVGA 034	2

02-04-00022	<b>EQUIPMENT: HERMATIC CENTRIFUGAL LIQUID CHILLER</b> COMPANY: CARRIER MODEL: 19DH MACHINE MODEL No: 19DH 76 95 CP 60 33E COMPRESSOR MODEL No. 19DH 31 95CP OIL PUMP MODEL NO. 19 DG 211 - 764 QUANTITY INSTALLED: 3 CHILLERS SITE: SADDAM CENTRAL HOSPITAL FOR CHILDREN IN BAGHDAD 19DH 31 THRUST BEARING & SHAFT	
DESCRIPTION	PART NO.	QTY.
Shaft	19DH 31-1004	3
Retaining ring	AU 49 AR-181	3
Bearing & pin package	19DH31-171	3
Lock washer	AU 11 AR-101	24
Pan head screw	AC 41 AA-110	24
Seal ring& pin	19DA3-472	3
Retainer	19DA 33-1012	3
Spacer ring	19 DA 33-1014	3
Thrust shoe package	19DA 33 -203	3 set
Leveling pad	19D 32- 0052	36
Adjusting pad package	19D 24 -841	3
Slinger	19D 31-1292	8
Thermostat	19DA 11-1402	3
Labyrinth	19DH 31-102	3

02-04-00023	COMPRESSOR ASSEMBLY	
DESCRIPTION	PART NO.	QTY.
"O" ring	KK 71 GX -193	6
Coupling "N" band	CT 28 MM -204	6
Spray header	19 DH 18- 143	3
Demistor	19 D11- 442	3
Demistor gasket	19 DH -1146	3
Coupling "V" band	CT 28MM- 388	3
"O" ring	KK 71ER -371	3
Bearing Assembly	19 D31 -244	3
Locknut	KT 89ZZ -420	3
"O" ring	KK 71EP- 072	6
Coupling "V" band	CT 28MM -278	3
"O" ring	KK 71GK -263	3
Labyrinth	19 DH 31 -=102	3
Impeller spacer	19 D31 -1301	3
Impeller shim	19 D31 -1551	3
Set screw	AE 54FR- 167	6
Shaft Cap	19 DH31 -1002	3
Lockwasher	19 D31 -2181	3
Locking pin	19 D31 -2191	9
Impeller key	19 DH 31-1012	9
Static seal	KK.73GV-025	18
Temperature gauge	KM. 14BC-223	6
Sight glass	KM 39BT-031	3
Sight glass cover	17 DA81-1822	3
Sight glass gasket	KM 39BT-021	6
Oil heater	HT 32ZZ -121	3
Oil heater thermostat	HH 16NA -019	3
Pilot light	MY 19AD -024	3
"O" ring	KK 71GX -020	3
Thermostat terminal	HY 85FP -031	3
Pressure gauge	KM 03BC -263	3
Gear pack	19 DA31 -181	3
Labyrinth	19 DG31 -164	3
Sight glass	KM 80BR -155	3
Rear bearing	19 DH11 -1104	3
"O" ring	KK 71GZ -025	3
Bearing assembly	19 D31 -464	3

<b>02-04-00024</b>		<b>PURGE ASSEMBLY</b>	
<b><u>DESCRIPTION</u></b>	<b><u>PART NO.</u></b>	<b><u>QTY.</u></b>	
Pump & Motor	KK 81AX -028	3	
Valve solenoid	EF 11GO -060	3	
Gauge, pressure	KM 03AC -250	3	
Purge operating switch	HK 06ZC -030	3	
Solenoid switch	HR 53VE -019	3	
Mode selection switch	HR 53VK -120	3	
Purge safety switch	HK 06ZC -026	3	
purge condenser assembly	19 DG12-507	3	
“O” Ring	KK 71GX-031	3	
Coupling “V” band	CT28MP -o35	3	
Gland	TS-380	6	
Gasket (outer)	5 F20-1631-012	6	
Sight Glass	19C35-6151	6	
Gasket (Inner)	5F20-1011	6	
Valve	19 DA11-551	3	
Ring gasket	19 DA11-5141	3	
Ball,Float	EC28 HZ-023	3	
Arm ,Float	19 DA11-501	3	

<b>02-04-00025</b>		<b>UNISHELL&amp;INTERCONNECONNECTIO N PIPING</b>	
<b><u>DESCRIPTION</u></b>	<b><u>PART NO.</u></b>	<b><u>QTY.</u></b>	
Globe Valve	ER39BE-090	3	
Condenser W/B gasket	19 DG46-5104	6	
Gasket, poppet valve chamber	19 DG117-1532	3	
Valve ,poppet	19 DG417-204	3	
shim,poppet valve	19DG117-1112	3	
Screen ,motor cooling supply	19 DG117-1502	3	
Cooler W/B gaket	19 EA 46 -5203	6	
Rupture disc& gasket	17 Q3- 317	3	
Division plate gasket	QR 02SR -019	10.5 FT	
Screen	19 DG317 -214	3	

<b>02-04-00026</b>	<b>LUBRICATION SYSTEM</b> OIL PUMP MODEL NO. 19 DG 211 - 764	
<b><u>DESCRIPTION</u></b>	<b><u>PART NO.</u></b>	<b><u>QTY.</u></b>
"O" ring	KK 71GZ -030	3
Magnetic plug	CA 99RA -101	3
"O" ring	KK 71GZ -027	3
Filter cartridge	KH 09AZ -002	3
Cooling coil	19 D31 -723	3
Spring	19 D21 -1071	3
Gasket	19 D21-1111	3
Pump & motor Pkg	19 D36-841	3
Gasket	19 D21-2631	6
Washer	19 D21-1061	6
Angle valve	EP 23LA-155	3
Valve piston	19 D21-1002	3
Spring	19 D31-1591	3
Spring retainer	19 D31-1012	3
"O" ring	KK 71JW-009	3
Terminal arrangement	19 DA 660003	3 Pkg

<b>02-04-00027</b>	<b>CONTROL PANEL</b>	
<b><u>DESCRIPTION</u></b>	<b><u>PART NO.</u></b>	<b><u>QTY.</u></b>
Relay module assembly	32 SM400694	3
Relays	HN 61KL-616	15
Progran Timer	HK 25ZD- 030	3
Fuse holder	HY 12FU -040	3
Amplifier module assembly	32 SM500704	6
Light indicating	32 SM400702	6
Switch, low oil pressure	HK 06CA- 405	3
Switch, vane close oil pressure	HK 06ZC- 025	3
Switch, high condenser cut-out	HK 01CA-015	3
Pressure gauge cooler & condenser	KM 03BC- 325	6
Pressure gauge, oil discharge	KM 03BC -326	3
Switch, push button	HR 54ZA -020	6
Switch, push button	HR 52ZD -040	3
Light, indicating	HY 19MM -020	12
Lock & Key	KA 19NL -010	3

<b>02-04-00028</b>	<b>GUIDE VANE AND BLADE RING</b>	
<b><u>DESCRIPTION</u></b>	<b><u>PART NUMBER</u></b>	<b><u>QTY.</u></b>
Blade ring assembly	19 DA31-143	3
Drive pulley	19 D21-2063	3
Cable	19 D31-192	3
Bushing	KT 53LX-055	27
Pin package	19 DA21-001	3
Idlen pulley	19D21-1252	24
Blade pulley	19D21-1242	27
Shaft	19D21-1063	3
Bushing	KT53XL-093	54
Pre-whirl blade	19D31-1044	3
Shaft seal block	19C56-2052	3
“O” ring	KK 71EL-133	3
“O” ring	KK 71EL-216	3
Oiler	CW51EG-603	3
Thrust washer	KT 59WL-160	3
“O” ring	KK71GZ-024	3
“O” ring	KK71GZ-018	3
Flanged bearing	KT58BZ-082	3
Thrust washer	19D21-1371	3
Retaining ring	AU45AR-187	3
Oil seal	KT90UL-087	3
Motor actuator	HF26BB-061	3
Linkage connector	HF91BB-115	6
Crank arm	19D23-2152	3
Crank arm	19D21-2152	3
Temperature switch	19DG116-253	3
Assembly		
Oil pump starter	HN03AC-800	3
Heater Elements	HN71AZ-846	9
Discharge Gasket	19DA31-1153	3
Gasket, access cover	19DH31-1126	3
Strainer	KH11NG-070	3
Gasket, 3” , Oil return	19DA11-1142	3
Refrigerant filter assembly	KH11YZ-140	3
Refrigerant filter cartridge	KH19YZ-140	3

<b>02-04-00029</b>	<b>EQUIPMENT: CONTACTORS</b> MODEL: 19DH 76 95CP 6033E COMPANY NAME: CUTLER HAMMER QUANTITY: 6 - PART PUB: CIPYJ-1 - CONTACT KIT: 6-28 -2 - MAX. 3 PH. RATINGS
<b>DESCRIPTION</b>	<b>QTY.</b>
540 Amps	200V....150HP 230V....200HP 460/575V..400 HP

<b>02-04-00030</b>	<b>EQUIPMENT: COOLING TOWERS</b> MODEL: BPC 126, COMPANY NAME: WESPER QUANTITY: 3 COOLING TOWERS SITE: SADDAM CENTRAL TEACHING HOSPITAL FOR CHILDREN
Spray nozzle Centrifugal fans Motor pulleys Fan pulleys Set of drive belts Set of PVC Fills Set of fan bearings Distribution pipes Motor 9 KW	132 6 9 9 9 3 3 8 9



<b>02-04-00031</b>	<b>EQUIPMENT: FAN COIL UNIT</b> COMPANY NAME: WESPER COURCOURONNES B.P, 226, 91007 EVRY EEDEX QUANTITY INSTALLED: 60 SITE: SADDAM CENTRAL TEACHING HOSPITAL FOR CHILDREN	
Motor 220-240V, 20W, 0.35A , 3 speeds Sisme-Model No: K48410 Moo514 Olgiate comasco Itala		60
Motor 220-240V, 45W, 0.74A , 3 speeds Sisme-Model No: K48410 Moo514 Olgiate comasco Itala		60
Ca[acotpr 1.5MF , 400 V AC		60
Capacitor 2MF , 400V AC		60
Control valve three way control valve complete control boxes		60
Selector seitch 3 speeds, selector seitch 220V, 2 Amp.		60

<b>02-04-00032</b>	<b>EQUIPMENT: COOLING GASES</b>	
<u>Description</u>		<u>Qty</u>
Lithium bromide (Treated) bott of 100 liter		35000 L.
Octane alcohol bott of 4 liter		1000 L.
Refrigeration gas (Feron 12) Bott of 10 kg		30 TON
Refrigeration gas (Feron 11) Bott of 60 kg		5 TON
Refrigeration gas (Feron 22) Bott of 13.5 kg		10 TON
Refrigeration gas (Feron 13) Bott of 13.5 kg		200 KG
Refrigeration gas (Feron 502) Bott of 13.5 kg		5 TON
Refrigeration gas (Feron 503) Bott of 13.5 kg		500 KG

<b>02-04-00033</b>	<b>EQUIPMENT: WATER SOFTENER</b> MODEL: 139 -274 S. No. 635011 COMPANY NAME: ACUARI QUANTITY INSTALLED: 10	
<u>Discription</u>		<u>QTY..</u>
Programer Tyczka (U.S.A), WASSE RTEC HNIK		5
Solenoid valve 12V 50-60HZ 858-218-3 F.3.48		10
Repair Kit for By automatic pass value assembly		10

<b>02-04-00034</b>	<b>EQUIPMENT: WATER SOFTENER</b> MODEL: 3/4 I.P.S Series 600 COMPANY NAME: SOLOMATIC VALVES QUANTITY INSTALLED: 10	
Controller Model S.144-C		5
Solomatic valve ¾ series 600		5
Repir kits for solmatic valve series series 600		10
Predetermineator- water meter model CPM – AT		5
Part No. 1675		
Diptragn valve series 426		5
Repair kits for diphragm valve		10
Solenoid valve tipo 22C-4		5
Paso :4 Bdr : 10 Volt 220/50		
Brine valve		5
Flow senser meter 50m 3/H 30m3/4		5
Cleck valve		5
Filter housing (Glass cover for filter)		5
Relay series MR-C C3-A30		5
Relay Mod CR 220V 50HZ Relux		5

<b>02-04-00035</b>	<b>EQUIPMENT: INTERCOM SYSTEM</b> COMPANY NAME: PHILIPS QUANTITY INSTALLED: 11 SYSTEM	
Description		Qty.,
Mother board M1004 P.CB	LBB 7051/40	22
Section board	8900 705 14501 or	33
Power supply LBB 7997/75	8900 799 77501	22
Rom Integrated circuit A66x6-11	5322 209 54527	22
Ram Integrated circuit 10809EC	5323 209 54335	22
Cpu Intergated circuit 12806EA	5324 209 54336	22
GPI/O Intergated circuit 10696EB	5325 209 85906	22
Clock pulse genrator	107060 NB	22
Cable tester	LBB 7051/48	11

<b>02-04-00036</b>	<b>EQUIPMENT: PAGING SYSTEM</b> COMPANY NAME: PHILIPS QUANTITY INSTALLED: 5 SYSTEM	
Description		Qty.,
Elite-desk complet LBB 5900/10 REM WK518		5
Digital paging reciever LBB 5828/25 REM 535-0401		100
Rechargable Battery for reciever 1.2V 1150 MA		500
Housing complete LBB 5922/25 REM WK537		5

Notes All integrated circuits must be programmed

<b>02-04-00037</b>	<p><b>EQUIPMENT: BURNER FOR THE BOILER</b></p> <p>MODEL: A.Ruciatori Guenod PCS GAS  PCS 185 GR 150 D.25  Date of manufacturer: -1982  Part No.: - 168 M12. 125  Gas pressure: -150 M bar  Power input: - 4KW  V=3*380 -50HZ  Programmer: -LEL. 1.622  Cell=QRE1  V/REF MI/CM/CM 3421  N/PC /MCM/82.9.1107  B. PCS 185 glass C or G 207  N 168N 1278 PEREGLE  POUR GP PCI 21.8  KWH/MN PRESSION  D ALIMENATION de 127.5  TUS QUA 172.5 M Bar  PUISSANEE -  CALORIFIQUE  ADTUSTABLE ENTER,  1160 ET 1500KW  Motor 3KW 220, 50 HZ  GAS pressure: - 150 Mbar  COMPANY NAME:  RECTANGULAR  CUENOD  QUANTITY INSTALLED:  33</p>
--------------------	--

<u>Description</u>	<u>Ref.,No.</u>	<u>Qty.,</u>
Sheet Cone	1	5
As bostic flange	2	5
Inoisation – electrode	7	30
Deflector	6	5
Ignition – electrode	8	30
Washer	10	15
Ball- bearing	16	30
Grating air –aspiration	17	5
Half-Shaft air aspiration SME-Sided	18	5
Half-Shaft air aspiration	19	5
Pressure control gear	22	15
Trans Former	24	5
high-Voltage cable	25	5
Ionoisation cable	26	5
Switch centrifuge	27	33
Coupling switch sided	29	5
Connection – Coupling	30	5
Inter mediate coupling	31	5
Coupling nave	32	5
Coupling - Fan sided	34	5
Motor 3 phase mono – chamfer	39	6
SME	41	20
Half asbestic – Flange	47	5

Ignition detector	49	5
Fuse	51	60
Relay	52	10
Relay security over-heating	56	10
Electric magn. Value little stage.	180	5
Bobbin/ valve little stage.	181	5
Electric magn. Valve big stage.	182	5
Bobbin/valve big stage.	183	5
Security electric magn. Valve	184	5
Bobbin/security electric mag. valve	185	5
Filter	189	5
Photocell		5
Burner complete		1
Programmer complete LFL, 1.622		20

<b>02-04-00038</b>	<b>EQUIPMENT: BODY, FOR, THE BOILER</b> MODEL: AR - TN - 1000 - 1983 CAPACITY: 1109 800 KCal /hr COMPANY NAME: BIASI QUANTITY INSTALLED: 15	
Main inside fire plate tube		5
Fire tube cut diameter 5cm length 255.5 in diameter 4.5cm		900
Door gasket asbestose rope 1/2 square		50 mter
Maximum thermostat		5
Regulating thermostat		5
Sight glass complete		5
Safety Valve VYC P.N 25		5
Level Switch Floatless switch Type: 6/F -GP-N2 Volt-220AC Second volt- 8 volt 1985		5

<b>02-04-00039</b>	<b>EQUIPMENT: STEAM BOILER</b> MODEL: COMPANY NAME: GUSTAR OSPELT HOVAL WERK AG QUANTITY INSTALLED: 6	
Feed water Pumpe With Motor		6
Gestra non-return Valve Dn40		6
Water Lerel Cantrol M deunel		6
Electrode For 2nd Safety		6
Safety Valve Dn32		6
Dirt Trap Dn40		5
Regulating Pressostat Dn40		6
Safety Pressostat L 4079		6
Pressure Gauge 0-16 Bar		6
Level Gauge 1/2 Complete		6
Solenoid Valve For Heat Exchanger		8

Steam Trap 1"	8
Steam Trap 1" DN25	8
Closing Valve DN50	8
Steam Trape 1"	8
Steam Trape DN50	8
Cotuctor For Feed Pump	10
Contuctor for burner pump	10
Themo relay	10
Key swicth	5
Auxiliary relay	10
Melting plug 10 A	10
Melting plug 20 A	10
Safety element 25 A	10
Safety element 40 A	10
Control switch	10
Idontical with item 30	10
Drain valve NW 40 , PN 16	10
Burner HL 4-400-D-2R	2
Transformer 10.000V-30 MA	10
Oil Hoses 1"	10
Contecter	6
Thermo - Relay	6
Burner - Pump	10
Oprating relay	6
Oil nozzle 200 kg,45	10
Oil nozzle 200 kg,60	10
Clutch shaft	8
Replacement kit for noesma consisting of :	6
Satronie control	1
Satronie base	1
Photo cell	1
Photo cell holder	1
Electrical wiring sketch	1
Servo motor	6
photo cell	6
Oil valver luzifer	6
Hydeaulic controls	5
Inyition cables with plugs	12
Ingition electroder rods	12
Solenoid valves	15
Switch valve comlete	10
Elctrode relaye	10
Het exonaner tube compt with gasket AMD nuts	6
Caaaaapacity.450 000 kcalh.	
Heat exchanger compl but with out armatures	6
capacity:1100 000 kcalh	
Set - of tures for horal steam boiler AS suppleed	6
tinder HS/195/5/80	

<b>02-04-00040</b>	<b>EQUIPMENT: STEAM BOILER</b> MODEL: THP.U650E COMPANY NAME: GUSTAR OSPELT HOVAL WERK AG QUANTITY INSTALLED: 4
Feed water pump	8
Main steam valve	5
Level control by electrode	10
Pressure control	6
Control panel inc 1 prewiring	10
Insulation with ulu-cover	5
Safety valve	10
Automatic blow down control	5
Float valve	5
Level control	10
Drain valve	10
Thermometer	5
Preheating system complete	5
booster pump plant 0.5 to 3.5 bar	5
Active carbon filter type AKH 300	5
Softener type servomutic KS-W 200	6
Text kit	4
Chem.Dosing plant servo-dos H/O	6
Dosing Chemicals servo-phos S.6 50 kg	6
Feed water pump	10
Safety valve	6
Non return valve	10
Level indicator complete	6
Level indicator sight glass	6
Water shortage safety	6
Electrodo wit amplifier	10
Manostat	8
Pressure gauge	8
Ignition transfor mer	8
Contactora	10
Oil hoses	10
Thermo relay	10
Oil pump	10
Timer	8
Nozzles	10
Baffle plate	8
Sight glass complete	8
Control relay	8
Magnetic valve	10
Ignition cable with plug	10
Flame sensor	8
Air flap motor	4
Hydraulic regulator	6
Control valve	4
O - Rings	8
Time clock with fittings	4
Control valve	4
Piston discharge side	4
Injector with o - ring	4
Brine valve	4

<b>02-04-00041</b>	<b>EQUIPMENT: STEAM BOILER</b> MODEL: HTO 60 COMPANY NAME: ELECTROLUX WAS CATOR QUANTITY INSTALLED: 90	
<u>Article</u>	<u>Part No.</u>	<u>Qty</u>
Oil burnner L3 Z-A	29/0	10
Shaft wheel	29/0	10
Oil pump j4	29/0	10
Flams carrier com	29/0	10
Ignitian transfar	29/0	20
Ignitian electrod	29/0	15
Cables	29/0	15
Flame guaro QRBI	29/0	15
Photo electric	29/0	20
Solenoid valve	29/0	20
Flexibles hoses	29/0	20
L 1000 MM cannectian 8	29/0	10
Cautrol box erab	29/0	20
Electrodes ent 120	29/0	20
Electrodes cover	29/0	20
Starting valve	29/0	10
Feed water pump CP2-140k	29/0	20
Oil pump vikina F4	29/0	15
Oil pump sunostran boast 380/50/3	29/0	15
Level indictor mobey 501/F05	29/0	15
Level indictor mobey 501/F83	29/0	10
Fire pipe set	29/0	15 set
Glass with gasket LZ 10mm diam 12mm	29/0	100
Check valve-connection 20 page 2694	29/0	50

<b>02-04-00042</b>	<b>EQUIPMENT : INCINERATOR</b>	
	MODEL: E-75 ORDER	
	NO.:- BO-2178	
	COMPANY NAME:	
	SAUNER DUVAL	
Trans former	1	5
Electromagnetic valve	2	10
Motor	5	5
Programer	12	15
Electrode	20	15
Inozation electrede	21	15
Ventilator	25	5
Condensator	28	15
Airpressure switch	30	10
Repair kit for Gasregulator		10
Combustion burner Ignition switch	IMC	15
Filter cartridge		10
Temperature controller	REG	5
General Ventilator Protection	PV	15
General Ventilator Contactor	C.V	15
Main Power switch	IG	5
Micro Switch ZCK-M102 for the door XCIC-M380V, 10CUSA		5
Telemecanique		
Indicator lamp 220V 3 W		100
Burner complete		1
High tension wire		5



<b>02-04-00043</b>	<b>EQUIPMENT: PYROLYTIC INCINERATION SYSTEM</b> MODEL: VO 180 COMPANY NAME: GUSTAR OSPELT HOVAL WERK AG QUANTITY INSTALLED: 60		
HY Clraulic aygregate	250	1	5
Pipe	518 896	2	4
Pipe union	250 011	3	4
Straight union connect	250 012	4	
Angle pivot	250 013	5	4
Pipe nipple	250 014	6	4
Tecaian hose Nd 10	250 015	7A	4
Tecaian hose ND 10	250 01	7B	6
Adjustable angle conn	250 016	8	
T-Coupling	250 017	9	6
Straight pipe union	250 042	10	8
Angie union connection	250 020	12	9
Collar	250 21	14	10
Straight	250 022	15	8
Angle coupling	250 023	16	8
Flange	239 354	17	6
Piston	682845-34	16	4
Cylinder carriage	682846-2	19	4
Micro switch	266 005	63	10
Axis	518545-4	66	5
HY draulic gear pump	250 086	1	5
Coupling	250 087	2	10
Electric motor	245 040	3	10
2.2 KW Type B5 .220/380 V			
Return filter	250 089	5	10
El.Solenold Valve	250 093	9	10
Valve base with pressure regulator	250 094	10	10
Clycerine manometer	250 097	13	6
Manometer stop valve	250 098	14	8
Non return valve	250 099	15	12
Fecding start	b10		10
Fecding piston back	b49		10
Fecding piston ahead	b48		10
Lock gate up	b45		5
Lock gate down	b46		5
Cover open	b52		5
Cover closed	b55		5
Mushroom butt Emerg-off	b27		5
Key switch	b12		15
Signal lamp release	b15		10
Replacement lamp	b15		10
Relay hydraulic pump	C33		20
Motor protection	E33		15
Pug-in auxiliary relay	D11		20
Do	D43		20

Do	D20		20
Do	D57		20
Relay base			20
Program cylinder feeder	441		5
Mechanical time	dt14 relay		5
Half - wave rectifier			5
Feeding Start	b10		5
Feeding Pist back	b49		5
Main Control panel		1	15
Silicone wire	521556	14	5
Silicane wire	521557	15	5
Silicane wire	521558	16	5
Silicane wire	521559	17	5
Silicane wire	521560	18	5
Doudle shield cable	521381	21	10
Doudle shield cable	521382	22	10
Doudle shield cable	521383	23	15
Doudle shield cable	521384	24	15
Doudle shield cable	520591	25	15
Lgnition cable	521385	26	20
Lgnition cable	521386	27	20
Shielding cable	521387	28	15
Oil pipe	521391	52	30
Oil pipe	520599		40
Coupling blustik for oil pump			100
Electrode			100

<b>02-04-00044</b>	<b>EQUIPMENT: PYROLYTIC INCINERATION SYSTEM</b> MODEL: VO 100 COMPANY NAME: GUSTAR OSPELT HOVAL WERK AG QUANTITY INSTALLED: 40		
Burner rack complete	682 534-34	10	20
Diffuser	515 546	14	10
Electric part	686 727-2	28	8
Pipe clamp	239 351	30	10
Nipple	411 598	31	20
Flexible metal tube	247004	39	50
Flexible metal tube	247005	38	50
Hexagon screw	222 363	41	50
Hexagon screw	228 024	42	50
Hexagon screw	222 266	43	50
Hexagon nut	228 072	44	50
Hose coupling	239 367	55	5
Hose coupling	239 366	56	10
Door locking device	682 736-23	16	5
Door locking magnet	239 322		5
Box spanner	682 862-4	36	4
Micro switch	266 055	30	20
Oil burner	243 134	4	20
Oil filter	243 374	5	20
Air vent	240 115	6	10
Pipe	515 531-4	7	10
Pipe	515 532	8	10
Supporting collar	250 024	9	10
Return valve	240 159	15	10
Steel armoured pipe	520 110	1	10
Steel armoured pipe	520 111	2	10
Steel armoured pipe	520 112-4	3	5
Steel armoured bead	90-238 187	4	5
Metal protection hose	520 113	5	5
Metal protection hose	520 114	6	5
Metal protection hose	520 115	7	5
Metal protection hose	520 116	8	5
Metal protection hose	520 117	9	5
Metal protection hose	520 118	10	5
Silicone wire	520 119	11	10
Silikon wire	520 120	12	10
Silicone wire	520 121	13	10
Shielding cable	520 122	14	10
Ignition cable	520 123	15	20
Ignition cable	520 124	16	20
Double shield cable	520 125	17	10
Double shield cable	520 126	18	10
Double shield cable	520 127	19	10
Double shield cable	520 128	20	10
Oil pipe	520 129	21	10
Oil pipe	520 130	22	10

Junction box	262 068	24	5
AGRO universa- nipple	288 189	25	5
Coble union connction	238 190	26	5
Univ-Cable connction	238 191	27	5
Plug-In coupling sleeve	238 192	28	5
Terminal strip	263 042	30	5
AMP Faston plug	262 069	31	5
Control panel completes with fan box and fan with motor and door complet.		6	
Fan with motor	243 126	10	20
Main switch cutout	B1		20
Pilot burner cut out sw	B21		20
AUX. burner cut out sw	B41		20
Primary fan cut out sw	B51		20
Over load prot-prim-fan	C52		20
Motor protection	E52		10
Signal lamp with cap	N		20
Repl.lamp/el.bulb lamp			20
Plug-in auxiliary relay	D12		30
Do	D13		30
Do	D17		30
Do	D22		30
Do	D42		30
Do	D47		30
Do	D14		30nb
Do	D16		30
Do	D81		30
Do	D85		30
Mechanical time relay	DT11		20
Mechanical time relay	DT32		20
Mechanical time relay	DT43		20
Disconnection with trouble	0		20
Indition			20
Yisible type fuse	E		20
Limit switch			20
Pyrolytic chamder	G63		10
Transformer	M71		20
Bridge recti fier	N75		30
Relay base			30
Half-wave rectifier	N		20
Electrolytic condenser	K14		20
Electrolytic condenser	K16		20
Resistor	R15		20
Resistor	R16		20
Cable fastener			20
Burner head	243 453		10
Flame monitor	243 363	1	20
Flame monitor QRB3	243 300	2	20
NOZZEL bar	243 292	11	30
Lgnit.Cable compl plug	243 253	15	50
Insulating pocket	243 298	16	20
Plug-in pocket	243 297	18	20
Levelled plug	262 058	19	20
Lgnition cable	243 426	20	30

Electrod holder	243 250	21	40
NOZZEL,30 Mcal/h	243 299		40
NOZZEL,60 Mcal/h	243 338		40
Lgnition transformer	270 010	25	25
Auxiliary relay	864 046	26	25
Oil firing control LA12	243 305	27	30
Oil Pressure Pump	243 308	29	50
Oil hose	247 047		50
Solenoid 220V 50 valve	243 359	36	20
Electric 220V 50 motor	243 268	40	20
Air regulation nob	243 359	37	10
Sack refractory "Cement A50 5kg" (A. P. GREEN REFRATORIES )			20
Honey well MINIPAK R 7380 A			15
Goug of oil tank			10

<b>02-04-00045</b>	<b>EQUIBMENT: FORKLIFT</b> MODEL: FAER 5.1 COMPANY NAME: LANSING LIMITED. QUANTITY INSTALLED: 7	
Bord – printed ciercut	2014843-001	5
Bord – printed ciercut	1046413-001	5
Tyre	3002853	20
Tyre	3002853-001	20
Battery	540 A 48 V	20
Telescopic forks motor and gear box		5
Armature		10
Complete year box		10
Motor assembly	3012285	5
Gear box complete for turret head		10
Armature traction motor	1009059	5
Safety control umt	4014144-1	10
Contactora assembly	3005078	5
Bond printed circuit	30-5235	
Micro switch	1042763	100
Micro switch	1017409-002	50

<b>02-04-00046</b>	<b>EQUIPMENT: FORKLIFT</b> COMPANY NAME: SUMITOMO YEAL COMPANY QUANTITY INSTALLED: 4		
Holder	9010948.02		10
Ingection Pump	9013218.00		2
Fall filter assy.	9009078.00		3
Watter pump complete			3
FAN	9010968.13		3
Radiator	9070606.00		2
Startor motor	9010989.90		3
Alternator assy	9010818.90		3
Hydorlic pump complete			2
Joint	9012061.00		8
Yoke	9007153.00		4
Yoke	9022993.00		3
Wheel cylinder	9004888.36		6
Tie rod end	9005403.03		6
Tie rod end	9005403.02		6

<b>02-04-00047</b>	<b>EQUIPMENT: FORKLIFT</b> COMPANY NAME LANSING LIMITED QUANTITY INSTALLED: 3		
Full pump complete			3
Injection pump complete			3
Nozzel Injection pump complete			12

<b>02-04-00048</b>	<b>EQUIPMENT: OPERATING TABLE</b> MODEL: 1005X COMPANY NAME: MIDICORE QUANTITY INSTALLED: 80		
Piston ring mounted	X 25-3-3		50
Uniform hydrolic	X -25		20

<b>02-04-00049</b>	<b>EQUIPMENT: OPERATING TABLE</b> MODEL: M-TYPE COMPANY NAME: MIZUHO IKAKOGYO,CO.LTD QUANTITY INSTALLED: 100		
<u>Discription</u>			<u>Qty</u>
Rely box complyt elect/circuit			6

<b>02-04-00050</b>	<b>EQUIPMENT: WASHER EXTRACTOR</b>	
	MODEL: FL 243E	
	COMPANY NAME:	
	ELECTROLUX	
	WASCATOR AB	
	QUANTITY INSTALLED: 90	
<u>Description</u>	<u>Ref. No.</u>	<u>Qty</u>
Circuit breaker co repl.	471667659/0 471666	5
Drain valve	471921965/3	20
Repair Kit	471675147/6	5
Heating Element	471980310/0	60
Level control	471920258/4	10
Level control	471900815/5	5
Lock Handle	471244839/0	10
Microswitch type	471243851/6	10
Door Gasket	471243129/7	10
Switch 2-Pole 1-W	471907406/6	15
Switch 1-Pole 2-W	471907405/8	15
Ren. Kit P-Bottonp	471675111/2	5
Repair Kit Bearing	471660859/3	5
Casket	471244010/8	5
Motor	471971484/4	10
Repair Kit	471675084/1	5
Contacto	767511209/3	20
Auxilliary Contact	767510192/2	20
Auxilliary Contact	767510692/0	10
Contacto	767513210/9	10
Contacto	767510240/9	10
Timer SK5438 220V	471242219/7	20
Delay unit 220V	471951441/1	20
Buzzer No279 W220	471901070/6	5
Valve	471823508/0	5
Valve Body	471675363/9	5
Motor with gear	471675358/9	10
Diaphragm	471823498/4	15
Motor with gear	471675360/5	10
Microwswitch	471652712/4	10
Programme card 47	471900830/4	20
Programme card	471920078/6	20

<b>02-04-00051</b>	<b>EQUIPMENT: DRYING TUMBLER</b> MODEL: TT900S COMPANY NAME: ELECTROLUX WASCATOR AB QUANTITY INSTALLED: 40	
<u>Description</u>	<u>Ref. No.</u>	<u>Qty</u>
Microswitch	471675310/0	10
V-Belt	489815128/9	20
Actuator Spring	471675318/3	9
Filter	471680374/9	10
Relay TU6947	471675320/9	5
Thermostat	471675312/6	10
Thermostat	471675314/2	5
Timer	471675658/2	10
Bearing and Collar	471665463/9	25
Pulley	471665317/7	2
Pulley	471665318/5	4
Idler Bracket	471666043/8	3
Motor TT900	471665067/8	10
Felt Seal	471666896/9	5
Relay 220V 50/60	471665838/2	3
Transformer	471675341/5	2



<b>02-04-00052</b>	<b>EQUIPMENT: DRYING TUMBLER</b> MODEL: TT1100S COMPANY NAME: ELECTROLUX WASCATOR AB QUANTITY INSTALLED: 32	
<u>Description</u>	<u>Ref. No.</u>	<u>Qty</u>
V-Belt	471675329/0	10
Filter	471680353/3	10
V-Belt	471658481/0	15
Contact	471675343/1	5
Contact	471675350/6	5
Timer	471675348/0	5

<b>02-04-00053</b>	<b>EQUIPMENT: HYDRO EXTRACTOR</b> MODEL: C30-C18 COMPANY NAME: ELECTROLUX WASCATOR AB QUANTITY INSTALLED: 120	
<u>Description</u>	<u>Ref. No.</u>	<u>Qty..</u>
Rubber Cushion	471656848/2	10
Plexiglass Lid	471656207/1	10
Solenoid	471690352/3	30
Microswitch	471922000/8	30
Delay Mechanism	471690355/6	15
Rectifier	471669652/3	7

<b>02-04-00054</b>	<b>EQUIPMENT: DRYING TUMBLER</b> MODEL: TT754 COMPANY NAME: ELECTROLUX WASCATOR AB QUANTITY INSTALLED: 65	
<u>Description</u>	<u>Part.No.</u>	<u>Qty..</u>
Contactora	767511200/2	25
Auxilliary contact	767510192/2	25
Auxilliary contact	767510292/0	25
Contactora	767511240/8	25
Thermostat	471922542/9	20
V-Belt	471920818/5	20
Stretcher	471566200/5	5
Element	471573400/2	50
Overheat protection	471174602/6	20
Timer	471920154/5	20
Motor	471920859/9	20
Carrier with shaft	471565800/3	5

<b>02-04-00055</b>	<b>EQUIPMENT: IRON</b> MODEL: VMS500 COMPANY NAME: ELECTROLUX WASCATOR AB QUANTITY INSTALLED: 50	
<u>Description</u>	<u>Part.No.</u>	<u>Qty.</u>
Motor	471921490/2	10

<b>02-04-00056</b>	<b>EQUIPMENT: IRON</b> MODEL: NBORG 300/2000S COMPANY NAME: ELECTROLUX WASCATOR AB QUANTITY INSTALLED: 44	
<u>Description</u>	<u>Part.No.</u>	<u>Qty.</u>
Motorcoupling	489601662/5	8
Thermostat	489625397/8	10
Contacto	489625607/2	10
Motor	489625764/1	8

<b>02-04-00057</b>	<b>EQUIPMENT: IRON</b> MODEL: CORDES 965 COMPANY NAME: ELECTROLUX WASCATOR AB QUANTITY INSTALLED: 40	
<u>Description</u>	<u>Part.No.</u>	<u>Qty.</u>
V-belt	471652935/1	10
V-belt	471652987/2	10
Fan Motor	471652993/0	10
Thermostat	471653036/7	10
Thermostat	471653037/5	5
Thermostat	471653038/3	5
Thermostat	471653041/7	5
Switich	471653042/5	10
Overload protection	471653049/0	5
Relay	471675908/1	5
Fan House	471652995/5	2
Fan Wheel	471653000/3	3
Fan Wheel	471653001/1	2
Pulley	471652936/9	12
Worm Shaft	471652969/0	2
Pulley	471652939/3	5
Drive Motor	471653927/8	2
Switch	471653063/1	4

<b>02-04-00058</b>	<b>EQUIPMENT: DRYING, TUMBLER, UNI, WASH</b> MODEL: 100 IBS (tender 8L5L80) COMPANY NAME: UNIWASH QUANTITY INSTALLED: 60	
Timer 124-005		10
Push button switch 122.103		15
Rocker on-off switch 122.403		15
Manual reset (thermostate) 130.301		10
Thermostate 130.200		10
Filter		20
Fan motor		10
Drive motor		10
Steam coil (hot steam heating unit)		35
Trans former		10
V-Belt		10
REV contact		15
Fan contact		15
Steam valve		15
Motor		15

<b>02-04-00059</b>	<b>EQUIPMENT: GENERATING SETS</b> COMPANY NAME: HITZINGER QUANTITY INSTALLED: 172	
<u>Description/Part No.</u>		<u>Qty</u>
cct Breaker type 500 G400		20
cct Breaker 160 A C250 G160		20
Coil 220 V for contactor of 250 KVA Gen		20
Contactor FK43 M22		25
Coil for 100KVA contactor		25
Lamp type 2B2 130V+ZB2		80
Contactor CN1-HC 133M 220V		20
Bulb 130V OL1-CE 130		80
Push Button ZB2-BA2t		10
Voltage regulator T32		20
Charging coil		20
Transformer LG 12V/5		10
Starter motor for 250KVA		10
Operating solenoid 24V		25
Temperature sender		10
Oil pressure switch		20
Electronic unit type E-12/24		60
Dynamo 24V for 250KVA		20
NH-fuse breaker base 1 1st.4-NA w/o cover		20
NH-fuse breaker base 1 2st.4-NA w/o cover		20
Power fuse cover		10
Terminal box ML2 DIN 46260		10
Contactor LC1-220V FK23M22		30
Over voltage relay SWV1		10
Relay 12V		10
Voltage meter selector switch type F-10A008-622EG		10
Terminal box KL 17/14 14 pole		5

Bypass selector switch L100	10
Switch type B17 A200E	10
Contactor CA-150	25
Charging device LG 24/5	20
Charging device LG 12/5	10
Ferquency meter 1014/05(47-53)HZ	10
Voltmeter 1014/10027(500)	10
Dynamo 12V for perkins Eng.	5
Operating solenoid 12V	10
Coil CA-1-150,380V	20
Bulb 130V	50
Contactor CA1-60-380	10
Print part for charging LG 24/5	30
Print part for charging LG 12/5	15
Relay type CS1A 220V	20
Relay type CSIS, 89592,12V	20
Relay S2/24V	20
Lock NS 0342 311-004	15
NH Power fuse holder OOSTSE1	20
Voltmeter 1014/00220(0-40)	10
Zener diode ZX22	20
Diode IN4148	20
Relays AZ692-8-2M	15
Cct Breaker C250 3P SDF BAu	5
Lock NS 0342311-004	15
Frequency supervision FE17B No.2571.1.5	10
Current contactor LC FG 43M22-220V 50HZ	10
Current contactor LC FG 43M22 with auxiliary contactor block ZC1-GPA and thermorelay	10
LR1 F160 100-160	
Markoni automatic voltage regulator fPr Marko gen. set 250KVA	5
Electronic (speed control) Barbar-Coleman for Cummins engine	5
Gasket Cylinder head 550212FC001	40
Repair kit outer turbocharger 550095	6
Repair kit inner turbocharger 550094	6
Main bearing Shell 302700	64
Main bearing Shell 302701	64
Cylinder liner 29509	32
Gasket oil pan 550039	15
General overhaul set GAS 550188	20
Seal ring 338643	20
Seal ring 231938	20
Sealing compound 584010	20
Piston ring set 550171	80
Piston Assembly 328589	80
Bearing shell 279113	73
Push rod 265476	32
Tappet valve 550206	32
Nozzle 303739	80
Oil pressure transmitter 312398	10
Cylinder head 289622	12
Oil pump 263161	10
Oil cooler 341475	5
Connecting rod 319329	8

WATER PUMP 320592	10
Bearing housing 306524	24
Injection pump 310685	4
Feed pump 319792	10
Nozzel holder 325708	8
Alternator 335795	8
Repair kit water pump U7LW009	5
Set gasket 68020	5
Thermostat 2485638	10
Ring set PN 86785	10
Coil 196086	10
Air cleaner AF263	10
Gasket set 3801096	8
Filter water WF2055	10
Gasket set 38001406 (upper)	5
Gasket set 3017564 (lower)	5
Fuel feed pump 243083-3	10
Starter pin 244361-2	4
Oil pump 466 530-3	8
Cylinder head 466 549-3	8
Starter motor 465604-7	10
Stop solenoid 881332-6	10
Guide intake valve 300957-8	80
Guide exhaust valve 300958-6	80
Intake valve 324675-8	76
Exhaust valve 232018-2	76
Valve steam cap 246638-1	16
Rocker arm inlet 263935-9 (307357)	20
Rocker arm exh.307359.0 (263772-6)	20
Bearing bracket inlet 170064-8 (384433)	16
Bearing bracket exhaust 170065-7 (384434)	16
Gasket set cylinder head 550214, 551469	36
Sealing ring center 323641-1	40
Nozzel 252840	70
Gasket 170702-5,371496	20
Gasket 170700-5,371505	22
Piston 328589-7	24
Connecting rod bearing 279112-7	36
Crank shaft 345970,33747-1,305730-4	1
Crank shaft key andgear key 353893 (358462)	4
Valve tappet, 131105-9, 1103422	22
Oil pump gear 263161-2	5
Water pump 370625	8
Injection 310691-1	4
General overhaul kit 550188-7/551551470	15
Hand pump 393620	10
Big-End gearing kit 270115-9	24
Big-End gearing kit 270116-7	32
Big-End gearing kit 270117-5	28
Big-End gearing kit 270118-3	24
Big-End gearing kit 270119-1	21
Big-End gearing kit 270434-1	22
Big-End gearing kit 270435-1	22
Big-End gearing kit 270436-9	22
Big-End gearing kit 276755-6	16
Big-End gearing kit 276756-4	16

Big-End gearing kit 276757-2	16
Water pump 466833	8
Fual injector 466891-1/1544090-2	5
Fan belt 814195	20
Cylinder head gasket (135978) BM-9802	16
Cct breaker for 1000KVA Klocknar LH 1250A (3765265)	4
Cct breaker for 575KVA Klocknar LH 1000A (3765570)	4
Electronic compact unit for (1000&575)KVA (3772349)	5
Electronic compact unit for 775KVA	2
Varistor (Siemens) voltage supressorfor (1000,575and 775KVA	10
Cooling water perheater 3KW 220V (1070467)	20
Battery charger U72 for 1000KVA (3761010)	5
Pair turbocharger left & right sides (4000442) (Ba 16M816)	1
Repair kit turbocharger set	2
crnak shaft 305730	1
Gear key 358893	4

<b>02-04-00060</b>		<b>Spare parts for Hitzinger diesel Generator engine, 1900 KVA-Hedemora engine Type V16 A/15 16 cylinder, 1500 R.p.m, 2240 HP.</b>	
Article	Part No.	Qty	
Gudgen pin Ghromium plated	6005044	36	
piston ring set	6005115	36	
Retainer ring	6005103	68	
piston	6005088	36	
Valve spindle inlet exhaust		68	
valve guide	6015017	68	
valve spring cup , lower	6015021	68	
v alve spring inner	6015019	68	
valve spring outer	6015018	68	
valve spring cup , upper	6015020	68	
valve cotter half	6015022	68	
Nozzle	6017013	36	
Connecting rod assy .	6003075	4	
Small end bush	6003083	36	
Bearing shell set	6003071	36	
Complet set of gasket		8 set	

<b>02-04-00061</b>	<b>Generator set type 47/77 250kva Alter nator MARKON type B 514J Enging CUMMINS type NT-855</b>		
Article	Part No.	Qty	
Control Box BC	DYN-1	10	
Actuator BC	DYN-c	4	
Magnetic pick up	DYN-T	5	
Alternator(Dynamo)	1117644	4	
Connecting rod Assy	3013930	6	
Water pump	AR-45091	5	
A.V.R	036-060	5	
Fuel pump assy	3043259	1	
Speed senser			
Main fail relay	IR-6001	5	
Frequency relay	IR-6002	10	
Tension relay	IR-6003	10	
Auxiliary relay	IR6004	10	
24 v d.c relay	SPP-100	20	
24 v d.c time relay	SPP-101	10	
220 v relay	SPP-110	20	
Alternator contactor	IR-3637B	20	

<b>02-04-00062</b>	<b>Equipment: hightension substation Company: CEM</b>		
Curcuit Breaker	11 k.v	NFX 08022 CCR 624	48

<b>02-04-00063</b>	<b>Equipment: Body of the Boiler Model: WA1000</b>		
Item			Qty
Door gasket in asbestos ref y023.020			12
Asbestos gasket for smoke box 151g.3900			12
Klingerite gasket for hand hole 80/120 ret 7020 140			12
sight glass complete with gaskct 7037 090			20
five tube			1200

<b>02-04-00064</b>	<p><b>EQUIPMENT: GENERATING SETS</b>  MODEL: BA 16 M816, BA12  M816  COMPANY NAME:  KLOCKNER HUMBOLDT-  DEUTZ AG  QUANTITY INSTALLED:  44</p> <p><b>NOTE</b>  The down list in for 30 generating sets type BA16M816 power rated 1012KVA which have serial numbers 1-8836-5-9250 order no. 24741, engine no. 65 35 373 and 1-8836-5-9246 order no. 24732,engine no. 63 36 354,etc. That, is to say all parts in the down list should be exactly the same parts which the above serial numbers generator a set contain:</p>
--------------------	---

<u>Article</u>	<u>Part No.</u>	<u>Qty</u>
Big-End bearing	400 9623	80
Big-End bearing	400 9621	80
Big-End bearing	400 9625	160
Big-End bearing	400 9629	160
Big-End bearing	400 9633	112
Water pump	400 3026	10
Impeller	400 4510	4
Drive shaft	215 6335	8
Pump housing	400 2461	2
Oil line	215 8700	5
Oil line	337 4799	3
Suction line	400 0146	3
Pipe/Line/Lead	215 7379	2
Drain/Disc/Pipe	215 0124	2
Plug	215 7076	2
O-seal	116 0538	4
Gate valve	215 8014	4
Shut-off valve	116 1205	5
Turbo charger (left and For the above Right sides of the engine serl no).		3 Pair
Repair kit set for turbo charger		6 sets
Set of ring	400 6854	128
Sealing set	291 1562	10
Element	210 4709	20
Gasket	348 2236	25
Gasket	348 2237	20
Oil resevoir	210 4708	2
Bearing housing	215 4942	6
Hub	215 4721	6
Lub oil pump	215 7150	6
Repair kit oil pump		5 set
Distributor	215 6597	5
Lube tube	337 4799	4



Adapter nipple	111 9135	5
Head	210 4883	2
Lub oil filter	215 6202	2
Semi-Rotary pump	121 5176	2
Lube tube	337 4882	6
Twin nipple	111 9119	5
Delivery line	400 1334	3
Coupling piece	400 3193	10
Cover	210 6445	3
Solenoid	126 1570	10
Pneumatic line	400 3725	2
Delivery line	400 1342	5
Fuel line	6524	2
Cap	337 3968	2
Flexible coupling	For the abor serl. no. engine	5
Rubber suction	207 7785	33
Switch	216 6478	4
Angle joint	123 6303	10
Contro unit	126 3225	10
Fly wheel	For the above serl. no. engine	4
Starter motor coil	For the above serl. no. engine	15
Radiator heater	126 0671	150
Fan	216 3176	8
Electric motor fan	37kw for fan item 55	3
Rubber pad	216 3393	10
Temprature transmitter	126 2492	80
Relay	116 9087	20
Flow switch	126 2052	5
Relay	116 9076	20
Sensor pocket	126 2758	10
Reducing nipple	116 5615	10
Monitor switch	126 2495	60
Relay	116 4085	20
Clamping bush	116 2226	10
Complete engine model BA16M816	The same above serl.no	2
Over voltage protaction	116 4324	9
Housing	124 4892	2
Plag in sleeve	124 494	3
Plag in sleeve	124 4896	5
Capasito/ condensor	117 2483	5
Lift pump	126 1834	15
Hand pump	126 2537	6
Varistor (for alternator type IFC5502-4)	For above serl.no. gen.set	50
Circuite breaker A3, A31 drawing no. DE-S 5095-1	For above serl.no. gen.set	20
Circuit breaker A204 318.002-00	Drawing no. 6E	6
Control contactor	(D88,D94,D95)	40
Relay D64		20
Control transformer M72		50

Relay D89,91		40
Relay D(92,97,98,100,211)		40
Relay instantenouse D5,D33		60
Timer relay D78		15
Diode N211		10
Charging regulator U72		40
Bridge rectifier M72		80
Relay D207		10
Relay output main voltage controller HNC	VS 224/IIGB	20
Relay output generator voltage controller(HGC)	VS 224/IIGB	20
Charging regulator U1	Drawing no.4VS-SO290	20
Drop indicator relay d1	Drawing no.4VS-SO290	15
Compact electronic U90	HCGN - 08	60
Startor motor	For the above serl.no.	10
Set of rotating rectifier (t & -)	32 asin cataloge	30 set
Cylinder Block	for above serial no.	1
for above ser l.No.		12
1166755		40
2156429		8
3375119		20
4004088		20
4004196		20
4004068		20
4004067		20
1115403		20
4009570		20
2123605		8
4003276		8
2158033		8
3373715		2
4000260		64
2153291		96
for above ser l.No.		4
for above ser l.No.		6 set
1236301		10

**NOTE:-**

The list below contains sparts for generating sets type BA16M816/IMPERIA power rated 775KVA for sets like that of serail no. 12.432,engine no. 5656641.

<u>Article</u>	<u>Part No.</u>	<u>Qty.,</u>
Circute breaker Q1,Q2	Drawing no. 1	6
Battery charger BLG 2/E	Drawing no. A21	1
Stand by control NST2	Drawing no. 3 (7)	1
Stand by switch gear N2 - 1200 133	M25 - 1200 133	1
Set off all relays (K11,K21, K12,...ect)		5 set
Timer (K1,K22,...ect)		5 set
Flexible coupling	For above serl.no.	1
A.V.R	207 T 032	1
Power transister V4	209.01	5
Capicitor	15.57	10
Current transformor T6 & T4	201	2
Voltage suppressor	27.32	16
Diode +	27.19	24
Diode -	27.20	24
Rectifier modale +1	27.55	8 set
under voltage relay	for circenit breaker Q1Q2	12

**NOTE:-**

**The list below contains spare parts for generating sets type BA12M816 struver power rated 575 KVA for sets which likethat of serialno. 24.791 engine no.65 36 269.**

<u>Article</u>	<u>Part No.</u>	<u>Qty</u>
Starter motor	For the above serl.no.	2
Starter motor coil	For the above serl.no.	10
Complete engine type	Like the above serl.no.	2
Flixible coupling	For the above serl.no.	4
Circuit breaker A3,A31 above serl.no	For 575KVA for the	12
Bush camshaft	for above serial no.	170
Cylinder block	for above serial no.	2

<u>Description</u>	<u>Code No.</u>	<u>Page No.</u>	<u>Qty..</u>
<b>02-04-00065      EQUIPMENT: DRYING TUMBLER</b>			
MODEL: C8-BUT PROPANE			
22.6 KW MACHINE NO.: 4654			
ELECT: 0.6KW V=380 50 Hz			
16 JUILET 1981			
CAPACITY: 8KG			
NOTICE NO.: 3723			
COMPANY NAME: DUBIX			
QUANTITY INSTALLED: 12			
Motor	71 014 023	17	12
1500 belt	73 022 021	17	60
Glass for door 318	33 000 213	17	24
Burner Bp 74	72 051 104	19	12
Gas 20 + 27 Elect valve	72 011 000	19	12
or Regulator (72043	72 011 073		
053)			
Electrode	71 088 017	19	12
0 to 120 thermostat	71 030 030	17	12
Safety thermostat	71 030 031	19	12
Door Safety	71 054 019	17	12
Timer	71 062 007	17	12
Contactore	71 062 075		12
Bearing Pf 80-40FA	73 010 038	17	36
Pillow-block			12
Ignitor	71 088 018		24

<b>02-04-00066</b>		<b>EQUIPMENT: WASHER EXTRACTOR</b>	
		MODEL: FL 503	
		COMPANY NAME:	
		WASCATER	
		QUANTITY INSTALLED: 140	
<u>Article</u>	<u>Part No.</u>	<u>Qty</u>	
Door gasket	471 24 18.06	30	
Wash motor compl 380-415V50 HZ (440V 60HZ)	471.92 01.47	10	
extract motor compl with cluch 380- 415V50HZ(440VGOHZ)	471 69 02.37	10	
Drain hose	471 24 17.32	30	
Solenoid valve 220V 50HZ	471 92 02 .32	35	
Drain valve compl suspensian leg seepagell	471 24 17.20	25	
Steam injector	471 24 42.35	10	
Steam valve 314 50/60HZ	471 90 69.36	40	
Steam hose	471 92 17.61	50	
Transformer	471 90 43.35	30	
Overloed protector 380V	471 92 08.13	15	
Switch 2.Pole with red lamp	471 90 74.06	60	
Reverser 50HZ	471 24 22.14	30	
Relay K6 50HZ	471 92 02.42	20	
RElay K6 50HZ	471 90 05.45	30	
Receiver speed control	471 92 02.09	40	
Comple valve 220-240V 50HZ	471 92 02.32	30	
Ball bearing	471 90 45.65	30	
Stator 380-415V 50HZ	471 69 01.61	20	
Stator 380-415V 50HZ	471 69 01.69	20	
Coil	471 92 02.15	10	
Drive playe	471 92 02.17	10	
Ball breaing	471 90 05.42	20	
Ball bearaing	471 69 01.58	15	
Rotor	471 92 02.16	15	
Compl card programmer	471 92 07.07	20	
Solenoid 50HZ	471 92 21.11	10	
suspension leg see page 11	Fig.3	60	
Repair kit bearing	Fig.12 (4716751-02)	35 set	
seal ring		3	
seal ring		14	
Roller bearing		15	
Puller bushing		16	
Lock washer		17	
Shaft nat		18	
Roller bearing		19	
Seal ring		20	
Bushing	471 24 17.50	20	
Frointcorer	471 24 17.91	20	
Spacer inner	471 24 17.93	20	
Spacer auter	471 24 17.92	20	
Bushing	471 24 17.95	20	

<b>02-04-00067</b>	<b>EQUIPMENT: DRYING TUMBLER</b> MODEL: C15 - PROPANE GAS - 40 KW - 380 V 11 KW ELEC. COMPANY NAME: DUBIX QUANTITY INSTALLED: 10 SITE: HILLA - SAMAWA – MOSUL BASRA – IRBEL		
<u>Description</u>	<u>Code No.</u>	<u>Ref.No</u>	<u>Qty.,</u>
Drum door catch	74 030 005	15	10
Timing device C52	71 062 008	15	10
Contactor LC2-DO99-	71 050 062	20	20
Contactor LC1-DO93-	71 000 066	20	10
Safety thermostat device-	71 030 032	15	10
Safety drum door device 83714	71 054 019	15	10
Strock sc60 thermostat	71 031 001	15	20
Thermostat device	71 030 031	17	10
Lighter	71 088 016	17	10
French standard putane gas	72 011 000		10
Electro valve propane cf12- G318.17			
Electrods	71 088 017	17	10
Reverser	71 051 052	20	10
Belt 13x8 refrence 13010400L1400		15	30
Contactor	71 050 010	15	5
Drive motor M.E.V.A 8026 type B31000r.p.m , 0.5 hp	71 014 022	15	5
Belt 13x8 refrence 1301 1500L1500		15	30
Fan Motor 1500 r.p.m	71 014 023	15	5
Paleping 80x40 1500w 220V TEEN	15	10	
Dram door joint (8x25) L3000	75 011 007	15	10
Glass for door (extra)		15	10
Auto Lubricating ring Bp25=25x30 O/		15	10
On/off switch	71 054 068	15	10
(SKF) bearing pf 80-40f4		15	20
Cartridge 2A	71 082 033	20	100

<b>02-04-00068</b>	<b>EQUIPMENT: WASHING MACHINE</b> MODEL: 1/M2S - 20 kg but propane 24.5 kW v=380 3z, 50 MACHINE NO. 6833 QUANTITY INSTALLED: 11 2/M2S - 40 kg but propane 46.5 kW v=380 Hz, 50 MACHINE NO. 6835 QUANTITY INSTALLED: 33 COMPANY NAME: DUBIX SITE: BAGHDAD (IBN ALBALADY- HABEBIA) HILLA - SAMAWA - MOSUL BASRA - IRBEL-NAJAF - NASSIRA - DEWANIA- RAMADI		
<u>Description</u>	<u>Code No.</u>	<u>PageNo.</u>	<u>Qty.</u>
Motor	71 011 039	24	33
Reulating unit	71 052 076	29	10
Motor	71 011 041	24	11
Motor safety	71 052 077	29	44
Belt	73 022 108	23	110
Bearing	73 011 091	24	154
Belt	73 022 105	23	110
Bearing	73 011 019	25	44
Door glass 40kg	31 002 245	23	110
20kg	31 002 237		55
Glass joint LGT2000	75 011 058	23	77
Door safety	71 054 057	23	88
	55 000 726		88
Shock absorber	72 020 076	28	154
Drining electro magnet	71 053 059	27	44
220 Type: 1508			
S.N.180 860			
Pressostat 731-2 Postion	72 060 002	23	22
72 060			
Gas electro valve 20x17	72 011 073	26	22
Lighter A 70	71 088 016	26	55
Bellow	72 048 001	27	22
Heating timer 10-1805	71 062 007	29	22
LA3-D24			
Washing contactor	71 050 075	29	25
Extraction contactor	71 050 073	29	10
Auxiliary contactor	71 050 072	29	20
220V CA2-DN122			
Reversor Bx 482	71 051 046	29	22
(INVERTER)			
Reception pulley 40kg	73 020 190	23	22
Motor pulley	273 020 191	23	22
Silicon cable	75 011 058	23	25
Balancing spring	31 002 197	28	20

Gas burnor with heat exchanger	31 001 909		40
Electrode	71 088 015	26	11
Reception pulley 20kg	73 020 199	23	11
Fuse 10A (cartridge)	71 082 004	29	120
2A 10 x 28 cartridge	71 082 024	29	120

<b>02-04-00069</b>	<b>EQUIPMENT: FLAT WORK IRONER</b>		
	MODEL: Type: SR 719		
	BUT. Propane 442 kW		
	Capacity: LM 90 kg v 380		
	Hz: 50 32 kW		
	Notic: 3854 For SR 700		
	MACHINE NO. 37837		
	COMPANY NAME:		
	DUBIX		
	QUANTITY INSTALLED: 22		

<u>Description</u>	<u>Code No.</u>	<u>Page No.</u>	<u>Qty.</u>
Feeding belts (Engagment band)	75 010 085	23	220
Gas electro valve 20x27	72 011 048	24	22
Movement Motor REL ASI 71.14.4 0.25kw	71 014 004	29	11
Driving pulley KL20 mode Board O/14	1 73 020 117	29	11
Wide Belt W20 1gt 1000	73 022 092	29	44
White Light. 220 V	71 072 027	32	60
Red Light. 220 V	71 072 028		60
Yellow Light. 220 V	71 072 029		60
Fan Motor	71 014 007	30	22
Fan contactor	71 500 061	32	22
2 Amp Fuse Cartridge	71 082 003	32	120
BULB	71 071 o52	32	44
On/Off Switches	71 054 068	32	22
SC 60 Thermostat KWS		32	22
Strock Cable length 3 Meter			
Vigitherme M30 HEITO	71 031 025		5
Thermal overload relay4 to 6	71 052 037	32	22
Thermal overload Relay2.5 to 4	71 052 036		165
Thermal overload relay 1 to 6	71 052 034		22
Electrode	71 088 017	24	44
Bearing Roller unit	55 000 480	23	30
Ironing Board L3060	75 010 112	23	22
Blue flam rack	75 050 124	24	22
Reducer E45 AR 1/60	73 023 020	29	22
Pillow-Block with bearing	73 010 643		22
Pig-Iron Bearing CFT 06	73 010 033	29	22
Pig-Iron Bearing CFT 06	73 011 059		22
Safety xck – s+ zck - Do 8	31 003 048	2	5
Electro valvo	72 011 073	24	22



Igniter (euroflex)	71 088 018	24	22
Auxiliary contactor CA2- DN 122	71 050 071	31	10
Auxiliary contactor LAIDII	71 050 064	31	10
Safety XCM+NFC63 - 145 y2	31 003 049	23	10
Gas electric gas ket	77 010 006	23	5
Cartridge 10 A	71 082 004	31	220

<b>02-04-00070</b>	<b>EQUIPMENT: STERLIZER</b> MODEL: POUPINEL TYPE PO A 4252 REF 4252 D.O REF E.A.P REF 4251 S.O COMPANY NAME: SUBITIL / CREPIEUX QUANTITY INSTALLED: 6	
Description		Qty.,
Motor NKP 730		6
Blower kofl EL 220V		6
Electric heating resistance		12
Capaciter 1 mf 500V 80 C		6
TEMPRETURE CONTROLER		12
PROBE		12
RESTORE CONTACTOR		12
DOOR SEAL		24
TIMER 0 TO 24H		12
SIGNAL LAMP		120

<b>02-04-00071</b>	<b>EQUIPMENT: STERLIZER</b> MODEL: AUR 1362 FAB NO. 3348, 3326, 3327 1982 UR 2352, APPAREIC AUSTER 360 REF ACL REF 1361 S.O, REF 1362 D.0 OPTION RECORD RF OPS 0701 NOTRE REF PC/CB 82/25.095 COMPANY NAME: SUBITIL / CREPIEUX QUANTITY INSTALLED: 12
Description Vacuum electric pump REF. Lone 25309 BN1310.10 pump 0004 Motor 2900 rpm 1.5 HP mot 0007 Electro Magnetic sluice gate ES 18 24V ELE 0016 Electro Magnetic sluicd gate Burkerr 11243 A06 SET. of Resistor 18KW 220V drawing 102106 RES 0022 Safety valve SOU 0003 Coupling device ref 3500 18 O 4mm Compleat air compressor MC as per drawing 510069 pluse counter ET 025 24V Fuse Lamp sil 032 1106 Lam 0004 2L can oil for cressenssace 016 Inflatable gasket JOI 0013 Bacteriology filter FIL 0006 Descaling powder POU 0001 Diagram Paper Pen Vaccum gate Float valve complete PROGRAMATOR FOR CYCLE TIMER 24 V CONTACTOR SAFTY VALVE TEMPRETURE CONTROLER SAFTY HEATING THERMOSTATE AIR INLET PRESSURE CONTACTOR RELAY CA2 FK 1202	Qty., 6 6 24 24 18 6 12 12 6 24 12 60 12 12 24 6 6 12 12 48 12 24 12 12 12 12 12

02-04-00072	<b>EQUIPMENT: ELECTRICAL LOW TENSION BOARD</b> COMPANY NAME: TELE MECANIQUE ELECTRIQUE QUANTITY INSTALLED: 6 SYSTEM	
Description		Qty.,
LCID804	CONTACTOR 660 V-125A	60
LCID123	CONTACTOR 500 V-25 A	60
LCID093	CONTACTOR 600 V-25 A	60
LCID503	CONTACTOR 80 A-660 V	60
LCID163	CONTACTOR 40 A-660 V	60
LCIFJ23	CONTACTOR	24
LCIFJ23	CONTACT SET	60
LCID633	CONTACTOR 80 A-660 V	60
LCID403	CONTACTOR 60 A-660 V	60
LCID253	CONTACTOR 660V-40 A	60
LPID123	CONTACTOR 500V DC 12A	12
CACDN122 (500V 10A)	ELECTROMAGNETIC RELAY	60
CA2FN122 24V	ELECTROMAGNETIC RELAY	30
CA2FN144 24V	ELECTROMAGNETIC RELAY	30
CA2FK120 24V	ELECTROMAGNETIC RELAY	12
CA2FK120 220V	ELECTROMAGNETIC RELAY	12
CA2DN122	ELECTROMAGNETIC RELAY	60
CA2DN140 (600V 10A)	ELECTROMAGNETIC RELAY	24
CA2FN131 24V	ELECTROMAGNETIC RELAY	12
CA2FN222 24V	ELECTROMAGNETIC RELAY	24
CA2FN240 24V	ELECTROMAGNETIC RELAY	24
CA2FN140 220V	ELECTROMAGNETIC RELAY	24
CA2FN231 24V	ELECTROMAGNETIC RELAY	
CA2FN262 24V	ELECTROMAGNETIC RELAY	12
CA2FN244	ELECTROMAGNETIC RELAY	24

<b>02-04-00073</b>		<b>ISOLATORS</b>	
DK1FB18 (500V 80A)	ISOLATORS		60
DK1EB14 (660V 50A)	ISOLATORS		60
DK1EB28 (660V 50A)	ISOLATORS		60
DK1GB28 (660V 125A)	ISOLATORS		60
DK1GB18 (500V 100A)	ISOLATORS		60
LSID253 (600V 25A)	ISOLATORS		30
DK1HC18 (600V)	ISOLATORS		6

<b>02-04-00074</b>		<b>SWITCHES</b>	
ZB2BE101			60
ZB2BE102			60

<b>02-04-00075</b>		<b>INDICATION LIGHT HOLDER</b>	
ZB2BV6			60
(XCK-PL06) out of balance switch			12

<b>02-04-00076</b>		<b>TIMERS AUXILLIARY</b>	
LA2D22	(1-30) sec		60
LA2D24	(10-180) sec		60
LA3D22	(1-30) sec		60
LA3D24	(10-180) sec		60
CA2FT141	(10-180) sec		60
CA2FT111	10 sec		60
CA2FT211	(24V 10 sec)		60
CA2FT241	(10 sec 180sec)		60
RHC419			12
RHT21			6

<b>02-04-00077</b>		<b>AUXILIARY CONTACTS</b>	
LAI22	(500V 10A)		60
LAI11	(500V 10A)		60
LAI04	(600V 10A)		60
LAI28			60
LAI40	(660V 10A)		60
LAIF31	CONTACT BLOCK		12
LAIF22	CONTACT BLOCK		12

<b>02-04-00078</b>	<b>OVERLOAD RELAYS</b>		
LRID09302	(0.18-0.2) A	RELAY	30
LRID09304	(0.4-0.36) A	RELAY	30
LRID09306	(1-1.6) A	RELAY	60
LRID09307	(1.6-2.5) A	RELAY	60
LRID09308	(2.5-4) A	RELAY	60
LRID09310	(4-6) A	RELAY	60
LRID09312	(5.5-8) A	RELAY	60
LRID09314	(7-10) A	RELAY	60
LRID09305	(0.36-1) A	RELAY	60
LRID12316	(10-13) A	RELAY	60
LRID16321	(13-18) A	RELAY	60
LRID25322	(15-25) A	RELAY	60
LRID40353	(23-32) A	RELAY	60
LRID63359	(48-57) A	RELAY	60
LRID63361	(57-60) A	RELAY	60
LRID09309	(3-8) A	RELAY	60

<b>02-04-00079</b>	<b>EQUIPMENT: AIR COMPRESSOR</b>	
	<p>MODEL: LE7E  S. NO.: - AML063239 or  AML109658 MAX: 10 bar  4KW HZ:50  Information LE7E AML063239  10BAR 1500 r.p.m  L= 112 M No<sup>56581</sup> KW=4  R.P.M1430 PH3  HZ 50 Eo C 40 IP 44  1080 2,37-01 1981 France and  1983 Sewedin  COMPANY NAME: ATLAS  COPCO  QUANTITY INSTALLED: 11 SYSTEM</p>	
Discription		Qty.,
Set of over all Kit for the air compressor		20set
Pressure Switch		20
Solenoid valve		20
Nipple		20
Gasket		20
Slrainer		20
Valves		20
Relay		20
Motor complete		10
Compressor with motor		10
High pressure air tube		30
Sight class		12
Unloader		22

02-04-00080	<b>EQUIPMENT: CHARGER INVENTOR</b> COMPANY NAME: COREDEL QUANTITY INTALLED: 96	
<u>Description</u>	<u>Qty</u>	
Printed circuit RCD		12
Printed circuit Pon 101		12
Printed circuit TGO 101		12
Printed circuit POCO 102		12
Printed circuit RCO 102		12
Printed circuit RCO 101		12
Printed circuit SICN		12
Electronic module MT 2900D		6
Electronic module MM 504 D		6
Printed circuit CIB 104 E		6
Rectifier Bridge SKB 33/06		60
Rectifier Bridge SKH 15/06		60
Rectifier Bridge SKKH 15/06		60
Stabilizor ST-6774		6
Stabilizor ST-6777		6
Stabilizor ST-6776		6
Thyristor SKT 45/F/10		12
Thristor SKT 110-F 10		12
Tyristor SKT 140/F/10		12
Thristor SKT 170/F/10 CV		12
Diode SKR 45/10		24
Diode SKN 45/10		24
Diode SKR 70/10		24
Diode SKN 70/10		24
Diode SKR 100/10		24
Diode SKN 100/10		24
Zener Diode IN 2985		24
Transformer ST-4478-DI		12
Smoothing choke ST-4549-DI		6
Smoothing choke ST-6359		6
Smoothing choke ST-6359		6
Smoothing choke ST-6359		6
Contacto IOS-12M		18
Contacto IOS-16-40		18
Contacto NOS 12-22M		18
Contacto IOS-20-40		18
Contacto IOB 32H		18
Contacto IOBC 45.30		18
Contacto -NOS 16-22M		18
Timed contact TPA		18
Capacitor 5 MF 330 V		18
Capacitor PKV 250V 33MF		18
Capacitor 3300MF 220 V CO18		18
Capacitor 15MF 500V		18
Capacitor 3MF 400V		18
Relay IO58 40M		18
Ameter/AC 72 TC/L 25A direct		24
Votmeter /AC 72 TC /L 200V		24
Ultra fast fuse 621 CPUR 14/16		60
Ultra fast fuse 621 22/63		60

Ultra fast fuse 621 14/25	60
Ultra fast fuse 621 22/100	60
Ultra fast fuse 621 22/80	60
Ultra fast fuse 621 14/40	60
AM fuse 14x51 20A	60
AM fuse 14x51 32A	60
AM fuse 22x58 63A	60
AM fuse 14x51 25A	60
AM fuse 22x58 100A	60
Lamp ZB2 BV6	60
Lamp ZB2 BV04	60
Lamp ZB2 BV7	60
Lamp ZB2 BV07	120
Lamp ZB2 BV05	120
Lamp BA 95 130V	120
Resistor 86 OHM RSSD 20x117	18
Resistor 47 OHM RSSD 16x94	18

<b>02-04-00081</b>	<b>Spare Part For telephone exchange charger 380V 50HZ 3phase 48V 5.3KVA 60Amp, NI-Cd 36xMP 200 Type of charger RB 3174 No of Charger 81K</b>
Printed circuit SC 338 A	6
Printed circuit SC 303 H	6
Printed circuit SC 358 H	6
Thyristor GI-48/60	12
Battery Cell Alcad MP 200	1500
Battery Cell Alcad MP 55	1500
Battery Cell Alcad MP 37	500
Battery Cell Alcad MP 95	500
Battery Cell Alcad MP 12	500
Alkaline Potassium hydroxide Powder	100 Kg
Battery solution test Kit	6
Smoothing Chokee ST-6312	6
Card SCE - 2709 RB 372	30
Transformer No. 828227 MD/GG - 14656	30

<b>02-04-00082</b>	<b>EQUIPMENT: GENERATOR</b> MODEL: No 9163-7305 16V-149T ((Seriel No.)) COMPANY NAME: DETRIOT DIESEL ALLISON QUANTITY INSTALLED: 12	
Description	Qty.,	
Fuel Filter	96	
Oil Filter	96	
Water Filter	24	
Air cleaner	24	
Fuel Pump	6	
Oil pump	6	
Fresh Water pump	6	
Raw Water pump	6	
Starting Motor 24V	6	
Speed governer	6	
Tacho meter Derive	6	
Switch Water tempretare shutdown	8	
Adaptor temperatare shutdown valve	10	
Water temp switch	8	
Cooling pressure contorl	8	
Oil Pressere switch	10	
Oil Pressure value	8	
Turbo charger	4	
Preheating element	12	
Filling fuel pump	12	
Fuel Float switch	4	
Manual Fuel pump	8	
Repair Kit for fuel pump	6	
Repair Kit for Oil pump	6	
Repair Kit for Water pump	12	
Repair Kit for filling fuel pump	6	
Set of over all Kit (For engine)	6 SET	
Repair kit for turbocharger	5 SET	
Alternater complete	2	
Engine Complete	2	
16E7060		
16E7061		
16E7059		
16E7064		
16E7058		
16E7006		
16E7007		
16E7009		
16E7008		
16E7057		
16E7062		
16E7063		



<b>02-04-00083</b>	<b>GEORGIN-REGULATEARS (NAME OF COMPANY)</b>
RG 98 (400V) 50HZ 2x5A Automatic Frequency regulator	12
RRW TBS-EN 3003/A Reversepower	12
RTZ TBS-1 EN 3006/B Mini and maximum uoltage	12
RWZ H. TBS EN 3005A 24V+ Sourco 400 V 2x5A	6
Over active power relay	
RSC 400V Coupling relay	6
RG 806 Synchro-coupling device	6
Batteny change type CG 24/18 C	12
ES-CRT GVRI Type Rool	12

<b>02-04-00084</b>	<b>Marlin-gerin. (Name of company)</b>
Circuit Breaker DN2-1638204 3x1600A	12
Circuit Breaker DS2-2038249 (2000A)	6
Circuit Breaker DS2-1038249 (1000A)	6
La+ Lu+ih (Name of company)	
RW1 Min and Max Voltage relay	6
RW2 Min and Max Voltage relay	6
CVD Differential voltmeter type M96 3B 2x220V 50HZ	6
CSY Synchronoscop type M96 8B 220V 50HZ	12
CPS 231 (phase motor) Type M 72-9B	12
VD Meter for diferntial M96.60C	6
SY meter for syndronoscope	6
FD Double frequency meter Type M960B 220V 50HZ	6
Multi	30
Multi>(Name of Company) C32N (Cincult Breaker)	30
No 6-U 5A 380V ~ 20123	
No 12-U 10A 380 V 20134	30
No 22-U 20A 220 V 380 20106	30
10A Type D 380 V 20874	30
No 12-U 10A 380 20124	30
No 35-U 32A 380 20138	30
No 6-U 5A 380 2012	30
2A type U 380 20121	30
No 12-U 10A 380 V 20144	30

<b>02-04-00085</b>	<b>Baco (Name of company)</b>
PR10 Selector switches	6
PR16 Selector switches	12

<b>02-04-00086</b>		<b>Subj./FUSE A. Fuses HRC</b>	
10x38	13301	0.1 Amp, 500V	200
10x38	13302	0.2 Amp, 500V	200
10x38	13005	0.5 Amp, 500V	200
10x38	13304	4 Amp, 500V	200
10x38	14520	20 Amp, 500V indicator	200
14x51	14516	16 Amp, 500V indicator	200
14x51	14532	32 Amp, 500V indicator	200
14x51	14320	20 Amp, 500V indicator	200
14x51	14310	10 Amp, 500V	200
14x51	14340	40 Amp, 500V	100
14x51	14350	50 Amp, 500V	100
22x58	15550	50 A Amp, 500V	40
22x58	15563	63 A Amp, 500V	40
22x58	15580	80 A Amp, 500V	40
22x58	15596	100A Amp, 500V	40
78x15	16378	50 A Amp, 500V	20
78x15	16386	63 A Amp, 500V	20
78x15	16388	80 A Amp, 500V	20
78x15	16392	125A Amp, 500V	20
126x15	16930	50 A Amp, 500V	18
126x15	16935	63 A Amp, 500V	18
126x15	16950	125A Amp, 500V	18
137x24	17460	200A Amp, 500V	18
137x24	17455	160A Amp, 500V	18
150x30	17965	250A Amp, 500V	18
150x30	17970	315A Amp, 500V	18

<b>02-04-00087</b>		<b>B. HRC Fuses AM type</b>	
Renge	Refrence	Qty.,Pockets	
0.5A, 500V	130 95	80	
1.0A, 500V	130 01	100	
2 A, 500V	130 02	120	
4 A, 500V	130 04	100	
6 A, 500V	130 06	120	
10 A, 500V	130 10	10	
12 A, 500V	130 12	80	
16 A, 500V	140 16	100	
20 A, 500V	140 20	120	
32 A, 500V	140 32	80	

<b>02-04-00088</b>	<b>2A HRC Fuses</b>	
2 Amp, 500V	133.02	1400
6 Amp, 500V	133.06	500
4 Amp, 500V	133.04	400
10 Amp, 500V	133.10	400
0.25A		110
0.2 A		110
1 A		110
1.5 A		110
1.63A		110
2 A		110
2.5 A		110
3 A		110
3.6 A		110
4 A		110
5 A		110
6.3 A		110
10 A		110

<b>02-04-00089</b>	<b>Company name: Klockner moeller Equipment: Electrical pant A Circuit breaker</b>	
NZM 24 2000+ZM24 2000		30
NZM 24V 2000 + ZM24V 2000		12
NZM 12-630 + ZM12 630		6
N24 2000		6
NZMH11 500 + ZM11 500		6
NZM12 800 + ZM12 800		6
NZMH6 160 + ZM6 160		18
NZMH6 63 + ZM6 63		18
NZM9 250		18
NZM6 100		30
NZMH4 63		30
NZMH4 40		30
NZMH6 160		24
NZMH6 100		30
NZMH4 25		30
NZMH9 200		18
NZMM11 400		18
NZM6 160		24
N11 630		18
N11 500		18
N11 400		18
N6 160		18
N6 100		18
N6 63		18
KVA-2NZM Mechanical interlock for C/B NZM24-2000K NZM12-630		30
Shunt coil for C/B NZMH4		30
Under voltage coil 110VDC		120
Driving motor 110VDC		12

<b>02-04-00090</b>	<b>Contactors</b>	
DIL 08 22G 110V 50HZ		60
DIL 08 31G 110V 50HZ		60
DIL 08 33 110V 50HZ		60
DIL 08 40G 110V 50HZ		60
DIL 3 22 220V 50HZ		30
DIL 1 22 220V 50HZ		30

<b>02-04-00091</b>	<b>Others</b>	
L2RT Lens red		60
L2RT Lens white		60
L2RT Lens orange		60
DX/K push button		60
H6U MCCB		60
GL 130 lamps 130V		120

<b>02-04-00092</b>	<b>Weishav Pt P.A.T Equipment: Incinerator Burner type: WG 2f/1-E KW 30-140 DIN- DVGW-Reg Nr.80 FW 1981 S.No: 232357</b>	
Main switch	4	24
Air pressure switch	4	24
Gas Pressure Switch	4	24
Temperatara regulator	2	12
Flame Sensor	2	12
Burner Motor	2	12
Ignition Transformer	2	12
Solenoid valve	2	12
Burner control	6	36
Servo motor	2	12
Ignition electrode 4	24	

<b>02-04-00093</b>	<b>Company Name: Labesse Type: MD 030G6 MD100G</b>	
Unitrol Safety valve	510-04	24
Regulation valve dia 15-12	512-50	24
Piezo electric spark generator	511-21	24
Injector nozzle for main burner	516-37	240
Injector nozzle holder tube	515-48	1
Thermo Couple.		24

<b>02-04-00094</b>	<b>Company Name: France Air, Hydronic Equipment: AHU Bearing with bracket</b>	
M.DB 31		60
M.DB 34		60
M.DB 38		60
M.DB 42		60
M.DB 46		60
M.DB 50 M1		60
M.DB 50 M2		60
M.DB 56 M1		60
M.DB 68 M1		60

<b>02-04-00095</b>	<b>ShIfT</b>	
35 Length 960		12
40 Length 1060		12
40 Length 1230		12

<b>02-04-00096</b>	<b>Motor with pulley F.A/Hydronic</b>	
3ph/380V/50HZ 9 kw		18
3ph/380V/50HZ 7.5 kw		30
3ph/380V/50HZ 4 kw		24
3ph/380V/50HZ 5.5 kw		30
3ph/380V/50HZ 3 kw		24
3ph/380V/50HZ 2.02kw		24

<b>02-04-00097</b>	<b>Belt</b>	
SPA Length 1850		180
SPA Length 2000		120
SPA Length 2240		60
SPA Length 2720		30
13X8 Length 900		60
13X8 Length 945		30
13X8 Length 1110		30
13X8 Length 1260		30
13X8 Length 1500		30
13X8 Length 1389		120
13X8 Length 1880		120
SPZ 1850		180
SPZ 1360		30
SPZ 1450		30
SPZ 1500		30
SPZ 1600		30
SPZ 1650		30
SPZ 1700		30
SPZ 1850		60
SPZ 1900		60
SPZ 1950		60
SPZ 1270		30

We need also spare part for all AHU

A-Blowers

B-Pulley

C-Motor bearing

02-04-00098		Equipment: CHARGER INVERTER Company name: MERL IN GERIN Quantity installed: 80		
DPM5	p1587/310	Alpes(50)5KVA U.P.S 34	6706746US	15
DPM5	p1257/186	Alpes(50)5KVA	6706746US/D	15
SM4	p4285/266	Alpes(50)5KVA	670365NS/E	15
SM11	p3644/285	Alpes(50)5KVA	670365/US/F	10
DPM5	11386/186	Alpes(50)5KVA- U.P.S 35	6706746US/C	10
SMG	p3417/266	Alpes(50)5KVA- U.P.S 35	670365/05/E	10
SRD	p2289	Alpes(50)5KVA- U.P.S 35	6705830	10
CHC	p3061/218	Alpes(100)- 3KVA U.P.S 40	6703145/H	10
DPM5	1412/186	Alpes(50) U.P.S 36 5KVA		10
DPM5	p1077/280	Alpes(50)5KVA U.P.S 39	670640US	10
DPM5	p1272/186	Alpes(50)5KVA U.P.S 38	6706746US/D	10
SRD	p2328/117	Alpes(50)5KVA U.P.S 38	6705830D/1	10
DPM5	1140/186	Alpes(50)3KVA U.P.S 32	6706746US/K	10
R				
SRO	p2235/147	Alpes(50)3KVA U.P.S 32	6705830	10
SMU	p3376/266	Alpes(50)3KVA U.P.S 32	67063US/E	10
DPM5	p323/186	Alpes(50)3KVA U.P.S 31	706746US/D	10
SRD	p2574	Alpes(50)3KVA U.P.S 31	6705830/D	10
SM11	p3674/277	Alpes(50)3KVA	706486/C	10
SRD1	02874	Alpes(50)3KVA	705830/D	10
		Fuses 125 A Size 22 x 58		100
		Bulb 48V 12W		120
		Bulb 130V		120
		Battery VARTATP 40 (MAVACHAT)		600
		Battery VARTA TP 55 (MAVACHAT)		100
				0
		Battery VARTA TP 90 (MAVACHAT)		100
		Electrolyte for Battery liquid (MAVACHAT)		10
		Electrolyte for Battery Powder (MAVACHAT) Distilled on site		10
		160 NIFE NIKEL Cadmuim high rate Battery HIP2 (MAVACHAT)		5
		260 NIFE NIKEL Cadmuim high rate Battery HIP25		5
		Battery Charget type 110/10 FE		5
		A.V indicator		12

02-04-00099	SUBJECT: PHILIPS (11 Hospital)			
Material Description	Part 3 Number	Model	Specification	Qty.
Germicidal	1192	TUV-30W	Lamp: 220V,4 foot	1500
Lamp Assiy			Lamp current: 0.36A	1000
			Intensity 83w/cm2	
			energy output: 30w	
Chock				500

Note;  
We want only Lamps.

02-04-00100	Company Name: (Cater Pular) (5 Hospital)			
	<b>Equipment: Generator</b>			
	Model: 3508 DITA			
	Origin: USA			
	V8, 4 Stroke - Cicle diesel			
	Bore: 170mm			
	Stroke: 190mm			
	Displacement: 34,5 Its.			
	Refrigeration system: Radiator with fan and Fan Drive.			
	Speed regulator: Wood ward electronic EG 3P2301 with load sharing			
	Starting system: Electronic 24V			
	Stand by power without overload: - 930HP			
	Speed rating: - 1500 r.p.m			
	The Power is given for 300 meters altitude and 50			
	Alternator makes CATERPILLAR			
	Model: SR4 brushless			
	Origin: USA			
	Power: 600kw			
	Power (apparent): 750KVA			
	Speed rating: 1500 r.p.m			
	Voltage: 200-400V			
	ALTERNATOR			
Sr. No.	Arrangmant No.	ENGIN Sr.No.	Arrang mant No.	
5UA00590	5N9326	23700516	7N870	1
5UA00593	5N9326	23700511	7N870	1
5UA00602	5N9326	23700514	7N870	1
5UA00589	5N9326	23700515	7N870	1
5UA00610	5N9326	23700522	7N870	1

5UA00609	5N9326	23700521	7N870	
			1	
5UA00696	5N9326	23700512	7N870	
			1	
5UA00691	5N9326	23700517	7N870	
			1	
<u>Description</u>		<u>Part No.</u>		<u>Qty.</u>
Current Transformer 1,500/5		TL2	SACI	15
DC meter (0-40) A		CC4V	SACI	5
DC Voltmeter (0-40)V		CC4V	SACI	5
Light Pilot (Only Light)		XB2BV7	TEE	50
		4		
Light Pilot (Only Light)		XB2BV7	TEE	50
		3		
3 Phase Transforme 380/220100Va		-	TRAMA	5
Potintiometer 100 ohm.		534	Spectro	5
Potintiometer 200 ohm.		534	Spectro	5
Peverspower relay.		SRPI	SVE	5
Diferential relay.		JD52A	SACEP	5
Dieselmatic		E2	SVE	10
Set Diod DST (35-0.8		220	SVE	5
Start Inhibitor		VRA124	SVE	5
Signal Converter		-	SVE	5
Speed and Power regulator		W2301	Wood Wand	5
Frequency relay 220V 50HZ		SF125	Electromatic	5
Voltage relay 220V 50 HZ		SJ185	Electromatic	5
Timer 24V CC		SC240	Electromatic	5
Electric Commanod 220V 50HZ				5
Coilmn voltage 220V 50HZ				5

<b>02-04-00101</b>	<b>Auxliray contact 2 of For Automatic breacker III</b>		
		<b>DN25 1.250A</b>	<b>DN2</b>
Contactur LC1	-	TEE	15
D095MA60+LA1 D11			
Auxiliary Contactur CA2	- DN122M + LA2 D22	TEE	15
Auxiliary Relay 24V CC	MK3P	OMRON	15
Auxiliary Contactur	CA2DN222B	TEE	20
	TEE		
Auxiliary Contactur	CA2DN122M	TEE	20
Thermic relay	3VA5900IG	Siemens	5
Magnitac relay	RMIX•A010	TEE	5
Fuse	CMA1020	Siemens	50
Contactur	CA2DN140M	TEE	20
Auxiliary Contactur CA2		TEE	10
DN122M + LA1D22			
hermic relay	LRI D09314	TEE	10
Fuse NH00 63A	3NA1 020	Siemens	10
Current Transformer 3000/5A	TLE	SACI	10
Synronoscope	SRS	SYE	5
Double Frequency Meter	FC3V11	SACI	5
Double Voltmetter	F03V11	SACI	5
Ametter 0-2.500	E03V	SACI	5
Power Factor Meter	SC3V11N	SACI	5
Light Pilot	6B2BV75	TEE	15
Lamp 24V 60W	-	-	10



Fan 220V 50HZ	SK3202	RITTAL	10
Resistor SK 6 + SK6	PW30	DAVILA	15
Power relay	SRPA	SVE	5
Timer	SB245724	Electromatic	5
Syncronnizer	SRS	SVE	5
Start Logic		SVE	5
Connecting Watch QWT		DINNY	5
94500/924215			
Lamps BA95			100
Watter Heater 3 KW for			20
catterpillar Generator 750			
KVA			
Generator Heater 750W for			15
Captterpillar Grenrator 750			
KVA			
Thermostat for watter	ZM4C	ICT	20
heater for catterpillar			10
Generator 750 KVA A=N=V			
20/220 15/380			
Automitic Battery Charger	SCB	20A	5
VN220V AC VCC 24V DC			
Type SVE S.L No. Fa 263			
Contactor LCI-D253 for			5
electrical Board for			
Catterpillar Generator 750			
KVA			
Vil 220V for electrical Boards			5
for catterpillar Generator 750			
KVA			
Contactor LC1-D123 For			5
electrical Board for			
catterpillar generator 750			
KVA			
Contactor VIL Catterpillar			5
Generator 750 KVA			
J Rochet 130V 24W Lamp	3AHC		75
Timer Range 10-180 S	LA2-D24	Telemecanique	20
Resistanicq 2 x 7100 5L	46654		5
C1.0.5			
Timer 220V.Max Rex	2x164/250V		10
GWT9450019242			
RMI-XA IN 10 600V maxAc			30
heavy duty Dc Standerd duty3			
Delco Romy series 50 MT			400
model 1990236 serial 82H24			
Volts 24 rotation CW (U.S.A)			
Tedding ton DBG/RB/2			10
0.2/2.86 Kg/CM2 England			
Wood Ward part No 8250-			2
4.55 serial No 1933450			
2W7000			
Relay 3A 250V AC 21127			5
AP32A2			
Electronic Card GNMNO			5
E99D01 Serial No 1377			
LOT No43 Ct Co No 5N1955			

Control Ador-DE (POTENCIA ACTIVA) ApTdo 88 SPPAN FAB 112 Vin 380/220v			20
Automatic breaker III DN2 1250 A +Electric command + Auziliary contacts 2 of			10
Potenuiometer			10
Load sharing speed control			5
Electric over Speed snut off			5
Electric high water temper ature shut off			5
Hydra-Mechanical shut off (HMSO)			5

<b>02-04-00102</b>	<b>Mechanical Coverner Control WATER PUMP</b>		
Impeller For water Pump			5
Oil Filter			150
Fuel Filter			400
Primary Fuel Filter			150
Air Filter			100
V Belt (Set 4 belt) for Fan			10
			Set
V Belt (Set 2 belt) for all			20
			Set
Watter Temp control with thermostat complete			25
Oilpressur Complete			25
Thermostat Oil temoperature control			30
Radiator Fan			10
Over all Kit catterpillar for engine			10

<b>02-04-00103</b>	<b>Company: -Willo PUMP MOTOR WITH,PUMP-5 Hospital</b>		
Type Z30 220V,380 Y/D No. 90492/853-1 Hot Water	50		15,, 15
Type Z40 No. 0998496/832	20		15 15
D. 0231 418086			15
DPN 65/140	25		15
DPN 65/250-4/4	20		15
DOP/Dos 40/90	20		20
DPN 40/90	20		15
DOR / DOS 50/100	20		15
DPN 50/200-17/4	20		15

<b>02-04-00104</b>	<b>MOTOR WITH,PUMP-6 Hospital Type with motor complet Repair kit for pump</b>		
NORM 100/32/18.5/4	18		60
NORM 65/20/4/4	18		60
Dual DP 80/250/4/4	18		60
NORM 125/26/15/4	18		60
NORM 80/26/7.5/4	18		60
Dual 80/250/4/4	18		60
NORM 65/20/3/4	18		60
TWIN TS 50/100	18		60
TWIN TS 65/125	18		60
Vertical position 50CV 4 N 1/80	18		60
Q 10/50 HM 36/18 220/380V			

**Note:**

Please describe the items of the set of repair kit of the pump

<b>02-04-00105</b>	<b>Company: - GORGY TIMING Clock system (5 Hospital) Type: - GT1/6D</b>		
Reverse circuit board	22132 B		20
Time base circuit board Gt1/60 CI	16100		20
Power supply circuit board	16104C		20
Commutation circuit board	22133		20
Monitor Clock			20
Nickle cadmium Batlery 12V			20
Step down transfermer			5
Pilot light			50
Fuse 1 A			100
Slave clock diam 300mm with Sepond hand			25
Slave clock diam 300mm with Sepond face			15
Slave clock diam 300mm with double face			15
Push Butten			10
Time recoder			10
Key Lot.			10
PCB with battery accumulation			10
Nickle Cadmium battery			20
Step by step movenment			10
Pilot light.			60
Fuse 0.1A			100

<b>02-04-00106</b>	<b>MERLIN GERIN</b>		
Under Voltage Relay TTG 7123 B/8173 (50-60)HZ Aux CC/DC 110V 226695 73799			20
Over power Relay WTGA 7132 A/9085 In: 5A-50HZ Un:100V 226718 43799			20
Earth Fault Protec ITD 7202 B/9746 In:5A-50HZ Po:3110 100-110/V3 ANG-20 DEG Aux cc/Dc 110V. 226718 43799			20
Phase Protec ITD 7211 B/9744			60

In: 5A-50HZ Pol :- 100-110V Aux CC/Dc 110V Power Factor Control Relay BELUK GMBH- 8000 MUNICH 45 INGOLSTADTER STRASSE 62	
BLR 66-Elo	20
Capacitor banks rectiphase Sec/Auto- Cic ATRISANT DRY/SELF - HEALING-25+55°C C54-100/IEC 70 45KVAR 400V 50HZD NaID 48032	120
Circuit Breaker selpact DS2-2538339 TCO 20940002 In:2500A Un: 500V 50-60HZ Breaking capacity 220-380-500V. CEIP2-UTE-VDE 50-50-50 KA DIRSA 10000 A	30
Circuit Breaker selpact DS2-2038339 TCO 21179001 In: 2000A Un:500V 50/60 HZ Break capacity 220-380-500V. CETP2-UTE-VDE 50-50-50KA DIRSA 10000 A	45
Circuit Breaker In:1600A Un:500v 50/60HZ Breaking capacity 220-380V-500V CETP2-UTE-VDE 55-55-50KA DIT5 1600 A Selpact DN2 1638339 DINA 8000 A TCO 21165001	20
Circuit Breaker Selpact DS2 2500A 500V 50/60HZ Break capacity 220 380 500V. CEL P2-UTE-VDE 50-50-50 KA DIRSA 10000 A Reference DS2 2538340 , TCO 21040001	10
Circuit Breaker Selpact 2000A Un:500V 50/60 HZ Reference INT: 2038340 , TCO:21046502	5
Circuit Breaker Selpact DS2 In:2000A Un: 500V 50/60 HZ Break Capacity 220 380 500V CEI P2-VTE-VDE 50-50-50 KA DIRSA 1000 A Refrence DS2 2038340, TCO20858001	10
Compact circuit breaker C125LB In Min : 16A-40°C In Max : 125A-40°C Un: 660 VN ISC 150 KA-220/240VN 100 KA-380/415 VN	40
ISC: 85 KA 240 VN , 50KA-380/415VN RS INDVCT ANCE DN: 380V V1 1000 V 50 HZ S.N: 83-9305 Type : SS50	60
LCI-D803 TELE MECANIQUE Contactors 125A Ith: 12A V1:600V	160
Thermal relay (Overload) 95-125A 600V Max ac/dc RA1-HA 95-125 Type: 9M125	160
NIFE Nickel cadmium High-Rate Batteries HIP2	100
NIFE Nickel cadmium High-Rate Batteries HIP25 EQUIPO C.C NIFE Battery charger Bat. 82 HIP2 CTE ALTERNA 220 V-I Fas-50HZ 12 A MATRICULA : 47129 Type: 110/10 FE S.No. B4237	20

Lower auxiliary block for selpact DS2 Circuit Breaker In: 2500A Un: 500V. 50/60HZ B6-10-Selpact DS2	20
Lower quxiliary switch block for selpact DS2 Circuit breaker In: 2500A Un: 500V 50/60 HZ 12-16-20-25 selpact DS2	20
Complete thermal - Magnetic tripunit for selpact DS2 Circuit breaker In:2500A Un: 500V; 50/60 HZ, B6-10-Selpact DS2	20
Complete magnetic trip unit for Selpact DS2 Circuit breaker In: 2500A Un: 500V 50/60 HZ 12-16-20-25 selpact DS2	20
Timer for DIRSA and DIRSA-TR Magnetic relases for selpact DS2 Circuit Breaker In: 2500A UN: 500V B6-10 + 12-16-20-25 Selpact DS2	20
DIT5 or DIT5G thermal relase box with or without indication contact for selpact DS2 circuit breaker B6-10 & 12-16-20-25 Selpact DS2	20
A.C Shunt trip relase MX1 & AC Under voltage relase Mn for Selpact DS2 circuit breaker B6-10 selpact DS2	40
D.C Shunt trip relase MX1 & D.C Under voltage relase Mn for Selpact DS2 circuit breaker B6-10 selpact DS2	40
A.C. Shunt trip relase MX1 & a.c Under voltage relase Mn for Selpact DS2 circuit breaker B6-10 selpact DS2	40
D.C. shunt trip relase MX1 & D.C Under voltage relase Mn for Selpact DS2 circuit breaker B6-10 selpact DS2	40
Electronic time delay for selpact DS2 circuit breaker	40
Micro switches : M1 & M2 & M3 & M4 & M5 & M6 for B6-10 & 12-16-2--25 selpact DS2 Circuit breakers	100
Electrical operating mechanism for selpact DS2 Circuit broken B6-10 for selpact DS2	20
Electrical operating mechanism for selpact DS2 Circuit breaker 12-16-20-25 for selpact DS2	20
Spring Charging motor for selpact DS2 Circuit breaker 12-16-20-25 for selpact DS2	20
Anti pumping relay for selpact DS2 Circuit breaker 12-16-20-25 for selpact DS2	20
Cradle Micro switch with angle bracket for selpact DS2 Circuit breaker B6-10 & 12-16-20-25	40
Fuses HRC 125 A size (22x5m)	500
Indicating lamp 12Watt & 48 volt.	600
Indicating Lamp 130V & 2.4 watt.	1000
Circuit Breaker DN2-1638204 3X1600A	12
Circuit Breaker DS2-2038249 (2000A)	6
Circuit Breaker DS2-1038249 (1000A)	6

<b>02-04-00107</b>	<b>(Electrical Part for AHU)</b> COMPANY NAME: KLOCKNER-MOFLER - 5 Hospital
Contactora Dil 08-22, 220 Volt 50HZ	250
Contactora Dil 0-22, 220 Volt 50HZ	250
Contactora Dil 0A-22, 220 Volt 50HZ	250
Contactora Dil 08-80, 220 Volt 50HZ	250
Contactora Dil 08-40, 220 Volt 50HZ	250
Contactora Dil 08-52, 220 Volt 50HZ	250
Contactora Dil 08-62, 220 Volt 50HZ	250
Contactora Dil 1-22, 220 Volt 50HZ	250
Coil for Each Type contactor above	50
Voltage Transformer, N:02876,800VA, 380/220V 380 V-2.1A, 220V-3.6A Type : TRII	50
Voltage Transformer, N:2899, 160VA, 380V x 0.42A = 220V x 0.72A, Type : TRII	50
Voltage Transformer, 4000VA, 380 to 220V Type : LVAVII	50
Voltage Transformer, 380V to 220V 1000VA Type :TRII	50
Voltage Transformer, N:02396 380V to 220V , VA:320	50
Voltage Transformer, N:0896, 200VA 380 x 0.59A-220V x 0.9A.	50
Voltage Transformer, 100VA, N:02900 380V x 0.25A-220V x 0.45A	50
Voltage Transformer, 130VA, N:02878 380V x 1.3-220V x 2.2A.	50
Voltage Transformer, 200VA, N:62922 220V x 0.9A-12x16.6A	50
Over Load for contactor range 6.7-12A	75
Over Load for contactor range 2.1-3.7A	75
Over Load for contactor range 16-24A, Type Z1-24	75
Over Load for contactor range 10-16A	75
Over Load for contactor range 1.2-2.1A	75
Over Load for contactor range 3.7-6.7A	75
Over Load for contactor range 10-22.5A	75
Over Load for contactor range 6.7-12A	75
Over Load for contactor range 0.67-1.2A	75
Over Load for contactor range 4.7-6.7	75
Over Load for contactor range 3.7-5.7A	75
Current Transformer A 5015, 50HZ, CI 313 KV1.2	50
Amperimeter 0-300A, Code 72, Pantic 1590520	50
Voltmeter 0-500A, Pantic Code 72	50
Current Transformer A 150015, KA 1.2 CL 0.5/30	50
Current Transformer A 6015, 50HZ, KA 1.2 CL-313	50
Main Switch N6-63, Bs 200H I <sub>tb</sub> =63 A155 C, I <sub>c</sub> =63	50
Main Switch N6-160.Bs 200A, I <sub>c</sub> =160, Ac 23 Ith 160A 155C, IE C 408	50
Main Switch N12-100, I <sub>c</sub> -160A,Ac 23,	50

Ith 1600A 155°C	
Main Switch N9-25,Ic 250A, Ith 250A 155°C	50
Main Switch N11-630, Ic 620A, Ith 630A 155°C	50
Main Switch N9-25, Ic 250A, Ith 250A 155 C	50
Relay Floatless Switch Type 61F-GP-N Volt 220 Volt Ac. second Volt Ac 8V, 50HZ	25
Main Switch N6-100	50
Timer dil 08-J3-T, 20-30S, 20-1805	75
Circuit Breaker PKZM 3-40, 32-40A	20
Circuit Breaker PKZM 3-25, 16-25	25
Selector Switch Bs max 440 volt, VDE 0660 Iths=6A, Ac/220/380/500 volt.	25
Voltmeter Selector switch, Ac: 11: 220-380/550V T1-2-14-EW.	50

<b>02-04-00108</b>	<b>(Electrical Part)</b>	
	SUBJECT: MARLIN - GERIN - 5 Hospital	
Incoming Switch in 400A V380 v 3 Pole	44850	20
Incoming Switch (400 Ni4P)	44407	20
Earth Leakage Module Reh 300A	44431	20
Remote Control Box	BTM50	150
Voltage Indicating Lamp	15106	200
Isolating transformer 16KVA 220/ 220V	TMA-a	40
Isolating Transformer 8KVA 220/ 220V	TMA-a	40
Isolating transformer 3.2KV 220/ 220V	TMA-a	40
Isolating transformer 2KVA 220/ 220V	TMAG-3	20
Incoming switch in 160A 3P	42850	40
Circuit Breaker C32N15A-1P	20105	200
Contactora 80A 3P	LC1 D633 M	40
Contactora 25A 3P	LC1 D123 M	40
Earth leakage Relay vigil ohm TRa	50166	40
Earth Leakage Module 10 mA.	20349	40
Earth leakage Module 10 mA.	20321	100
Circuit breaker C32N=20A 2P	20126	50
Circuit breaker C32N=25A 2P	20127	50
Earth Leakage CBT 25A 2P	15066	40
Thermal Relay	LRID 63357	40
Thermal Relay	LRI 012316	40
Push button	15104	80
Remote control Switch 16A-1P	15431	40
Remote control Dimmer (LEGRAND)	03664	40
Auxillary Switch (SD+OF)	20486	20
Auxillary Switch SD	20346	10
Isolating Transformer 2KVA 380/ 220V	TMAC-3	10
Earth leakage ID25A-2P	20875	10
Circuit Breaker C100 63A-3P	21086	40
Circuit Breaker C32N 32A-2P	20128	100
Contactora CT40-4P	15386	40

Auxiliary Relay 20A-2P	15380	80
Dimmer Switch 500 Watt type 226 Complete with cover Plate	51201	160
Double Switched sockets 2x13A+E	CAT.13263 TWIN	200
Intermediate 20a-switch	cat.15733	400

<b>02-04-00109</b>	<b>Manufacturer: -DESCA IBERICA S.A</b> <b>Air conditioning and heat exchange equipment</b> <b>Equipment: - Coaling towers No. 4829</b> <b>Address: 20125 Milano Italy</b> <b>G 10 Ka 72 Telex: - 330 436</b>	
Discription	Qty., for Type TMC-310	Qty., for Type TMC 40
Blower	20	10
Float Valve	10	5
Motor	20	5
Nozzel	250	50
Filling	20 set	10 set
Belt	100	20
Complete Cooling tower	10	5
Ball bearing	20	10

<b>02-04-00110</b>	<b>Manufacturer: - HIROSS, DE, PURAIR</b> <b>Equipment: - Air Dryer</b> Address: - DEPMR AIR C/MORETO S. MADRID - 14- SPAIN Tel- 462, 32. 35020 S.Angelo D. Piove (Pd) Italy Model: - DXAOOS Expart S.N: - 90361 Pressure max: - 16 bar Volt: - 220/240 Feron Gange: - 0-18 kg 50 HZ Max.2.5A F: - 12	
<u>Discription</u>		<u>Qty.,</u>
Automatic condensate drainer		10
Condenser fan motor		10
Control thermostat		10
Compressor		10
Complete Air dryer		5
Refrigerrant filter		15
Hot gas value		15
Breathen value ¼ SAE)		10
Fan impellr		10
Fan switch		10
Lu minous oW/off switch		10



02-04-00111	Equipment: Sewage Treatment Manufacturer: Bacta and FLI/GHT	
Discription	Qty.,	
Electric static S-System SC 185 024 Supply 24 VAC Recycler	5	
Trans former Polylux 50-60 HZ Pot 100 VA Drim : 0-0220-380V Sec : 24V and 12V	5	
Level regulator ENH-10	5	
Submersible electric pump. 2 inch 1,1 KW type C5 and set of repair kit	10	
Dosing pump DMR75 and set of repair kit	10	
Timer TCC OTD - 30M-24V	10	
Lamp BA9 24V	60	
Receculation pump	5	
Address : Flyght	<sup>3</sup> Bacta	
T.D	<sup>3</sup> Ofecins centrales	
01-wiek notlingham	<sup>3</sup> C.Augusto 52	
NG6 + 2AN	<sup>3</sup> Tarragona	
Telex : 37316	<sup>3</sup> Spain	

02-04-00112	<b>Manufacturer: Gould</b> <b>Equipment: Fancoil unit.</b> Motorized valve Recomanded spare Part Forit. Address: Could Carrftera deEytremadura KM 20,700 Mostoles – Madrid - Spain Telex No. 22018 Aigo - e	
<u>Discription</u> Fan coil unit - A/C Fan coil unit - A/C Fan coil unit - A/C Fan coil unit - A/C	NVC 800  NVC 600-HCM-5-W  NVC 400-HCM-5-W  NVC 300-HCM-5-W	<u>Qty.,</u> 186 Watt 200  95  80

<b>02-04-00113</b>	<b>Company Name:- Huarte ( 5 hospital )</b> <b>Equipment:- Cold store unit</b> Model:- A) A - 12152 A gas used F-12 B) A - 12201 A gas used F-12 C) A - 502151B gas used F-502	
Compressor Compressor Presostate  Flexible joint D 3/4 Flexible joint D 5/8 Vie finder (3/8)  Filter dryer (MUFLER- BRASS) Liquid solnoidvalve scem220V Liquid solenoidvalve bobains  Themostatic expansion valve FLICA Themostatic expansion valve FLICA Themostatic expansion valve  Thermomteter  Thermostat  Condenser fan motor  Evaponator fan Evaponator fan Defroster clock Contactor  Contactor	150-K-43 HP(1.5) 200-L-47.5 HP(2) Ranco MOD 017- 6701 1258 FX 1212 FX FLCIA mod SBI- 10 FL 083 O 3/8 VE 145 IRof 3/8 refno 32940 220V H2 TMXC 2R.12 with nozzel TMXC 2R.so 2 with nozzel TMXC 2R.12 with nozzel ST-100H range- 40+40 RANCO mod C- 30 RANGE - 3,+40 VFH60EI 220V 200W RPMI350 GREGAL 2D GREGAL 1.5B FRI-60 220V 10A AGUT CL101 a 220V AGUT CL00 a 220V	20 20 20  25 20 15  30 20 30  30 20 20  20  30  30 40 30 20 40  40

<b>02-04-00114</b>	<b>EQUIPMENT: MEDICAL GAS</b> COMPANY NAME: L. AIR LIQUIDE QUANTITY INSTALLED: 6 SYSTEM <b>Oxygen:</b>	
Press gauge D50 brass size inlet 315 bar Mechanical unit for automatic change over type (TT) Micro-contact for HP Contactor Metalic diaphragm for VSP valve Diaphragm for Press reducer (T.valve ) regulator 3-16 Filter gesket for diaphragm for Pressure reducer 3-16 Filter for filter valve for Pressure reducer 3-16	CX0004 AG0505 AF0601 BA0517 BB0502  BA0519	6 6 6 6 6  12
<b>Nitrous Oxide</b>		
Metallic diaphragm for VSP valve Diaphragm (regulator reducer 3-16) All gas outlet valve Complete change over for oxygen and Nitrous oxide (Type PC)	BA0517 BB0502 BZ0511	12 12 6 6



<b>02-04-00116</b>	<b>EQUIPMENT: FIRE ALARM SYSTEM</b>	
	COMPANY NAME: CERBERUIS- GUINARD	
	QUANTITY INSTALLED: 6 SYSTEM	
Designation	Ref.	Qty.,
Ionization Smoke Detector F712	280228	150
Optical Smoke Detector R700	288181	30
Rate of Rise Heat Detector D716	332545	30
Ionization Smoke Detector F600		30
Battery Unit GXAE 101	225416	12
Retaining Spring FSF6	161729	60
Detector Diode	N4007	60
Test Gas Cam REE4	171890	60
Zone Module GFG1-2120	218698	12
Active end of Line AE20	222309	60
Alarm Signal monitoring Module of SE2400	021107	12
Relay Module GXV1-3	198051	12
Automatic relay RHN412B	RHN412B	12
Battery Monitoring Module GXA.1	245849	6
Organization Module GF01	270005a	12
Operating Module GXB1	268389b	12
Supervisory card Module GXU1	25921b	6
Emergency monitoring Module GXQ1	246000b	6
Power Module GX6	221070	6

<b>02-04-00117</b>	<b>EQUIPMENT: PUMP</b>	
	COMPANY NAME: WILO	
	ASCAL. A	
	QUANTITY INSTALLED: 180 UNIT	
Type	Complete Pump	repair Kit.,
NORM 100/32/18.5/4	18	60
NORM 65/20/4/4	18	60
Dual DP 80/250/4/4	18	60
NORM 80/26/7.5/4	18	60
Dual 80/250/4/4	18	60
NORM 65/20/3/4	18	60
NORM 125/26/15/4	18	60
TWIN TS 50/100	18	60
TWIN TS 65/125	18	60
Vertical Position 50 CV N 1/18	18	60
Q 10/18 HM 36/18 220/380V		
Submer Suble pump 3 inch	24	60

<b>02-04-00118</b>	<b>EQUIPMENT: ELECTRIC PASTRY OVEN</b> MODEL: 1,000x0, 900 S.No. : 313273 COMPANY NAME: BONNET QUANTITY INSTALLED: 6
Description	Qty.,
Heating element 3 KW each on consist 3 Elements	12
Switch	12
Thermostat 50 To 300 C	18

<b>02-04-00119</b>	<b>13GENERAL HOSPITALS (400 BEDS)</b> <b>SUPPLIED BY MARUBENI</b> <b>MECHANICAL WORK (CONSUMABLE)</b>
Oil Flow Meter G020J-9	39 PCS
Flow Meter for Feed Water B-F40B	39 PCS
Rubber Hose for Vacuum 55C x 1.100 L	88 PCS
Rubber Hose for Vacuum 18C x 480 L	88 PCS
Fire Brick Cemnt 30kg.	88kgs
Refrigerant R-502 20Kg/Cylinder	39 PCS
Steamtrap For Heat Exchanger BFF27-2"	52 PCS
Steamtrap for chiller BFF27-1 1/2"	52 PCS
Steamtrap For Boiler Steam header B-10S	52 PCS
Steamtrap For AHU Steam line B-10S	65 PCS
Steamtrap for Drying Tumbler FT10-10 size 1"	65 PCS
Steamtrap For Laundry Press Machine BP-23 Size 2"	65 PCS
Steamtrap for Flatwork Ironer SV-6 Size 3/4"	65 PCS
<b>MECHANICAL AND SAN ITARY WORK</b>	
Motor 3P 380V 2.2KW	39 PCS
Electric Heater for ES-220 3P 380V 5KWx2	65 PCS
Electric Heater For ES-450 3P 380V 6KV x 6KW x 1,3P 380V 10KW x 1	65 SET
Valve For Level Aguge ABS	26 PCS
Grease for Vacum	65 LIT
Bearing For Each Type Pump	39 PCS
Needle Valve For Auto blow system of Cooling Water.	39 PCS
Water Flowmeter w-SF50	39 PCS
Prwssure Reducing Unit RVU-3/4B	26 PCS
<b>MECHANICAL AND SAN ITARY WORK</b>	
Thermometer 0-120 C 60	26PCS
Excess Temp. Cut-Off Swich 200V 16A 90C	26 PCS
Low-Water Cut Off Swtch 200V 5A	26 PCS
Compressor For Air con. For WH45MV1	180 PCS
Thermostat For Air con. For WH45MV1	124 PCS
Drier filter For Air con. For WH45MV1	180 PCS
Air Filter For air con. For WH45MV1	180 PCS
Freon Gas Liquid R-22 10KG/Cylinder	124 CYL

02-04-00120	Sanitary Work	
Sheet Packing		39 PCS
Timing Gear ARS150		26 PCS
Miss Meter ML-52		13 PCS
Washbasin Jacob TOTO L237CF		39 PCS
Foot Valve 200MM		39 PCS
Faucet TGK3A Valve TL340		162 PCS
Metal Fittings for Faucet TL237 MPG		162 PCS
Metal Fittings for Faucet TGL223 MPA		162 PCS
Line Pump WO-P-1,50P2-52.2 JL		39 PCS
HP-1 40P2-51.5 JL		26 PCS
HP-2 32R2-50.75 JL		26 PCS
HP-3 40R2-51.5 JL		26 PCS
HP-4 32P2-50.4 JL		26 PCS
FM Valve 100mm		26
V-Trap for ToTo basin 1 1/4 inch		



02-04-00121	Electrical Work	
ACB AH-6B 660V 600A		13 PCS
Floatless Swich 61F-G4		65 PCS
MCB TG-225 3P125A		18 PCS
MCB TG-100 3P100A		13 PCS
MCB TO-60BA 2P15A		18 PCS
MGS C-20		26 PCS
Swich Box		13 PCS
Voltage Detector		13 PCS
Contact Cleaner Spray Type.		137 PCS
Air Cleaner Element		62 PCS
Incadescent Lamp For Garden Light 230V		954 PCS
Open phase Relay omron CVP-2-F4 AC100V 85-90V		26 PCS
Open Phase Relay Omron CVP-2-F4 AC90V 25-80V		26 PCS
GPT		13 PCS
Relay NF2-24V AE-1324		26 PCS
Thermo Meter For Water 510843		26 PCS
Oil Pressure Gauge 510840		26 PCS
Water Heater With Thermostat 4KW		26 PCS
Cell Motor 1109979		26 PCS
Governor Motor 200348		26 PCS
Fan Belt for Engine		13 PCS
Relay 63		26 PCS
Relay 5A-S		26 PCS
Relay 5A		26 PCS
Relay 20A-2		26 PCS
Relay 26W		26 PCS
Chemicals		
Daiclean B-701 OR NP05090		80000 KGS
Daiclean F-504 OR IS1050		80000 KGS
Kurile L-107		8000 KGS
Kurizet S-204		8000 KGS
Kurizet T-225		12000 KGS
Kurizet S-112 OR AT3225		80000 KGS
Polycrin A-491 OR NX 1104		10000 KGS
Kurifresh L-102		10000 KGS
Kurifresh H-102		10000 KGS
Polycrin A-411		20000 KGS
Halogen Biocide Concentrate OX 1200		10000 KGM

02-04-00122	BLDG SP NO.2 (BUILDINGS EXCEPT DOCTOR'S RESIDENCE) Mechanical Work
Pressure Gauge for steam 20Kg/CM2	26 PCS
Pressure Gauge for oil 10Kg/CM2 ¼"x60	26 PCS
Oil Gear pump GL-13-5A	26 PCS
Floatless Swich 61F-GPHY	26 PCS
Manual Potention Controller ON406B2S	26 PCS
Magdonel MC#150 JY-2	26 PCS
Ultra-Vision C7035A	26 PCS
Shield Wire for Photo cell	39 PCS
Fuel Oil Meter FGBB31-00X	26 PCS
Parts for burner	39 PCS
V-Belt for Burner B-36	163 PCS
Solenoid, Valve for Blow Down PS-8	13 PCS
Solenoid, Valve for Burner GVD-1008-J	39 PCS
Solenoid, Valve for oil Daily Tank YSP-20AJ	26 PCS
Steam Trap BBF27 2"	39 PCS
Interlock Switch ZE-N-2	39 PCS
Hour Meter for Boiler 200V	39 PCS
Salution Pump	26 PCS
Refrigerant Pump	26 PCS
Manometer	13 PCS
Condencer Tube	1100 PCS
Absorber Tube	1400 PCS
Evaporater Tube	1300 PCS
Drain Strainer	26 PCS
Rubber Band for Pipe of Joint Chilled & Cooling Water	39 PCS
Pressure Gauge 3Kg/CM2	13 PCS
V Belt B-83	362 PCS
Fan Motor 380V 5.5KW	39 PCS
A-47	130
A-48	65
A-49	65
A-50	
A-55	65
A-56	65
A-57	130
A-58	130
A-60	
A-63	130
A-64	130
A-65	130
A-66	65
A-68	65
A-69	65
A-70	65
A-71	130
A-72	130
A-73	65
A-74	130
A-75	65
A-76	65
A-78	130
A-80	65

A-82	130
A-89	65
A-92	130
A-104	130
V-BELT 310775	65
V-BELT 13 X925	65
V-BELT B-36	130
B-64	65
B-67	65
B-72	130
B-74	130
B-76	65
B-81	65
B-82	130
B-84	65
B-85	65
B-86	65
B-87	65
B-89	65
B-91	65
B-92	65
B-94	65
B-95	65
B-97	65
B-100	65
B-102	65
B-104	65
B-105	65
B-110	65
B-113	65
B-123	130
B-128	65
B-144	65
B-146	65
V-BELT C-105	130
C-108	65
C-109`	65
C-112	65
C-115	65
V-BELT SV-1060	65
SV-1250	65
SV-1400	65
BEARING UCP-310	300
UCP-306	300
UCP-308	300
UCP-206	300
UCP-310	300
UCP-207	130
UCP-311	130
UCP-209	130
UCP-206CE	130
UCP-210	130
UCP-205	130
UCP- 212	130
CUCP-206CE	130
CUCP-206CF	130

B-4	300
UC-201	130
-BEARING 6202 ZZ FOR MOTOR 0.2KW	260
-BEARING 6203 ZZ FOR MOTOR 0.4KW	260
-BEARING 6205 ZZ FOR MOTOR 2.21.5 KW	260
-BEARING 6306 ZZ FOR MOTOR 307 KW	260
-BEARING 6206ZZ FOR MOTOR	260
-BEARING 6308 ZZ FOR MOTOR 5.5 KW	260
-BEARING 6308 FOR MOTOR	266
-BEARING 6208 FOR MOTOR	260
-BEARING 6309 FOR MOTOR 15 KW	260
-BEARING 6311 FOR MOTOR 22 KW	260
-BEARING 6312 FOR MOTOR 30 KW	260
-BEARING6314 Z FOR MOTOR 37 KW	260
-BEARING6314ZZ FOR MOTOR	260
-BEARING6201	260
-BEARING6310 Z	260
-BEARING6307 ZZ FOR MOTOR -11KW	260
-BEARING6305	260
BEARING 6205	260
BEARING 6204	260
BEARING 6206 Z	260
BEARING 6202	260
3 Way Solenoid Valve NT-06A-100	39 PCS
Pressure Gauge 5Kg/CM2	138 PCS
Pressure Gauge 20G/CM2	13 PCS
Level Meter for oil S-150,0.5-5.5x1000 L	26 PCS
Spare Pump P-11, 2.2KW, 380V	26 PCS
Spare Pump P-13, 1.5KW, 380V	26 PCS
Spare Pump WO-P-1, 2.2KW, 380V	26 PCS
Spare motor 7.5KW, 380V	26 PCS
Spare motor 11KW, 380V	26 PCS
Spare motor 18.5KW, 380V	26 PCS
Spare motor 2.2KW, 380V	26 PCS
Bearing for Motor 11KW	26 PCS
Bearing for Motor 18.5KW	39 PCS
Libr Solution	10000 KG
Chemical Wash Solution for Chiller P-260	8600 KG
Brush steel 13,17 Nylon 16,20	39 PCS
Packing Cover Seal	39 PCS
Gasket For Vaccum Pump PR-180BGH	39 PCS
Packing "Five ION TM"	137 PCS
Sheet Packing Asbested 3MMx1,270MMx1,270MM	52 PCS
Sheet Packing Asbested 0.5MMx1,270MMx1,270MM	52 PCS
Grand Packing Asbested Yarn 3/8	39 PCS
Grand Packing Asbested Yarn 1/2	39 PCS
Grand Packing Asbested Yarn 3 MM	406 PCS
Valve Compound coarse 650ml/Tube	137 Tube
Valve Compound middle 650ml/Tube	137 Tube
Valve Compound fine 650ml/Tube	137 Tube
Graphite Paste 500g/Can	269 CAN
Anticorrosive Material Spray CRC-5-56	137 CAN
Adhesive Aron Alfa AA-20G/PCS	26 PCS
Record Sheet (Roll) 83102454-001- 89mmx60	530 PCS
Data File tape 83102466-001	52 PCS

Ram Test Tape 83138811-021	52 PCS
Thermometer 0-150 C	137 PCS
Thermometer 0-100 C	667 PCS
Filter for Air Trap G-7C	26 PCS
Controler L404F 1342	26 PCS
Auxiliary Relay MK3P	26 PCS
Magent Switch S-A11	26 PCS
Controller VL-550-3T	26 PCS
Stand by Battery for C.P.U 14501855-001 12V-5.0A	39 PCS
Stand by Battery for D.G.P 14502471-001 12V-2.0A	39 PCS
Vaccum Pump for Chiller RP-180BGH	39 PCS
Wire Brush for Boiler Smoke pipe (Large)	88 PCS
Wire Brush for boiler Stay pipe (Small)	88 PCS
Battery for conductivity meter.	163 PCS
Battry for PH Meter	163 PCS
Thermostat RW-1252P-022	30 PCS
Thermostat RW-1502P-018	62 PCS
Pedal shaft RW-1502-044	62 PCS
Refrigerant R-12 20kg	100 CYL
Refrigerant R-22 20mg	100 CYL
Mech. Seal for Fuel oil pump GL-13-5A	52 PCS
Spare motor 0.2 kw	65
Spare motor 0.5 kw	65
Spare motor 5.5 kw	65
Spare motor 15 Kw	65

02-04-00123	ELECTRICAL WORK
Air Circuit breaker AH-30C	26 PCS
Air Circuit breaker AH-16B	26 PCS
Flourescent Lamp FL-10W	618 PCS
Remote Control switch Matsushita WR8503 3 Cang AC24V 1.5A	62 PCS
Remote control Switch Matsushita WR8503 1 Gang	62 PCS
Contact for Magnetic Switch M4-18	52 PCS
Contact for Magnetic Switch M4-25	52 PCS
Contact for Magnetic Switch M4-35	52 PCS
Contact for Magnetic Switch C4-25	52 PCS
Contact for Magnetic Switch C4-35	52 PCS
Contact for Magnetic Switch C3-65	52 PCS
Contact for Magnetic Switch M3-65	52 PCS
Contact for magnetic Switch M3-80	52 PCS
Current Transformer B-5B 1150V 5VA 100AT	26 PCS
Current Transformer B-5B 1150V 5VA 120AT	26 PCS
Current Transformer B-5B 1150V 5VA 150AT	26 PCS
Ribbon OHM QRZG-IB 200W	26 PCS
Time Delate relay ERY-2130SB	26 PCS
Command Switch S-302	10 PCS
Fuse GTX5A	667 PCS
Motor control Cercuit Breaker P225B 3 Pole	26 PCS
Clear Hardglass GLOBS 350	39 PCS
Clear Hardglass GLOBS 500	39 PCS
Battery for Ex.Light (National) FK19401, for 10W	39 PCS
Photo Cell Switch Water Proof type 3A	39 PCS
Thermo meter for generator exhaust air	15 PCS
SNAP ring remover for genertor.	13 CAN
Pipe Plug 3/8 Straight for generator.	10 CAN
Pipe plug 3/8L type for generator	10 CAN
Insulation vinlyly Tape 19MMx20Mx0.2T	667 CAN
Prom Card 14502154-014	13 PCS
TTY 1/F Card 14501810-002	13 PCS
CPU Card 14501692-001	13 PCS
1/0 1/F Card 14501690-002	13 PCS
Cassete 1/F Card 14502590-001	13 PCS
RAM Card (8KW) 14502816-001	13 PCS
RAM Card (4KW) 14502816-002	13 PCS
Power Supply Card (RAM) 14503166-001	13 PCS
Power Supply Card (RAM) 14503164-001	13 PCS
Annunciator 14501676-002	13 PCS
Annunciator 14501678-001	13 PCS
Annunciator 14501680-004	13 PCS
Annunciator 14501710-004	13 PCS
Grasphic Panel 14503348-001	13 PCS
Grasphic Panel 14501710-004	13 PCS
Printer 14501660-001	13 PCS
Printer 14501656-002	13 PCS
Printer 14501658-001	13 PCS
Printer 14501662-001	13 PCS
Opertion Panel 14501676-001	13 PCS
Opertion Printer 14501884-001	13 PCS
Opertion Printer 14501674-003	13 PCS
Opertion Printer 14501710-004	13 PCS
Opertion Printer 14501670-002	13 PCS

Opertion Printer 14501666-004	13 PCS
TPS Card 14501892	13 PCS
Exchanger XC-019A	10 PCS
Termostat Switch 220V 16A 30-50DEG With Temp. Sencer.	62 PCS

<b>02-04-00124</b>	<b>SANIT ARY WORK</b>
Motor For burner DG-20-380V	13 PCS
Thermal Relay BHK9-04	13 PCS
Air pressure switch Burner C-4052A	13 PCS
Transformer Burner 7KV	13 PCS
Pilot Gas Magnetic Valve	13 PCS
Safety Break Valve	13 PCS
Main Magnetic Valve	13 PCS
Protact Relay	26 PCS
Bacterial Filter Wool	39 PCS
Jet Fire Hose With Nozzle 40A DA type 1-1/2"x15M for Hose UES-80 for Nozzle	62 SET
Oil Guage For Blower VRS-80	39 PCS
Control Unit Assemble	26 PCS
Injector Nozzle CDV-PVC	39 PCS
HRD 075D for Control Panel Pump Hose 34/50-A	14 PCS
BSN 522 F11 for Control Panel	14 PCS
TDY.30 F11 for control Panel 30 SEC (50HZ 230V)	14 PCS
TDL.30 F11 for Control Panel 30 SEC (50HZ 230V)	14 PCS
LTD 30 F11 for Control Panel 30 MIN 200V	14 PCS
MUD 5.240 for control Panel	14 PCS
MUD 5.231 for Control Panel	14 PCS
Timer TU-6H AC200V 50 HZ	14 PCS
Thermometer -40C -+ 40C	13 PCS
Blade K-7	269 PCS
Blade K-18	39
Flash Valve TV150NS	137 PCS
Roun Rubber Pucking SP-5	65 PCS
Molybdenum Paste G-Waste 100G	62 PCS
Brass Plate 0.01MM	13 PCS
Brass Plate 0.02MM	13 PCS
Brass Plate 0.05MM	13 PCS
Brass Plate 0.1MM	13 PCS
Chemical for Extinguisher 10-LP	137 PCS
Chemical for Extinguisher CO2 Cartridge	137 PCS
Ball Tap 20MM	13 PCS
Silicon Sealang KE-42WS-RTV	296 PCS
Silicon Sealang KE-42-RTV	269 PCS
Silicon Sealang KE-45S-RTV	530 PCS
Silicon Sealang KE-42	269 PCS
Screw Glange 100A 10K (Biochemical Oxygen Demand)	39 PCS
Componal W-Type WK-10	11 PCS
A-Unit A-5	13 PCS

<b>02-04-00125</b>	<b>(PUMP)</b>	
Pump SP-1 UBL-MV 3.7KW 50HZ 380V 4P		39 PCS
Pump SP-2 UBL-MV 1.5KW 50HZ 380V 3.7A 2P		39 PCS
Pump SP-3 UBL-MV 2.2KW 50HZ 380V 5.2A 4P		39 PCS
Pump SP-4 UBL-MV 3.7KW 50HZ 380V 80A 2P		39 PCS
Pump SP-5 UBL-MV 3.7KW 50HZ 380V 80A 2P		39 PCS

<b>02-04-00126</b>	<b>(SUBMERSIBLE PUMP)</b>	
Sewage pump CPJ652Y 651J		39 PCS
Effluent Pump CP652Y 651		26 PCS
Deforming Pump AH 50Y 503		26 PCS
Sludge Pump CUF652Y 653V		26 PCS
Magnet Switch of Incinerator SRC3631-02 (4A)		39 LTR
Magnet Switch of Incinerator FMCA-1 1A1B		13 LTR
No Fuse Breaker 3 200V 2.5KW		13 PCS
Temperature Fuse 250V 15A109C		269 PCS
Flush Valve for Toilet TY-750S		26 PCS
Flush Valve for Toilet TN-150N		26 PCS
Flush Valve for Toilet T-60P		26 PCS
Piston Valve For Flash Valve TH323 (TV-750S)		150 PCS
Piston Valve For Flash Valve TH300 (TN-150N)		150 PCS
Piston Valve For Flash Valve TH311 (T-60P)		150 PCS
Packing TH322		152 PCS
Packing TN322		152 PCS
Faucet T113 AM13		152 PCS

<b>02-04-00127</b>	<b>PIPING MATERIALS</b>	
TEE for Galvanized Steel Pipe 15MM		130 PCS
TEE for Galvanized Steel Pipe 20MM		130 PCS
TEE for Galvanized Steel Pipe 25MM		130 PCS
TEE for Galvanized Steel Pipe 32MM		130 PCS
TEE for Galvanized Steel Pipe 40MM		130 PCS
TEE for Galvanized Steel Pipe 50MM		130 PCS
Elbow For Calvanized Steel Pipe 15MM		130 PCS
Elbow For Calvanized Steel Pipe 20MM		130 PCS
Elbow For Calvanized Steel Pipe 25MM		130 PCS
Elbow For Calvanized Steel Pipe 32MM		130 PCS
Elbow For Calvanized Steel Pipe 40MM		130 PCS
Elbow For Calvanized Steel Pipe 50MM		130 PCS
Shor nipple 15mm		130 PCS
Shor Nipple 12MM		130 PCS
Shor Nipple 25MM		130 PCS
Shor Nipple 32MM		130 PCS
Shor Nipple 40MM		130 PCS
Shor Nipple 50MM		130 PCS
Union coupling for Pipe 15MM		130 PCS
Union coupling for Pipe 20MM		130 PCS
Union coupling for Pipe 25MM		130 PCS
Union coupling for Pipe 35MM		130 PCS
Union coupling for Pipe 40MM		130 PCS
Union coupling for Pipe 50MM		130 PCS
Reducer for Pipe 20-32		136 PCS
Reducer for Pipe 25-32		136 PCS
Reducer for Pipe 32-40		136 PCS



Reducer for Pipe 40-50	136 PCS
Gate Valve 20 5K	26 PCS
Gate Valve 25 5K	26 PCS
Gate Valve 32 5K	26 PCS
Stop Valve 20 10K	26 PCS
Stop Valve 25 10K	26 PCS
Stop Valve 32 10k	26 PCS
Faucet T-32 AR13 PT 1/2	36 PCS
Faucet Coupling TH219 T26-20	36 PCS
Faucet Packing TH222	1.329 PCS
Faucet Packing TH223	667 PCS
Sheet Packing Neoprene 1MM X 1000	52 PCS
Sheet Packing Neoprene 2MM X 900	52 PCS
Sheet Packing Neoprene 3MM X 900	52 PCS
Sheet Packing Asbested 1MM X 900	52 PCS
Sheet Packing Asbested 2MM X 900	52 PCS
Sealer Helmetic 500G/CAN	62 CAN
Vinyle Tape with Adhesive W-50MM	26 PCS
Jute Tape 100W x 15M	130 PCS
GATE Valve ½ “	52
GATE Valve 1½ “	52
Bolt antnut (15 mm x 10 mm)	52

<b>02-04-00128</b>	<b>(Flexibel tube)</b>	
Flange Type 20A		130 PCS
Flange Type 25A		130 PCS
Flange Type 32A		130 PCS
Flange Type 40A		130 PCS
Flange Type 50A		130 PCS
Flange Type 65A		130 PCS
Flange Type 80A		130 PCS
Flange Type 100A		130 PCS
Flange Type 120A		130 PCS
Screw Type 20A		130 PCS
Screw Type 40A		13 PCS
Screw Type 50A		13 PCS

<b>02-04-00129</b>	<b>OTHERS</b>	
Temperature Fuse 90 C		137 PCS
High Pressure Cleaner 12 Liter/Min (Mini Jeter 750) 0.75KW 200V		13 PCS
Stopper For Floor		26 PCS
Fuse 120C		269 PCS
Fuse Holder 30 x 150		39 PCS
Ceiling board White RP		1269 PCS
Ceiling Board Blue SP-2		1137 PCS
O2 Concentration Meter Portable Type		13 PCS
Limit Switch Ass'y For Shutter LG2		13 PCS

<b>02-04-00130</b>	<b>BLDG SP NO.2 (DOCTOR'S RESIDENCE FOR EIGHT HOSPITALS) MECHANICAL AND SANITARY WORK</b>	
Pump LP-3		39 PCS
Thermostat 200V 16A 30-80C		18 PCS
Circulating Pump 380V LOV-MV HP-5		26 PCS

Pressure Gauge 0-6KG/CM	24 PCS
Earth leakage Breaker 3P60AF40AT 30MA	13 PCS
Pilot Lamp (White) 200V 0.55W Neon	40 PCS
Pilot Lamp (Green) 200V 0.55W Neon	40 PCS
Grass Fuse 200V 3A	72 PCS
Magnetic contactor 3P 380V 26A, Coil V.200V	13 PCS
Air conditioner WH45LBV3A	40 PCS
Nozle Assembly RW-1502P-024	40 PCS
Water Valve RW-1502P-027	130 PCS
Flow control Equipment RW-1502P-018	130 PCS
Thermostat RW-1252-022	130 PCS
Fan Motor RW-1502P-901	130 PCS
Glass Filler RW-2000PTC-903	130 PCS
Condenser Fan RW-1251P-019	130 PCS
Compressor RD-2008E-901	130 PCS
Liner Ring For LP-3	13 PCS
Gland Packing for LP-3	26 PCS
Bearing for LP-3	26 PCS
Rubber for coupling for LP-3	39 PCS
Mecanical Seal for HP-5	13 PCS
Pressure Gauge 0-6LG/CM2	13 PCS
Flexible Pipe Unit 50MM x 600MM	13 PCS
For Flange 50MM x 300MM	13 PCS

<b>02-04-00131</b>	<b>ELECTRICAL WORK</b>
Volt Meter (DAIICHI KEIKI) 0-600A	13 PCS
AM-Meter (DAIICHI KEIKI) 0-600A	13 PCS
Potential transformer (Minato work) 440V/Route3	13 PCS
Current Transformer (Minato Work) 600/5A	13 PCS
Plug Fuse 10A	80 PCS
Plug Fuse 5A	144 PCS
No Fuse Breaker 3P100A	13 PCS
No Fuse Breaker 2P 30A	13 PCS
No Fuse Breaker 1P 20A	72 PCS
No Fuse Breaker 1P 15A	72 PCS
No Fuse Breaker 4P 50A	13 PCS
No Fuse Breaker 4P 20A	13 PCS
No Fuse Breaker 4P100A	13 PCS
No Fuse Breaker 3P 50A	13 PCS
No Fuse Breaker 3P 20A	13 PCS
AM-Meter 0-5A	13 PCS
Pilot Lamp LP-102	172 PCS
Ballast FL40 x 2 230V	132 PCS
Ballast FL40 x 1 230V	132 PCS
Socket For FL Lamp L-122	104 PCS
Glabe F5	132 PCS
Glabe F7	132 PCS
Glabe F8	132 PCS
Glabe F9	132 PCS
Fuse 30A	704 PCS

<b>02-04-00132</b>	<b>13GH BUILDING SPARE PARTS REPORTING MATERIALS FOR BULDING</b>
Floor Vinyl Tile TW140	1130 Box
Floor Vinyl Tile TW142	1130 Box
Floor Vinyl Tile TW111	1130 Box

Floor Vinyl Tile TW132	1130 Box
Floor Vinyl Tile TW131	113000 Sht.
Floor Vinyl Tile ANTI-Radiation XVT	1260 Sht.
Floor Ceramic TILE 121-A	11300 Sht.
Adhesive For PVL Base	113 Lot
Wall Ceramic TILE N-101	126 M2
Wall Ceramic TILE NDH-32	126 M2
Celing Acoustic Tile 600 x 1,200 TRT	12600 Sht
Celing Acoustic TILE 600 x 600 TRT	15200 Sht
Rock Wool Board GEP 600 x 600 RB	11300 Sht
Clinder Lock W/Nobe	130 PCS
Door Closer For Wooden Door	50 Pair
Sadh Lock for ALM Window 8GH	130 Pair
Sadh Lock for ALM Window 5GH	130 Pair
Hinge for W/C	130 PCS
Latch for W/C	130 PCS
Hinge	260 PCS
ARM STOPPER	260 PCS
Gaschete	50 PCS
Hingge	260 PCS
Vinyle clad gypsum panal with panal clip for wall (12x2500x600)	400 PCS
Magnets lath	260 PCS
Floor Viny tile TW 141	500 box
Floor viny tile TW 150	500 box
Floor viny tile TW 120	500 box
Floor viny tile Tw 133	500 box

<b>02-04-00133</b>	<b>Parts For Sliding Door, Toilet, Handicapped</b>
Rail With Accessaory	144 Set
Door Hanger	104 Set
Guide Roller	104 PCS
Door Handle	104 Set
Door Lock	104 Set

<b>02-04-00134</b>	<b>(REAGENT)</b>
PH test paper (10-12)	7800 pcs
PH test paper (1-11)	260 m
PH test paper (5-8)	5200 pcs

<b>02-04-00135</b>	<b>P- Alkalinity</b>
Indicator	2600 ml
No.1 Reagent	2600 ml

<b>02-04-00136</b>	<b>M- Alkalinity</b>
Indicator	2600 ml
No. 1 Reagent	9100 ml

<b>02-04-00137</b>	<b>Chloride ion indicator</b>
No.A Reagent	2600 ml
No.B Reagent	3900 ml

<b>02-04-00138</b>	<b>Total harsness</b>
Indicator	5200 ml
No.1 Reagent	400000 ml

No.3 Reagent	5200 ml
Sulfate test paper	2600 pcs
Residual chlorine indicator	1300 ml

<b>02-04-00139</b>	<b>Phosphat Ion</b>
No.1 Reagent	2600 ml
No.2 Reagent	2600 ml
No.3 Reagent	2600 ml

<b>02-04-00140</b>	<b>Silicate 10 n</b>
No.2 reagent	26000 ml
No.5 reagent	26000 ml
No.6 reagent	26000 ml

<b>02-04-00141</b>	<b>Chlorid c-10n</b>
No. indicator	780 ml
No. 1 Tablet	3700 ml
No.2 Tablet	40700 ml

<b>02-04-00142</b>	<b>Filter paper</b>
Sc- 9-CM	1300 pcs
Sc- 11-CM	1300 pcs

<b>02-04-00143</b>	<b>HOSPITAL WATER TREATMENT SERVICE CHEMICAL</b>
1-COOLING WATER SYSTEM 1.1. corrosion & scale inhibitor concentrate Multi- functional liquid all organic inhibitor with good dispersing & PH - free properties. Product must be non- chromate. Zinc saltes are accepted. It must be biodegradable & compatible with the source & make-up water characteristics. Acarboxylated acrylic copolymer with medium M.W of > 2000 with high dispersing power is preferred. the proposed inhibitor must be field proven in well known referenced facilities with a track corrosion control rate of < 5 MPY Concentration of the active ingredient in product must be stated & dosage in make-up water should be < 15 PPM for NC>2. In - plant shelf life must be 2 years minimum.	50 ton
1.2 biocide - liquid algaecide- bactericide It must be biodegradable & compatible with corrosion - scale control programme to be used in the system. Product must have strong dispersant ingredient for effective slim penetration. Amixture of isothiazol ones with quaternary ammonium salts is preferred. Dosing rates of the product are to be defined. In- plant shelf life of product should be 2 years minimum .	50 ton
1.3 halogen biocide concentrate Chlorine - bromine formulation containing 55% total CL2 equivalent as minimum. it must be in tablet or granular form with abrinator & a testing kit	20 ton

<p><b>BOILER WATER INTERNAL TREATMENT</b>  <b>CHEMICALS</b>  2.1 hardness leakage conditioner  Product must be a combination of polymers in an alkaline media with good dispersing &amp; antifirm ingredients. The polymers must be FDA approved for contact with foodstuffs. Product must be able to remove old deposits of CaH, MgH, silica &amp; iron oxides effectively with time and increased dosing rates the conditioner must not have inherent hide -out phenomenal effects when used at high dosages types &amp; concentrations of active ingredients in the product must be stated. in - plant shelf life should be 2 yeares minimum</p>	60 ton
<p>2.2 catalysed sodium sulfite oxygen scavenger  Product is to be a catalyzed sodium sulfite oxygen scavenger non-toxic &amp; FDA approved for contact with foodstuff s. in plant shelf life should be 2 years minimum</p>	50 ton
<p>2.3 cyclohexa amin . conen sate corrosioin inhibitor</p>	15 ton
<p>3. <b>STRONG CATION RESIN (SODIUM CYCLE)</b>  strong cation resin working on sodium cycle similar to PUROLITE C-100 or equivelent. Code sodium base (DIAION - SKIB)</p>	50 ton
<p>4. <b>AFTER SALES SERVICES</b>  the following technical service should be renderd free of charge &amp; are an integral part of the scope of supply of the foregoing  4.1 routine techical assistance  this is to be extended for periodos of one week on quarterly round tour basis during the envisaged 2 years chemical application programe</p>	

<p>4.2 technical documentation  complet sets of technical data sheets &amp; service manuals for the use &amp; analysis of the delivered products</p>	
<p>4.3 testing aparata  All necesaty testing equipment for all the specified analysis during the planned duration of the employ of the supplied product s including but not limited to corrosion coupons PAIR monitors, phototesters.... etc</p>	
<p>4.4 testing reagents  all necessary chemicales &amp; prepared reagent required for product analytical evalution are to be supplied on Bi-annual basis for the whole planned period of the agreed programme commissioning</p>	
<p>4.5 training  training of refinery techical personal who are directly in charge of the product application &amp; programme monitoring for ten days at vendores production facilities</p>	

<b>02-04-00144</b>	<b>REAGENT FOR MEDICAL CITY</b>	
1. iodine (I2) powder		5 kg
2. potasium iodide (KI) powder		5 kg
3. acetic acid ( CH3COOH)solution		10 litter
4. strach - powder		5 kg
5. potasium hydroxide- powder		5 kg
6. ammonium molybdate MONH4		5 KG
7.hydroqivion - powder		5 kg
8. sulphoric acid H2SO4- solution		10 litter
9. potasium carbonate powder- K2CO3		5 kg
10. methyl orange- solution		10 litter
11.methanol alcohol		10 litter
12. ethanol alcohol		10 litter
13. phenole phtaline		5 kg
14 . sodiumthiosulfite		5 kg
15. ethylene diaminetetra actic acid		5 kg
16. super black powde		5kg

<b>02-04-00145</b>	<b>Site: Medical city (REAGENT)</b>	
PH test paper (10-12)		7800 pcs
PH test paper (1-11)		260 m
PH test paper (5-8)		5200 pcs

<b>02-04-00146</b>	<b>P- Alkalinity</b>	
Indicator		2600 ml
No.1 Reagent		2600 ml

<b>02-04-00147</b>	<b>M- Alkalinity</b>	
Indicator		2600 ml
No. 1 Reagent		9100 ml

<b>02-04-00148</b>	<b>Chloride ion indicator</b>	
No.A Reagent		2600 ml
No.B Reagent		3900 ml

<b>02-04-00149</b>	<b>Chloride ion indicator</b>	
Indicator		5200 ml
No.1 Reagent		400000 ml
No.3 Reagent		5200 ml
Sulfate test paper		2600 pcs
Residual chlorine indicator		1300 ml

<b>02-04-00150</b>	<b>Phosphat Ion</b>	
No.1 Reagent		2600 ml
No.2 Reagent		2600 ml
No.3 Reagent		2600 ml

<b>02-04-00151</b>	<b>Silicate 10 n</b>	
No.2 reagent		26000 ml
No.5 reagent		26000 ml
No.6 reagent		26000 ml

<b>02-04-00152</b>	<b>Chlorid c-10n</b>	
No. indicator		780 ml
No. 1 Tablet		3700 ml
No.2 Tablet		40700 ml

<b>02-04-00153</b>	<b>Filter paper</b>	
Sc- 9-CM		1300 pcs
Sc- 11-CM		1300 pcs

<b>02-04-00154</b>	<b>Equipment :- medical gas Oxygen</b>	
Pigtail connecting tube and packing		640
1 st stage pressure reducing valve diaphragm and seat.		26 set
Second stage pressure reducing valve diaphragm and seat.		26 set
Filter		1300
Change over device pressure gauge		39
Elastic cord for overhead Outlet.		260
Warning panel indicator bulb		65
Warning panel indicator buzzer		39
Pressure control		26
Central oxygen distribution board		13

<b>02-04-00155</b>	<b>Nitrous Oxide</b>	
Pigtail connecting tube		65
1 st stage pressure reducing valve diaphragm and seat.		39
Second stage pressure reducing valve diaphragm and seat.		39
Strainer		39
Central Nitrus distributia board		13

<b>02-04-00156</b>	<b>Airline</b>	
Repairing Kit for compressor airline		39
Relay for compressor		13
Solenoid valve		13
Filter element		52
Pacterial filter element		52
V- belt B-82		26
Pitot Lamp Buld for control panel		52
Complete compressa with sparepont		2

<b>02-04-00157</b>	<b>Vaccum Line</b>	
solenoid valve for water		26
Vaccum pump and motor complete		26
Water ring pump		13
Repairing Kit for Vaccum (Pump+Motor)		39
Control Panel.		13
Pilot Lamp bulb for control Panel		52

<b>02-04-00158</b>	<b>Equipment :- battery</b>	
KOH solution		1500
Catalyst plug (75 dia, L111)		130
Battery dry charged cell 600AH Nickle cadmuim QFW 600E Floating Voltage 1.35v/Cell		130
Thyristor 10P55G (5-10)		39
Battery 200 AH		65

Electrolyte polycon	13
Change over switch DM20 AC, 600v	39
Battery (AMH-50E)	260
Catalyst plug (RIA Type)	520
Gate control device (5-8) (GRTA-31,15A)	26
Battery (QKC-80)	130
Fuse CR-2K 250 75A	39
Fuse AB-2N – 30A	39
Fuse P-413.1.3A	39
Thyristor 50 P4 5G	39
Silicon dropper 10M40	39
Relay MY2	13
Timer Relay H3Y-4	13
Silicon diode Qc-113 HI (5-11)	13
Lamp 18V - 0.11A	700
Printed board AED-6A 5-7	13
Printed board D2-100 5-9	13
Lioh Solution	650 liter

<b>02-04-00159</b>	<b>Equipment :- transformer</b>	
Gasket set		13
Bnchholz relay(2.8-34L/sec)		13
Dehyd rating breather Silicagel (1.0 L)		52
Control board No. Load tap changer		39
Tripping coil (E2-4)		13
MHT Tripping Coil		13
Charging motor		13
Coil for latch release		13
High voltage bassing assembly 125kv, 300A		39
Oil level gauge 250mm		26
Bursting plate phenol resin		26
Humidity absorber BS71 1970		26

<b>02-04-00160</b>	<b>Equipment :- Lifts</b>	
Link Fuse breaker 5A		390
Link Fuse breaker 10A		390
Carbon brash for door motor		130
Door motor with gear		52
Oil seal for traction machine		52
oil seal for lipe No.7 (22-101)		52
Floresent lamp.		1300
Door control card SD-A6		39
Door lock switch H1224710 + H1224720		260
Micro switch		39
Circular lamp.		1300
Lamp 26V, 1.8 w (22-45)		1300
Guide shows metal for car.		39
Silicon rectifier		39
Traingle finger		650
Transformer		52
Carbon H1778447, H1778405 (22-50) (22-51)		1300
Relay Ms-110W, MS-048W		130
Timer Gs-W, Ts,W		70



Resistor		52
Photocell		52
Lamp 28V, SW		1300
Button for call		1300
Door Couid shoe (22-2)		130
SB switch for call button H1805202		130
Contactors (22-60)		26
BM switch for floor button (22-72)		390
Button		260
Button (Arrow) (22-75)		260
Floor relay(22-77)		39
Thyristor		39
Set of ball bearing and repairkit for motor for each type Lift.		26
Signal lamp 18V, 2W		130
Chain for pully weight steel (left, 4,5)		52
Rubber cushion		26
Safety shoe		52
Acrlly cover day light		130
Spring rod		39
Steel 1 tap for govenor for litt (tap selector)		500
Switch board for control type F form DB and floor control for lift No.2		130
Positioner switch		26
Oil all types needed		70
P.C.B	H 1725611	39
P.C.B	H 1725611, H172511	26
Timer	CR H 1751070	39
Figer	H 177807, H1708109, H1708107	130
moving finger for contactor		390
free fuse breaker	MAN-50ALIKE ABWE , 20A,40A	26
free fuse breaker FOR	m.g.b.5a	26
Emergeny light	H1402980	130
Fan motor V = 100 type FH-23 200W 3MF MP code		65
Bmswitch for open button	H 1808957	39
Bmswitch for close button	H 1808958	26
Brak lining	H1002001	
Oil seal	H1602603	52
Contactar DF-MB		52
Floor Relay H3510021		65
Timer H3510031		65
Glow lamp H1404502		130
Glow lamp H1404503		130
Traction sheave 3708704		39
Ball bearing H1600103		65
Mirco switch H181201		130

Disc brake for motor control	65
------------------------------	----

<b>02-04-00161</b>	<b>Equipment :- Kitchen Walk in Freezing unit and cooling unit (K-1),(K-4)</b>
Compressor	52
Motor fancomplete for evaporator	52
Motor fancomplete for condenser	52
Thermostat	52
Timer	52
Solenoid valve	52
Magnetic switch	52
Power relay	52
Transformer	52
Drain pan heater	26
Drain hose set.	26

<b>02-04-00162</b>	<b>IC cube machine (K-68)</b>
Defrost thermostat	26
Compressor	26
Motor pump	13
Fan and motor	13
Filter drier	13

<b>02-04-00163</b>	<b>Reach in refrigerator</b>
Compressor	26
Door packing	26
Thermostat	26

<b>02-04-00164</b>	<b>Hot cup board (K-69)</b>
Solenoid valve for water	26
Lamp	26
Snap	26

<b>02-04-00165</b>	<b>Electric heater</b>
Heater element	52
Infinite switch	52

<b>02-04-00166</b>	<b>Food warmer</b>
Thermostat (6-K-53)	52
Thermostat (6-K-54)	65
Heater (K-53), (K-54)	65

<b>02-04-00167</b>	<b>Meat Saw</b>
Motor	26
Change blade	52
Bearing	52

<b>02-04-00168</b>	<b>Potato Peeling machine</b>	
V-belt (A-18)		26
Grand stone		26
Switch		26
Peeling drum		13

<b>02-04-00169</b>	<b>Tilting braising pan (K-36)</b>	
Power – Pile genrator		26
Thermostat		26
Pilot gas unit		26

<b>02-04-00170</b>	<b>Dish washer (K-64)</b>	
start switch		26
Stop switch		26
Bearing and mechanical seal		13 set
Thermostat		26
Complete motor pump set.		13 set
Pilot lamp		65
Fryen (K-26) - thermostat		65
Powerpile controller		65
Power pile Generator		65
Foodwarmer Heater		65
Thermostat		65
Tea urn (K-35)		
Faucet		26
Gauge glass		26
Gauge packing		52

<b>02-04-00171</b>	<b>Convection oven (K-46)</b>	
Fuse		70
Discharge switch		26
Power pile generator		39
Door switch		26
Lamp.		52
Thermocouple		52
Solinoidealve for gas		52

<b>02-04-00172</b>	<b>Mixer (K-22)</b>	
Complete Motor		13

<b>02-04-00173</b>	<b>400 Bedded General Hospital Equipment :- Laundry Washing MC</b>	
V-Belt B-64		91
V-Belt B-67		91
V-Belt A-65		91
Thermometer OoC 120oC		26
Motor complet		26
Micro switch		13
Magnetic switch		26
Loundary timer		26
Rever sing timer		26
Water level guage		13
Thermal relay		13
Limit switch		13
Motor couples		26
Drain valve O 100 and O 120		26
Transformar 380/220		52
Fuse 3A		70
Disc break set (upper and lower)		26
Hand Level unit		13

<b>02-04-00174</b>	<b>Drying tumbler</b>	
V-Belt B-60		65
V-Belt B-105		65
Motor 1.5 KW 380V		26
Motor 0.75KW 390V		26
V-Belet A-49		29
Magnetic switch 3631		26
Magnetic switch 3931		26
Reversing timer		26
Drying timer		26
Bearing for motor		26
Radiator unit (complete coil)		26

<b>02-04-00175</b>	<b>Flatwork ironer</b>	
V-Belt A-64		52
V-Belt A-32		52
Flange bearing		26 set
Timing belt.		26
Motor		13
Flat belt for roller		26
Padding		26
Steam hose		26
Guide tape.		26
Fuse		65

<b>02-04-00176</b>	<b>Equipment :- Laundry extractor</b>	
V-Belt.		52
Bearing		26 set
Disc brake pad		26
Complete motor		13

<b>02-04-00177</b>	<b>Uniform press</b>	
Topcover:- Tocover Mushroom 52-5-2		13
Topcover:- Tocover rectangular 52-5-3		13
Steam hose		70
Fuse 3A		70
Timer		39

<b>02-04-00178</b>	<b>Equipment:- Boiler 400 Bedded General</b>	
Electrical conductivity meter		39
PH meter		813
Packing for gauge glass		65
Packing for burner		39
Mercury switch (Two Point type)		65
Mercury switch (Three Point type)		65
Spark Plug		39
Sight glass		65
Transformer 380-110V		39
Pressure limit switch		26
Flame eye (Photocell)		39
Bearing for draft fan		39 set
Solenoid valve for L.P.G		26
Modulator motor		39
Motor for draft fan		26
Timer		39
Magnetic contactor		39
Bearing for burner motor		39 set
Amplifier for protect relay		13
Burner motor complete		13
Ignition transformer		26
Pressure controller		26
Change switch		39
Brush (Scraper)		52
Gasket (1501, Y-2) (8-27)		39
Punch for gasket sheet packing		13 set
Asbestos belt.		39
Fuses		130
Sleeve packing for gauge lock		39
Valve for level gauge		26
Strainer 3/4		13
Protect relay		52
Burner Grease		130 Cans
Packing for manhole		39
Packing for burner		39
Indication lamp.		130
Ignition rod.		39
Dosing pump		13
Air pressure switch		13
Water level switch control		26
Safety valve		72
Heat exchanger (First stage) complete		39
Supporting tube		260
Water level gauge glass with fixed base		52
Magnetic switch SRCa 3931-0		52

Magnetic switch 5Rca 3931-05	52
Magnetic switch 5R C6 3931-0	52
Fuse B1A010D-18 300v 10A	130
Fuse B1A010D-18 600v 10A	130
Circuit Breaker 20A	130
Circuit Breaker 60A	55
Circuit Breaker 225A	39
Contactors 80 A 3ph	130
Contactors 20A 3ph	130
Overload relay 20-35Amp	65

<b>02-04-00179</b>	<b>Equipment:- Chiller 400 Bedded General Hospital</b>	
Pressure regulator		39
Diaphragm valve		52
Temperature adjuster VR		26
Octyle Alcohol inhibitors		5000 Lit.
Diaphragm for vacuum pump		39
Vane for vacuum pump.		26
Valve for vacuum pump		13
Vane spring for vacuum pump		13
Vane rod for vacuum pump.		13
Vacuum motor		39
Timer (0-30) min		39
IC printed board		13
Indication lamp.		130
Manometer hose		52
Solenoid valve		26
Sight glass (Sp-C-S)		26
O-Ring for tagiri valve		130 set
Chemical feeder pump		26
relay		26
Transformer TR1, TR2		26
Temperature sensor		75
Timer 100/200AC		26
Drain control valve		39
Magnetic switch		26
Control switch		26
Fuses		130
Gasket for generator		130
Gasket for evaporator and condenser		130
Float of steam trap		65
Diaphragm for pressure reducing valve steam		65
Vetric Packing for steam line		26
Control motor AC/24V		13
V-Belt (A-32)		39
On-Off switch for operation panel		26
Safety valve SA-F		13
Twin Timer		39
Packing for evaporator and generator		130
Inhibitor for chiller (LIBR)		1000 liters
packing for evaporator and generator		130

Turin timer TDV-2A(a.c)- 200v		39
M-9-5-D control switch	265H3-INS-C1070Q	39
M-9-5-E control switch	265H4-INS - C1120,MIQ	39
M-9-5-F control switch	26RL -CNS-C134Q	39
M-9-3-E relay	k-6x6 -1522-0424 3A-3B 1Y	39
M-9-3-Frelay	D-6x6 -1522-0424 3A-3B	39
M-9-5-C control switch	86X 265H2-INS - C1070Q	39
Timer H2A AC-200 OMERON		39
Drain straine		39
Steam control valve		39
Solenoid valve ¾ inch 380v		65
Circuit Braker 225 A 3ph		65
Overload 1-3.7 Amp		65

<b>02-04-00180</b>	<b>Equipment:- C.P.U System Control process unit.</b>	
Key board for operator terminal		26
Display board for operator terminal		26
Programmed casset I/F 140259C-001		39
Casset for operating system		39
Casset for data file		39
Battery 12V, 50AH		65
M-computer 14501691-002		13
Channel 7-14501 687-003		13
Channel 8-14501687-002		13
Cheannel 9-14501687-003		13
TPS-14501892-001		13
Channel 10-14501687-003		13
TPS-1401892-003		13
Recorder		13
Basc file tape		13
Fuses		26

<b>02-04-00181</b>	<b>D.G.P Data Gathering panel</b>	
Control I Board		26
Power supply board		26
Seven point start/Stop board		26
Temperature senser		26
Digital		13
Transmission line interface		13
Fuse		70
Noise filter		26
Chart and ribbon for printer		130
Battery DGP 12V, 2.5A		130

<b>02-04-00182</b>	<b>Equipment:- Telephone System</b>	
Wire spring relay WJ-100		52
Wire spring relay WJ-105		52
Wire spring relay WJ-203		52
Wire spring relay WJ-926		130
Wire spring relay WK-1		65
Wire spring relay WK-2		65

Wire spring relay WK-3	65
Wire spring relay WK-75	130
Wire spring relay WK-76	130
Wire spring relay WK-20	65
Wire spring relay WK-96	130
Wire spring relay WK-49	65
Wire spring relay WK-70	65
Wire spring relay WK-118	65
Wire spring relay XWK-66	130
Wire spring relay WG-103	130
Wire spring relay XWG-22	65
Wire spring relay WG-47	65
Wire spring relay WG-147	65
No.38 fuse wire (2.0-A)	39
No.38 fuse wire (3-A)	39
No.38 fuse wire (0.5-A)	65
No.38 fuse wire (1.33-A)	65
Fuse AB2N 30A (1050)	39
Fuse CR2K 250V.75-A (1049)	39
Fuse M120 (2-A)	39
Fuse M105 (0.5-A)	2
Fuse M113 (1.33-A)	26
Fuse M130 (3-A)	26
Recifier SR-4	26
Varistor V2	26
Lamp 2-YAW	1300
Reed Relay RDF-1	39
Reed Relay RDF-42	39
Reed Relay RDF-44	39
Wire Spring relay WG-121	26
Wire Spring relay WA-7	26
Push-button for console A250B AC250H	39
Reciever and transmitter for telephone set	50 set
Wall Jack	130
Dial	650
Batteny QKC80	130
Transmitter for Tel set	130
Telephane jet 601 A	65
Operater control unit	10



<b>02-04-00183</b>	<b>400 BED GENERAL HOSPITAL Equipment:- sewage treatment plant Repair Kit set complet for</b>
SP-1	39 set
SP-2	39 set
SP-3	39 set
Sp-4	39 set
Sp-5	39 set
Sp-7	39 set
Sewage Pump	39 set
Effluent pump	39 set
Deforming pump	39 set
Sludge pump	39 set

<b>02-04-00184</b>	<b>Complete motor and pump for</b>
Sewage pump	39
Effluent pump	39
Deforming pump	13
Sludge pump	13
SP-7	39
Blower bearing	26 set
Cyclo drive motor and set repair kit for it	13
Aeration blower	13
Chlorine reducing valve	26
Rehev valve	13
Air valve	26
Flow cell	13
V - belt C-80 for Blower	59
Oil seal seffor blower	26 set
Ammonia tiguar (500 CC)	65
3Diaphram	26
Gas chlorinator unit	13
chlor powder	700
Cheek valve 100A	90
Cheek valve 80A	26
Cheek valve 65	90
Diffuser	700
Mercury senser for lovel controllor	130
Earth leakage circuit breaker for control panel	26
Level controllor tell	65
Rechet Relay	26
Keep relay	26
Auxiliary relay	26
Magnetic switch for control panel	26
Fuse	26
Timer Tu- 6H	65
Timer Ltd -30	65

<b>02-04-00185</b>	<b>Equipment Softener</b>
Packing and O-Ring for rotary valve	39
Strainer	52
Rotary Valve	26
Gauge Pipe for flowmeter	13

Ion exchange resin	20000 litre
--------------------	-------------

<b>02-04-00186</b>	<b>Equipment:- L.P.G</b>	
Flexible tube		26
Pressure regulator		26
Heater		26
Inhibitor		26
Secondary and primary safety valve		26
Heat exchanger		26
Hot water reservoir complete		26
Level switch		26
Main thermostat		26
Pressure gauge		26

<b>02-04-00187</b>	<b>Equipment:- Oil tank</b>	
Float switch alarm 50A high and Low		26
Floatless switch complete		26

<b>02-04-00188</b>	<b>Equipment:- Heat exchanger ST1 and ST2 Storage Tank</b>	
Copper coil steam for ST1		26
Copper coil steam for ST2		26
Pressure reduce valve for ST1		26
Pressure reduce valve for ST2		26

<b>02-04-00189</b>	<b>Equipment:- Switch and Socket</b>	
Switch Dimmer F15A		65
Switch Dimmer 1L 400W		65
Switch Dimmer 1L 800W		65
Switch 1 gang sparkless		130
Switch 2 gang sparkless		130
Socket 13A water proof		65
Socket 13A splash proof		65
Socket 15A		65
Socket 30A		65
Socket 30A sparkless splash proof		65
Plug 13A		130
Switch photocell water proof type		65

<b>02-04-00190</b>	<b>Equipment:- Lighting Fixture</b>	
Opal cover W-350		2600
Opal Cover W-450		650
Prismatic cover W-350		2600
Prismatic cover 640 x 640		2600
Clear hard glass 350 O with fitting for type T-S (B)		130
Clear hard glass 500 O with fitting for type T-8		130
Opal glass globe IA ,1B		1300
Opal glass globe IE		1300
Opal glass globe IF		650
Opal glass globe IJ		650
Opal glass globe IY		650
Opal glass globe IX		650

Lamp soket B-22D	650
Lamp soket L-22	650
Ballast FLR - 40Wx2	1300
Ballast FL - 20W	1300
Ballast HF - 400	650
Ballast HF - 250	650
Ballast HF - 80	650
Halogen Lamp 500W	390
Halogen Lamp 100W	390
Mercury Lamp 400W	650
Mercury Lamp 250W	650
Mercury lamp 80W	650
Germicidal Lamp - GL-15W (6-38)	130
Floursent Lamp FLR - 40W (Dimmer)	520
Floursent Lamp FLR - 40W (23-1)	26000
Floursent Lamp FL - 20W (23-4)	13000
Floursent Lamp FL - 10W	130
Incandescent Lamp 10W (23-5)	650
Incandescent Lamp IR-200W (23-6)	260
Incandescent Lamp IR-60W	650
Incandescent Lamp 100W	1300

<b>02-04-00191</b>	<b>Shadowless operationlight</b>
Dry battery 1200MAH	130
Printed board	26
Krypton buld 24V, 40W	52
Light intensity regulating knob	52
Fuse 10A	65
Reflect or lamp B-22	130
Lightting Fixture surface mounted J41	650
Relay E-21-12	130
Socket – E-21-13	130
Fuse Gtx SA- E-21-15	130

<b>2-04-00192</b>	<b>Equipment:- AHU</b>
Belt for all AHU	13x2set each
Bearing set for each motor and fan	13x2set each
Motor complete	13x1set each
Gasket for access door	27 x 13
Solenoid valve	26
Temperature gauge (5-5A)	26
Manometer (5-6)	70
Pully for motor and fan	13 set
Effcy filter NBS 35% 610 x 610 x 200D	2set each
Effcy filter NBS 35% 305x610x200d	2set each
Effcy filter NBS 80% 340x635x295D	2set each
Effcy filter NBS 80% 635x635x295D	2set each
Effcy filter NBS 95% 635x635x295D	2set each
Effcy filter NBS 95 340x635x295D	2set each
Any other consuble parts in AHU	
HEPA Filter CELLS. DOP 99.97% 305x610x150	

ASTRCCCEL,HEPA,FILTER	2set each
-----------------------	-----------

<b>02-04-00193</b>	<b>Equipment:- Fan coil unit</b>	
Motor for each type		39
Two speed control switch for each type		26
Air filter		26

<b>02-04-00194</b>	<b>Equipment:- Exhaust fan</b>	
Recommended consumable spare part and complete exhaust fan		260
Complete exhaust Fan model Exhu 40-Fv-238kt		

<b>02-04-00195</b>	<b>Equipment:- Air washer unit</b>	
Nozzles for each AWU		390
Gasket for each AWU		39 set
Modulator motor for temp regulator		39
Temp senser for C/C and H/C		39
Radiator for C/C		13
Repairing kit for motor		39 set
Check valve 10K – 65		100
V- Belt		65
And any other recomonded consumable part		

<b>02-04-00196</b>	<b>Equipment:- Cooling tower</b>	
Fan Bearing and motor bearing		2set x 13
Motor complete		39
Vibation Isolating (10-3)		70
Filling A and B poly vinyl chloride		26 set
Float Valve		70
Pully L and S		70 set
V- Belt B-83		3set x13
Cooling water temperature control		13
Fan BEARING 62088ZZ		260
Fan BEARING 630zz		260
Fan BEARING 6211 RSS		260

<b>02-04-00197</b>	<b>Equipment: Automatic control system</b>	
Insertype thermostat	T991A	130
Insertype thermostate 2 position	T675A	103
Room humidistat (2 position)		13
Pneumatic room thermostat	TP970A	13
Pneumatic insersion type temp controll	LP920B1029	26
Pneumatic insersion type temp controll	LP920A1021	52
3 Way control valve	V5665	26
Pnematic operator with positioner	NP912A	13
3way control valve	V5065	26
Pneumatic operator with pasition	MP912C	13
3 Way control valve	V5065A	13
Electric operator	M904E	13
Valve Linkage	Q455C	13
Electric pneumatic relay	NT-06A	52
Solenoid valve	N-15	22
Pneumatic reversing relay	RP472A1006	127

Temperature senser for child water	829	26
Pressure reducing valve	PRV/4F	52
Pressure diffi rental gauge	15KG/Cm2 7-23B	39
Pressure gauge 5kg/Cm2 11-P-1-3-6		39
Pressure gauge 20kg/Cm2 11-P-10		39
Presure reducing switch GA50-2K M-7-5B		39
Pressure senser P761 A1011S		39
Fuse DPT power BUSMAIL GMFO 8A /fuse holder F1-05A		130
Fuse AHN (Power Bossma 1L (F1-0.5A)		130
Fuse ANN(Power Bussma 1L ) (F2-2A)		130
Fuse GDR (Power 9F2-3A)		130
Fuse TPS (power bussma 1L) F1=1A/Fuse holder		130
Fuse CRT power 10A		130
FILTER FOR AIRGRADG62		65
Air Compressor		
Over all repairing set which consist Bearing , belt, all con sumoble part.		26 set
Air trap		39
Contactors with over load		39
Fuse		65
Relay		26
Flexible joint.		26
Carbon ring and gasket		26
Pressure cauge 5/10 Du1/4 60m/m x15kg /c,2		65
p-1	39 set repdnkit	
p-2	39 set repdnkit	
p-3	26 set repdnkit	
p-4	26 set repdnkit	
p-5	26 set repdnkit	
p-6	39 set repdnkit	
p-7	39 set repdnkit	
p-8	26 set repdnkit	
p-9	26 set repdnkit	
p-10	52 set repdnkit	
p-11	26 set repdnkit	
p-12	39 set repdnkit	
p-13	26 set repdnkit	
p-14	26 set repdnkit	
p-15	26 set repdnkit	
p-16	26 set repdnkit	
p-17	26 set repdnkit	
LP-1	39 set repdnkit	
LP-2	26 set repdnkit	
HP-1	26 set repdnkit	
HP-2	26 set repdnkit	
HP-3	26 set repdnkit	
HP-4	26 set repdnkit	
OGP-1	13 set repdnkit	
OGP-2	13 set repdnkit	
OGP-3	13 set repdnkit	
WOP-1	13 set repdnkit	

FP-1	13 set repdnkit
Chemical feed pump for boiler	13 set repdnkit
Complete pump and motor P-10	39
Complete pump and motor P-12	26
Complete pump and motor P-14	13
Complete pump and motor OG.P.1	13
Complete pump and motor OG.P.2	13
Chemical feed pump complete for Boiler	13

<b>02-04-00198</b>	<b>Equipment: Motor Control panel</b>	
Megnetic contactor M35TH28A		39
Megnetic contactor C-20		52
Megnetic contactor C-65		52
Megnetic contactor M-20-TH10A		130
Megnetic contactor M-35-TH22A		39
Megnetic contactor M-65-TH22A		39
Megnetic contactor M-80		39
Auxiliary relay MY 22		130
Socket for relay PYF-08H		130
Floatless level switch 61F-GP		26
Floatless level switch 61F-G2		26
Floatless level switch 61F-G3		26
Floatless level switch 61F-G4		26
Selector switch RCA470-PA01		52
ELB GR50 2P30A		13
ELB GR50 2P20A		13
ELB GR50 2P15A		13

<b>02-04-00199</b>	<b>Equipment:- distribution board</b>	
Magnetic contuctor C4-35		39
Timer		52
Transformer C5-50T		52
Earth Fault relay LMA-5S		130

<b>02-04-00200</b>	<b>Equipmnet:- Nurse call system</b>	
Lamp E-128V		65
Switch PW-2023K		26
Switch PS-236		26
Switch MBS-01-4-E		26
Switch JEC-K-2H		26
Switch VAQ-4W		26
Switch RS-014C		26
Microphone ESM-10P		65
Speaker 50-32		65
Printed board 5u-8		13
Printed board Pu-561		13
Printed board Pu-565		13
Printed board Pu-564		13
Printed board Pu-568		13
Printed board Pu-560		13
Printed board Pu-559		13
Printed board Pu-563		13
Curl cord C-401A		13

Switch PW-2022K	13
Switch PW-2025K	13
Reciever R-60B	13
Battery for PC-621	26
Pateint hand set IBA-411F	52

<b>02-04-00201</b>	<b>Equipment :- Generator</b>	
Gasket Kit complete	26	set
Tachometer drive	26	
Turbocharger	26	
Water pump	13	
Hydrolic governor	13	
Fuel strainer	260	
Fuel filter set	520	
Oil filter set	520	
Repairing Kit for water pump	26	
Repairing Kit for turbocharger	26	
Repairing Kit for oil pump	26	
Gage for riplm	26	
Cage for pressure	26	
Gage for temperature	26	
Stop valve for oil tank (E4-30)	26	
Element air filter	26	
Timer H3M, DC 100V 4-19	39	
speed relay unit DET-1 4-21	13	
Auxiliary relay LY-3	260	
Enclosed fuse (4-36)	52	
Printed board AED-6A (4-39)	13	
Printed board Grte 1 (4-40)	13	
Thyristor (4-41)	13	
Printed board (4-47)	13	
Repairing kit for injector	39	
Repairing kit for Cylinder	39	
Repairing kit for engine	39	
Printed board (4-48)	13	
AVR unit	13	
Fuel pump-repairing set.	26	
Silicon rectifiea	6	
Ball bearing No. 6324.C.UE	65	
Ball bearing P/N 9421926	65	
Ball Breaing P/N 9424929	65	
Cartialge P/N 25010495 E-4-7	39	
Retay 26W	26	
Excitation diodes set	65	
Gover nor control devia	39	

<b>02-04-00202</b>	<b>Equipment :- clock System</b>	
Fuse 0.5A,2A,5A	130	
Slave clock Sc-460	39	
Relay AM-1 (17-5)	70	
Slave clock Sc-301	130	
Slave clock Sc-304	39	
Slave clock SC0341	26	
Nickle cadmuim battery	26	set

Board	13 set
Master clock unit sieko	10
Quantiz relay	130

<b>02-04-00203</b>	<b>Equipment :- Fire alarm System</b>	
Duct smoke detector NID-D3		39
Protection cover for Manual station mA-6		39
Battery for the system		39 set
Bulb for control panel 2JW		130
Bulb for operation indicator		130
Fixed temperation (explosion type) 27217-S		39
Volmeta TRM –65-D240		26
Ionization smoke detector		130
Protection cover for manual station MA-06		26
Jet fire hose with nozzle (10-15meter)		260

<b>02-04-00204</b>	<b>Equipment:- Central T.V Airoul System</b>	
amplifier VE-45ER 35DP		26
4-Way splitter D-774FL		26
2-Way splitter D-772FL		26
6-Way splitter D-776FL		26
Outlet DMC-7-REJ		130

<b>02-04-00205</b>	<b>Equipment : CCTV</b>	
Maintenance Kit for shadow less cenema G7/P		13
Maintenance Kit for sipe cenema KY2000BE		13
Maintenance Kit for Video CR-6060ET secow		13
Maintenance Kit for Video HI-NEEDCR-Kit		13

<b>02-04-00206</b>	<b>Equipment: - High tensions SwitchGear.</b>	
PT fuse 12kv-1A		130
Condenser trip device-capacity 300M I, rated charging voltage 280/380 DC		39
Over voltage grand relay type SC form XC1		13
Ziner diod ZNR 20k, 3914N		26
Motor for VCB/AC 220v (1-2)		26
Closing and opening coil (1-3) DC 200V 2.5A		39
Fuse EFB-5 20A (1-5)		70
Indication lamp 18v, 2W (1-6)		70
VCB valve (12kv,600A,25KA)		39
Silicon rectifier device Rsc 10		26
Z.C.T		13
AC Magnetic contactor K5ON-EP 220v, 80A		26
PT tRANSFORMER 11Kv / 220v 20 VA		39

<b>02-04-00207</b>	<b>Equipment :- Paging system (Pocket Bell system)</b>	
Micro Fork Freq.HZ 562.5		39
Micro Fork Freq.HZ 577.5		39
Micro Fork Freq.HZ 592.5		39
Micro Fork Freq.HZ 607.5		39
Micro Fork Freq.HZ 622.5		39
Micro Fork Freq.HZ 637.5		39



Micro Fork Freq.HZ 667.5	39
Micro Fork Freq.HZ 682.5	39
Micro Fork Freq.HZ 692.5	39
Micro Fork Freq.HZ 712.5	39
Micro Fork Freq.HZ 727.5	39
Micro Fork Freq.HZ 742.5	39
Micro Fork Freq.HZ 757.5	39
Micro Fork Freq.HZ 772.5	39
Micro Fork Freq.HZ 787.5	39
Micro Fork Freq.HZ 802.5	39
Micro Fork Freq.HZ 817.5	39
Micro Fork Freq.HZ 832.5	39
Micro Fork Freq.HZ 847.5	39
Micro Fork Freq.HZ 852.5	39
C.P.U Board	26
Transfor charger (SPT-121,220)	26
Reciever Battery (PC-621) 1.5v 300mA Nickel cadmuim	2600
Ilmination diode for reciever 5cp, 711	650
Lamp indicator 18v	390
Switch for reciever PC-621	130
Power supply board 20v D.C	13
Power supply board 5v D.C	13
Reciever PC-621	130
Power transister C1865	52
Capacitor 100MF 400v	52
Filter	70

<b>02-04-00208</b>	<b>Equipment :- Incinerator</b>	
Frame rod burner (51-3)		13
Thermostat		13
Spark rod burner		13
spray nozzle including pipe		26 set
Thermo couple		26

<b>02-04-00209</b>	<b>Equipment :- General Intercom System</b>	
Printed board XC-016DM		26 set
Intercom station		39 set
Coard for intercom station		130

<b>02-04-00210</b>	<b>Equipment :- Main L.T Switch Gear Panel</b>	
For A.C.B Part AH-30C		
Fixed Arcing contact		39
Moving Aycing contact		39
Triping coil		26
MHT Triping coil		26
Charging motor		13
Coil for latch release AH-16B		26
AH-16B		26
Fixed Arcing contact		39
Moving Arcing Contact		39
Magnetic contactor (SC-3,65A)		26
Reactive power control relay (ARC-F)		26
Control Switch		26

Neumatic timer type AT55 DC 100v	65
MCCB 3p 100/100A	65
MCCB 3p 100/75A	65
MCCB 3p 100/50A	65
MCCB 3p 100/30A	65
MCCB 3p 100/20A	65
MCCB 3p 100/15A	65
Indication lamp 18v,2w	130

<b>02-04-00211</b>	<b>Equipment : Doctor Residence</b>
Contactora for boiler	52
Compressor for all type air conditioning	39 set
Thermostat for all type air conditioning	130
Over load for all type air conditioning	70
Fan for condenser for all type air conditioning	70
Fan for evaporator for all type air conditioning	70
Motor fan complete for all type air conditioning	70
Selector switch for all type air conditioning	70
Capacitor for all type of air conditioning	70

02-04-00212	Equipment Deep freezer
Compressor model : RSN4-0100-CAV , copeland R502 , V 220 , PH : 1	5
Compressor model : 1553 89J13 CAJ2446L R502 , V 220 , 50HZ , 4.3 A , tecumseh	6
Compressor model : 8340 S/N 50198	2
compressor 1/2 HP model : JFP1-0050-JAV B/M 220 N6-535 copland R500	2
R500 (Frion)	20Kg
Timer Robertshaw controls co. motor 3 W ,220 V , 50 HZ SW. 1-4 1/3 HP 120/240 VAC SW. 1-2 15A Res. 120VAC	3
Relay 184-20302-101 18A , 277 VAC , Coil 208 /240 V 50HZ	3

02-04-00213	<b>EQUIPMENT: MOTOR CONTROL CENTER FOR OIL &amp; WATER TREATMENT PUMPS</b> COMPANY\MANUFACTURER: SIEMENS - West Germany QUANTITY: 12 SITE: MEDICAL CITY\ SERVICE BUILDING		
Description	Part No.		
CONTACTOR SIZE 4.3 POLE , AC3 37KW , 380VAC 220V	3TB4814-OAMO	12	
CONTACTOR SIZE 3,3 POLE , AC3 22KW , 380VAC 220V	3TB4614-OAMO	12	
CONTACTOR SIZE 3,3 POLE , AC3 22KW , 380VAC 220V	3TB4617-OAMO	12	
CONACTOR SIZE 2,3 POLE , AC3 15KW , 380VAC 220V	3TB4417-OAMO	12	
CONTACTOR SIZE 1,3 POLE , AC3 7.5KW , 380VAC 220V	3TB4217-OAMO	12	
CONTACTOR SIZE 0,3 POLE , AC3 4KW , 380VAC 220V	3TB4617-OAMO	12	
THERMAL DELAYED OVERLOAD RELAY 135 TO 160A	3UA6200-3L	12	
THERMAL DELAYED OVERLOAD RELAY 63 TO 90A	3UA6200-2W	12	
THERMAL DELAYED RELAY 40 TO 57A	3UA5800-2T	12	
THERMAL DELAYED OVERLOAD RELAY 32 TO 50A	3UA5800-2F	12	
THERMAL DELAYED OVERLOAD RELAY 20 TO 32A	3UA5800-2D	12	
THERMAL DELAYED OVERLOAD RELAY 16 TO 25A	3UA5200-2C	12	
THERMAL DELAYED OVERLOAD RELAY 8 TO 12.5A	3UA5000-1K	12	
UNDER VOLTAGE RELAY 220V,380V,50HZ	AA9943.11	12	
UNDER VOLTAGE RELAY 220 V, 50HZ	A1936.00	12	
STAR-DELTA TIME RELAY 2-20 SEC	7PU6040-7NN20	12	
TIME DELAY RELAY 0.15-30 MIN 220V , 50HZ	MK7614-32	12	
CONTACTS WITH MOWNTING PARTS FOR CONTACTOR SIZE 2-TYPE 3TB44	3TY6440-OA	12 SET	
CONTACTS WITH MOWNTING PARTS FOR CONTACTOR SIZE 3 - TYPE 3TB46	3TY6460-OA	12 SET	
CONTACTS WITH MOWNTING PARTS FOR CONTACTOR SIZE 4 - TYPE 3TB47	3TY6470-OA	12 SET	
CONTACTS WITH MOWNTING PARTS FOR CONTACTOR SIZE 4 - TYPE 3TB48	3TY6480-OA	12 SET	

02-04-00214	<b>BUILDING EQUIPMENT: MOTOR CONTROL          CENTER FOR CHILLERS PUMPS</b> COMPANY\MANUFACTURER: SIEMENS - West Germany QUANTITY: 20 SITE: MEDICAL CITY\ SERVICE		
DESCRIPTION CONTRACTOR SIZE 12, 3-POLE AC3 200KW, 380 AC 220V CONTRACTOR SIZE 10, 3-POLE AC3 132KW, 380 AC 220V CONTRACTOR SIZE 8, 3-POLE AC3 90KW, 380 AC 220V THERMAL DELAYED OVERLOAD RELAY 250 TO 400A THERMAL DELAYED OVERLOAD RELAY 200 TO 320A UNDER VOLATAGE RELAY 220, 380V STAR-DELTA RELAY 2-20 SEC INDICATOR W, MOVING COIL MECH- OTO750A , 1A INDICATOR W, MOVING COIL MECH- OTO500A , 1A LAMPHOLDER 22 AND 30MM W, TRANSF+ BA95+LAMP. EARTH-LEAKAGE PROTECTION SYSTEM-MT SWITCH DISCONNECTOR 1000A SWITCH DISCONNECTOR 630A SINGLE-THROW-KNIFE SWITCH 2000A 3 POLE CONTACTS WITH MOUNTING PARTS FOR CONTACTOR SIZE 6 TYPE 3TB50 CONTACTS WITH MOUNTING PARTS FOR CONTACTOR SIZE 8 TYPE 3TB52 CONTACTS WITH MOUNTING PARTS FOR CONTACTOR SIZE 10 TYPE 3TB54 CONTACTS WITH MOUNTING PARTS FOR CONTACTOR SIZE 12 TYPE 3TB56 LINKS FOR CONNECTION TO CONNECTOR TYPE 3TB52 LINKS FOR CONNECTION TO CONNECTOR TYPE 3TB56 LOW-VOLTAGE HRC SWITCH GEAR FUSE	PART NO. 3TB5614-OAMO 3TB5414-OAMO 3TB5214-OAMO 3UA6600-3E 3UA6600-3D AA9943.11 7PU6040-7NN20 MO1136-E3420-Z MO1136-E3390-Z 3SB1400-5C 3UL2202-2A 3KE4530-OBA 3KE4430-OBA 3KV6311-OA 3TY6500-OA 3TY6520-OA 3TY6540-OA 3TY650-OA 3UX1221 3UX1211 3ND1260	QTY 24 24 24 12 12 60 60 40 40 400 20 20 20 20 SET 20 SET 20 SET 20 SET 20 20 120	

<b>02-04-00215</b>	<b>EQUIPMENT: MOTOR CONTROL CENTER FOR COOLING TOWER</b> COMPANY/MANUFACTURER: SIENENS, WEST GERMANY QUANTITY: 5 SITE: MEDICAL CITY \SERVICE BUILDING		
DESCRIPTION CONTRACTOR SIZE 10 ,3BOLE AC3 130KW 380V AC 220V CONTRACTOR SIZE 8 ,3BOLE AC3 90KW 380V AC 220V CONTRACTOR SIZE 6 ,3BOLE AC3 55KW 380V AC 220V THERMAL DELAYED OVERLOAD RELAY 135-160A THERMAL DELAYED OVERLOAD RELAY 200 TO 320A EARTH-LEAKAGE PROTECTION SYSTEM- MT UNDER VOLATAGE RELAY 220, 380V,50HZ UNDER VOLATAGE RELAY 220, 50HZ CONTACTOR SIZE 12, 3 POLE, AC3 200KW , 380V AC 220V	PART NO. 3TB5414-OAMO 3TB5214-OAMO 3TB5014-OAMO 3UA6200-3L 3UA6600-3D 4UL2202-2A AA9943-11 A936-00 3TB5614-OAMO	QTY 5 5 5 5 5 5 5 5 5 5	

<b>02-04-00216</b>	<b>EQUIPMENT: MOTOR CONTROL CENTER FOR COOLING TOWER</b> COMPANY/MANUFACTURER: SIENENS, WEST GERMANY QUANTITY: 5 SITE: MEDICAL CITY \SERVICE BUILDING		
DESCRIPTION POWER POLE ASSEMBLY FOR TYPE MG- 22 STARTER REGULATOR MODULE OVERLOAD RELAY MODULE TYPE MJ STARTER CURRENT LIMIT MODULE CONTROL MODULE (LOCATION 5) CONTROL MODULE (LOCATION 6) SR1 CONTROL RELAY SR2 CONTROL RELAY SR3 CONTROL RELAY SHORTED SCR SWITCH FAN CONTROL CIRCUIT FUSE (TB4)	PART NO. 8660-PJ-22 8660-B2 8660-B3C 8660-B4A 8660-B5 8660-B6 8501RS- 4,120VAC 8501RS- 14,120VAC 8501RSD- 14,24VAC 26499-32700 26016-30610 52419-10091	QTY 12 15 15 15 15 15 15 15 15 15 45 30	

<b>02-04-00217</b>	<b>EQUIPMENT: MEDIEM VOL TAGE SWITCH GEARS</b> COMPANY/MANUFACTURER: SIEMENS – West Germany QUANTITY: 4 SITE: MEDICAL CITY \SERVICE BUILDING	
DESCRIPTION DRAW-AUT-CIRCUIT BREAKER, AC1250, DC1500A, A-700A-1250A, SHUNTTRIP AC 50HZ, 220V DRAW-AUT-CIRCUIT BREAKER, AC1000, DC1250A, A-520-1000A, SHUNTTRIP DC24V DRAW-AUT-CIRCUIT BREAKER, AC630, DC800A, A-350A-630A, SHUNTTRIP AC 50HZ, 220A DRAW-AUT-CIRCUIT BREAKER, AC1000, DC1250A, A-520A-1000A, SHUNTTRIP AC 50HZ, 220V N-EARTH LINAKAGE C.B, 25A, 4 POLE, 220V, 380V N-EARTH LINAKAGE C.B, 40, 4 POLE, 220V, 380V N-EARTH LINAKAGE C.B, 63, 4 POLE, 220V, 380V REMOVABLE KNOB DRAW-AUT-CIRCUIT BREAKER, 3POLE, AC1900A,DC2400A MOTOR OPERATING MECH AC50HZ, 220V, AS1100-2000A CIRCUIT BREAKER 60A 3 POLE CIRCUIT BREAKER 100A 3 POLE CIRCUIT BREAKER 100A 3 POLE CIRCUIT BREAKER 300A 3 POLE CONTRACTOR SIZE 2, 3 POLE, AC3 15KW, 380V CONTRACTOR SIZE 3, TYPE REVERSER, AC3 22KW, 380V, 220V AC	PART NO. 3WG4356-2G441  3WW3356- 2GT44  3WE1356-26541  3WE1356-2GT41  55Z3420  35Z3440  55Z3460  35X8061-OXA 3WE6381-3GS44  3VS8100-IEC00 3VS8100-IEH00 3VS8200-IEM00 3VS8300-IEW00 3TB4417-OBBY  3TD4610-OCMO	QTY 4  4  4  4  40  50  50  20 4  16 16 16 16 16  16

<b>02-04-00218</b>	<b>EQUIPMENT: MEDIEM VOL TAGE SWITCH GEAR</b> COMPANY/MANUFACTURER: TERASAKI ELECTRIC CO., LTD. -JAPAN QUANTITY: 4 SITE: MEDICAL CITY \SERVICE BUILDING	
DESCRIPTION AIR CIRCUIT BREAKER-IEC 4000A AIR CIRCUIT BREAKER-IEC 5000A AIR CIRCUIT BREAKER-IEC 4000A AIR CIRCUIT BREAKER-IEC 5000A AIR CIRCUIT BREAKER-IEC 4000A AIR CIRCUIT BREAKER-IEC 3200A	PART NO. AH-40C,0119-10 AH-50C,0216B-5 AH-40C,1110-14 AH-50C,0216B-6 AH-40C,0119-9 AH-30C	QTY 4 4 4 4 4 4

02-04-00219	<b>EQUIPMENT: BOILER</b> MODEL: A\TTP\6448-49-50-51 COMPANY/MANUFACTURER: NEI INTERNATIONAL COMBUSTION LTD. COCHRAN UNIT – SCOTLAND SITE: MEDICAL CITY \SERVICE BUILDING	
DESCRIPTION	PART NO.	QTY
DRIVE BELT		16
MAIN SHAFT ROLLER BEARING		16
MAIN SHAFT BALL BEARING		16
P.A. SWIRL VANES		8
P.A. PRESSURE SWITCH		8
THERMOSTAT		8
OIL START THERMOSTAT		8
OIL VALVE SOLINOID		16
SOLINOID COIL		16
OIL METER REGISTER ASSY		8
OIL METER REGISTER HOUSING		8
Y-FILTER ELEMENT		8
PHOTO CELL AMPLIFIER		16
SQUENCE CAM TIMER	D63\9 220V	8
BM CONTACTOR		16
BM CONTACTOR OVERLOAD		16
FD MOTOR CONTACTOR		24
FD MOTOR OVERLOAD		16
CHANCE OVER TIMER		16
MOD. PRESSURE CONTROLLER		8
LIMIT PRESSURE CONTROLLER		8
IGNITION ELECTRODE	ZGA 150E	16
ELECTRODE INSULATORS		16
IGNITION H.T. LEAD		8
IGNITION TRANSFORMER		8
IGNITION H.T. CUP		16
PHOTO CELL		16
SERVO MOTOR COMPLETE		8
CAM FOLLOWER ASSEMBLY		8
CAM STRIPS (SET)		8
SPHERICAL ROD END BEARING		8
LF\HF MICRO SWITCHES		16
FLAME BAFFLE 60-100		24
DOOR MICRO SWITCHES		8
FD AIR PRESSURE SWITCH		8
SOLINOID VALVE HERION	L77 230V 50HZ	8
COMPRSSION SPRING	M580	8
SPARES SWITCH PACK (INSERT)	H1800	8
FLOAT ROAD ASSEMBLY	H3 22\MW	8
FLOAT	H315	8
0.75" DIA. X 16" LONG GLASSES		16
0.75" DIA. X CONE PACHINGS		16
NECK BUSH		16
PHOS. BRONZE BALL		8
MODLIATING VALVE	TYPE 80311	4
SEQUENCE VALVE	TYPE 80974	12
BRONZE PARALLEL SLIDE VALVE	FIG.M2442	4
SOLINOID VALVE NORMALLY OPEN		8
SOLINOID VALVE NORMALLY CLOSE		8
FD MOTOR 380-V 18.5 KW		4
BURNER MOTOR 380-V 5.5 KW		4



BALANCE RELAY		24
MAGNETIC SWITCH FOR M.V.C		24
OIL ATOMISER	SKV-60	4
BRUSHES FOR PLANE TUBES		100
BRUSHES FOR STAY TUBES		50
SETS NEW BOILIER TUBES (COMPRISING 4 SETS OF 2ND PASS PLANE TUBES & 4 SETS OF 3RD PASS PLANE TUBES)		4
SETS OF BOILER STAY TUBES		4
TUBE MASTER BOILER CLEANING PISTOL		2
TUBE MASTER VACUUM UNIT WITH TWIN BY-PASS AIR COOLED POWER HEAD		2
TUBE MASTER PRIMARY SOOT COLLECTION INTERCEPTOR		2
NOZZLES – STANDARD		20
PAPER SOOTSACKS (PER PACK OF 50)		10
SIGHT GLASS FOR OBS. PORT	GG008	16
JOINTS FOR ABOVE (REAR)		16
JOINTS FOR ABOVE (FRONT)		16
CAST STEEL SAFETY VALVE	FIG. 9622	4
FD FAN C\W WITH TAPER BUSH		4
FD FAN CCW WITH TAPER BUSH		4

02-04-00220	<b>EQUIPMENT: SPAREPARTS FOR LIFT</b> MODEL: TYPE WARD LEONARD DYNATOR 1965 NO. 5001579 COMPANY/MANUFACTURER: SHINDLER – SWITZERLAND QUANTITY: 8 SITE: MEDICAL CITY \ HOSPITAL		
DESCRIPTION MAGNET COILS FOR OSM6F ZEIT- RZH CONTRACT ARMS COMP FOR RU\RJ23 UPPER CONTACT HOLDERS COMPL. FOR RG12 CAMES CAMES POWER UNIT UNS01 PHOTO SWITCH UPK01 COMPL. RELAY- AMPLIFIRE FOR UPV02 PUSH BOTTON WITH ELEMENTS PUSH BOTTON WHITE WITH ARROWS AUTOMATIC DOOR MOTOR QKS6 PULLEYS FOR V BELTS QKS6 V-BELTS STOP BRACKETS CAM BALL BEARINTS DRIVE WHEEL FOR QK36 DOORS MICRO SWITCHES BALL BEARINGS CONTACT BRIDGES CONTACT FOR CM CAMES TACO DINAMO	PART NO. 59b102 46E94 25E110 23E117  59192 59211 24F400 24F452 24F456 31M157 31M701 41S10 41S354 41S138 42S140 42S137 42S131 42S170 47S140 49S107 50S106 10V112 59E193 GWNG52	QTY 18 12 20 36  30 10 18 20 8 50 24 8 8 50 8 8 24 16 8 100 100 200 16 24 24	

02-04-00221	<b>EQUIPMENT: SPAREPARTS FOR LIFT</b> MODEL: TYPE WARD LEONARD DYNATOR 1965 NO. 5001579 COMPANY/MANUFACTURER: SHINDLER - SWITZERLAND QUANTITY: 8 SITE: MEDICAL CITY \ HOSPITAL		
DESCRIPTION ROLLER GID C.W.T. GID TRANSMITTING CAM L TRANSMITTING CAM R ROPE FOR C.W.T. RECTIFER CONTACTOR MRG 62 (80 VOLT) SAFETY RELAY RELAY R2A3 RELAY R1A4 RELAY R0A5 RELAY R3A2 RELAY R4A1 PRINT SWD PRINT RED PRINT BELL CONTACTOR MGS TYPE MANILLA INDICATOR LAMP TYPE PANAMA INDICATOR LAMP DSA DIODES MAGNET BAND BRAKE CPL F. 80 V	PART NO. 512949 651723 250712 250711 W02736 672662 290968 590511 556815 556816 556814 556817 556818 590219 590201 590194 176098 345438 544117 671168 41S301	QTY 12 12 10 10 100 20 20 8 20 20 20 20 20 8 8 8 20 100 100 50 50	

<b>02-04-00222</b>	<b>EQUIPMENT: SPAREPARTS FOR LIFT</b> MODEL: TYPE WARD LEONARD DYNATOR 1965 NO. 5001579 COMPANY/MANUFACTURER: SHINDLER - SWITZERLAND QUANTITY: 8 SITE: MEDICAL CITY \ HOSPITAL		
DESCRIPTION	PART NO	QTY	
RECTIFIER 15A 300V 2D	14E116	10	
PRINT GR4.U RECTIFIER	66F241	6	
PRINT THY2.UD THYRISTOR UNIT	66F253	30	
PRINT UZ1503.4 VOLTAGE STABLIZER	66F255	6	
PRINT REI 4.UB	66F243	10	
PRINT REU 5.UB	66F244	10	
PRINT ZU 4.UD	66F260	10	
PRINT TR 6.U	66F254	10	
PRINT SWZK 10.UB	66F251	10	
PRINT SWWI1 2.4B	66F247	10	
PRINT KSW 2.UB	66F259	10	
CONTACTOR MG5 40V	30E101	20	
POWER SUPPLY UNIT NG 2215F	26F100	10	
POWER SUPPLY UNIT NG 403F	26F106	10	
POWER SUPPLY UNIT NG 8003-H	26F111	10	
VEVZ 600P PRINT	66F188	20	
PHASE PROTECTIVE RELAY 380V	18E111	20	
PRINT VW 2.T PRESEL TRAVEL 55	66F235	15	
PRINT VW 2.T PRESEL TRAVEL 66	66F236	15	
PRINT VW 2.T PRESEL TRAVEL 77	66F237	15	
PRINT VW 2.T PRESEL TRAVEL 88	66F238	15	
PRINT VW WEGORABE CODE X2X2	66F231	15	
PRINT NE 1500 T.B	66F225	8	

<b>02-04-00223</b>	<b>EQUIPMENT: LIFT</b> MODEL: TRANSTRONIC 5014033 COMPANY\MANUFACTURER: SCHINDER QUANTITY: 8 SITE: MEDICAL CITY \ SURGICAL HOSPITAL		
DESCRIPTION	PART NO	QTY	
CAR DIVERTING PULLY		2	
POWER SUPPLY NG 2215F		4	
CONTACTOR MG4 40V		10	
STEEL ROPE FOR LOAD COMPENSTOR		400M	
MAGNET BAND CPL F 80	41S301	10	
MOTOR GENERATOR SET		1	

<b>02-04-00224</b>	<b>EQUIPMENT: COOLING TOWER \ GEAR</b> MODEL: 1712 COMPANY\MANUFACTURER: AMARILLO GEAR COMPANY QUANTITY: 5 SITE: MEDICAL CITY \		
DESCRIPTION	PART NO	QTY	
UPPER BEARING (OUTPUT SHAFT)	600-1712	5	
LOWER BEARING (OUTPUT SHAFT)	601-1712	5	
UPPER BEARING(INTER M. SHAFT)	604-1712	5	
LOWER BEARING (INTER M. SHAFT)	605-1712	7	
OUTER BEARING (HORIZ. SHAFT)	602-1712	5	

INNER BEARING (HORIZ. SHAFT)	603-1712	5
ANTI REVERSE KIT FOR GEAR BOX	1712	5
HELICAL GEAR SET	200-1712	5
SPIRAL BEREL GEAR SET RATIO 31-1		5
HORIZ SEAL SET	802-1712	5
VERTICAL SEAL SET	815-1712	5
HORIZONTAL SHAFT	500-1712	2
DRIVE SHAFT ASSEMBLY STAINLESS STEEL	MODEL A5-40	5
DRIVE SHAFT ASSEMBLY STAINLESS STEEL	MODEL A7-40	5

<b>02-04-00225</b>	<b>EQUIPMENT: COOLING TOWER \ FAN</b> MODEL: AP COMPANY\MANUFACTURER: HUDSON PRODUCTS CORPORATION QUANTITY: 5 SITE: MEDICAL CITY \	
DESCRIPTION	PART NO	QTY
HUB 58095 T-22-B	35103\3.5 BOR	9
HUB SPOOL		3
P-1074 BUSHING		3
BLADE CLAMP		5
M-847 SEAL DISC MODEL T-30B		45
BLADE		

<b>02-04-00226</b>	<b>EQUIPMENT: COOLING TOWER \ VIBRATION SWITCH</b> MODEL: 366 COMPANY\MANUFACTURER: VIBRASWITCH MALFUNCTION COMPS QUANTITY: SITE: MEDICAL CITY \ HOSPITAL	
DESCRIPTION	PART NO	QTY
VIBRASWITCH		5

<b>02-04-00227</b>	<b>EQUIPMENT: PUMP STATION</b> MODEL: AS FOLLOWS COMPANY\MANUFACTURER: PUMPEX AB QUANTITY: 6 SITE : MEDICAL CITY \ SITE WORK	
DESCRIPTION	PART NO	QTY
SEWAGE PUMP COMPLETE , 4KW	KP102-421	3
SEWAGE PUMP COMPLETE , 15KW	KP152-428	12
SEWAGE PUMP COMPLETE , 7.5KW	KP151-425	4
SUBMERSIBLE PUMP COMPLETE ,1.25KW	P-700W	1
SUBMERSIBLE PUMP COMPLETE ,1.71KW	P-700N	4

<b>02-04-00228</b>	<b>EQUIPMENT: WATER PUMP</b> MODEL: 65WP COMPANY\MANUFACTURER: WORTHINGTON SIMPSON LTD. QUANTITY: 3 SITE: MEDICAL CITY \ SURGICAL HOSPITAL	
DESCRIPTION	PART NO	QTY
SITE PORTABLE WATER PUMP COMPLETE \55KW	65WP315	3

<b>02-04-00229</b>	<b>EQUIPMENT: BATTERY FOR GENERATORS AND FORKLIFTS</b>	
DESCRIPTION	QTY,	
BATTERY 135AMP	26	
BATTERY 90AMP	3	
BATTERY 60AMP	7	

<b>02-04-00230</b>	<b>EQUIPMENT: FIRE ALARM SYSTEM</b> MODEL: ALPHA, DELTA 1000 - W1003 COMPANY/ MANUFACTURER: HONEYWELL QUANTITY: 3 SITE: MEDICAL CITY / SERVIC BUILDING	
PCB-ANNUNCIATOR MODULE COMMAND	14501716-001	3
PCB-ANNUNCIATOR MODULE COMMAND	14501716-002	3
POWER SUPPLY NETWORK	14502186-001	3
POWER SUPPLY NETWORK	14502186-002	3
TRANSFORMER	14501831-001	3
TRANSFORMER	14501831-002	3
PRINTED WIRING BOARD ANNUNCIATOR MODULE CONTROL	14501680-001	3
PCB -DC INTERFACE	14501710-001	6
PCB- DC INTERFACE	14501710-002	6
PCB - TONE INTERFACE	14501710-001	6
PCB- TONE INTERFACE	14501710-002	6
PRINTED WIRING BOARD ANNUNCIATOR MODULE POWER	14501676-002	3
PRINTED WIRING BOARD ANNUNCIATOR MODULE DISPALY.	14501678-002	3

02-04-00231	<b>EQUIPMENT: FIRE ALARM SYSTEM</b> MODEL: DELTA 1000 - FS20A- DATA GATHERIN COMPANY/ MANUFACTURER: HONEYWELL QUANTITY: 3 SITE: MEDICAL CITY / SERVIC BUILDING	
DESCRIPTION	PART NO.	QTY.
CONTROL LOGIC MODULE (L)	14503202	6
TRANSMISSION LINE INTERFACE BOARD		6
FIRE & SECURITY MODULE (N)	14503210	6
HIGH SECURITY MODULE (M)	14503204	6
INTERCOM MODULE ( R)		6
SIGNALING MODULE (B)	14502500	6
ACCESSORY PELY MODULE (D)	14503208	6
STAND BY BATTERY MODULE (E)		100
CODER MODULE (F)	14502536	6
1.9K , EOLR	14501600- 001	100
1.58K , EOLR (SECURITY )	14501600- 003	100
910 OHMS , SIRIES LIMITED	14501600-004	100
1000 OHMS , EOLR	14501600-006	100
DIODE ASSEMBLY , SECURITY	145036004-001	100

02-04-00232	<b>EQUIPMENT: FIRE FIGHTING HALON SYSTEM</b> COMPANY/ MANUFACTURER: FIREKIL INTERNATIONAL LIMITED SITE: MEDICAL CITY / SERVIC BUILDING	
DESCRIPTION	PART NO.	QTY.
PNEUMATIC ACTUATOR	AE 98004	5
MANUAL PUSHBUTTON ACTUATOR	AE 98005	5
FLAME PROOF SOLINOID ACTUATOR	AE 98006	5
LOW PRESSURE INDICATION SWITCH TG117		5
RADIAL DISCHARGE NOZZLES	AE80902	30
RADIAL DISCHARGE NOZZLES	AE8091	30
RADIAL DICHARGE NOZZLES	AE80900	30
SYSTEM PRESSURE GAUGE	1-12-0154	1
PRESSURE GAUGE	1-12-015H	1
INSTALLATION TOOL	BL-19JLY	1
LOW PRESSURE ACTUATOR	AE 98003	1

02-04-00233	<b>EQUIPMENT: FIRE ALARM SYSTEM</b> COMPANY/ MANUFACTURER: HONEYWELL QUANTITY: SITE: MEDICAL CITY / SERVIC BUILDING	
DESCRIPTION	PART NO.	QTY
IONIZATION SMOKE DETECTOR	TC 100C	300
PHOTO ELECTRIC SMOKE DETECTOR	TC 803B	200
IONIZATION DEECTOR	TC 100D	100
MANUAL FIRE ALARM STATION	S454A-C	100
MANUAL FIRE ALARM STATION	S465A-C	100
ALARM BELL	SC806C	100
ALARM BELL	SC806D	100
TC100C TEST TOOL (TOLED FACILITY/NO. CCT3847)	Cct3847	12

02-04-00234	<b>EQUIPMENT: SPECIAL GENERATING-  SET CONTROL (SS) FOR DIESEL  GENERATOR AUTOMATIC BOARD  COMPANY/ MANUFACTURER: AD. STRUVER  (GmbH &amp; CO.)  QUANTITY: 2  SITE: MEDICAL CITY / SERVIC BUILDING</b>	
DESCRIPTION	PART NO.	QTY.
MODE OF OPERATION UNIT HBN OIC /02	6S102.042-01102	10
GENERATOR MAINS UNIT HGN OIC /02	6S102.043-01102	10
MAINS SUPERVISION UNIT ( UNDER VOLTAGE )	6S102.089-01	10
STARTING UNIT HS0 OLD/02	65102.103-01-02	10
STOP UNIT H50 OLD /02	65102.047 -01102	10
DOUBLE FAULT INDICATOR UNIT HFFZ OIA/02	6S102.063-01102	100
DIODE GATES HD O1A /03	65102.057-01-03	20
DIODE GATES HDK OIA/02	65102.057 - 01-03	20
RAPID EXCITATION UNIT HSE OIC /02	65102.050-01102	10
STORAGE MOD . HSR OIA/02	65102-059 -02	10
ACKNOWLEDGEMENT UNIT (WITH FLASHING VOLTAGE GENERATOR ) HOP OLD	65102 / 01.01-02	10
WARNING & STOPPING DEVICE HE3FZ1A/02	5.03-20-.00E/W	10
SYNCHRONIZING DEVICE HSY 3A/01	5.11-12.00E/W	10
SYNCHRONIZING DEVICE HSY 4A/01	5.11-13.00E/W	10
FREQUENCY CONTROL DEVICE HFR 2A/01	5.11-14.00 E/W	10
ACTIVE LOAD SHARING WLAZ	5.12-03.00 E/W	10
UNDER VOLTAGE CONTROLLER HNU OA/01	5.03-12.00 E/W	10
REVERSE POWER CONTROLLER , WALCHER - RW 14 1A		10



<b>02-04-00235</b>	<b>EQUIPMENT: DIESEL GENERATOR / EXCITATION UNIT</b> COMPANY/ MANUFACTURER: SIEMENS QUANTITY: 2 SITE: MEDICAL CITY / SERVIC BUILDING	
DESCRIPTION	PART NO.	QTY.
CURRENT TRANSFORMER	UJ180/75	6
CAPACITOR 50 HZ 3X10 UF	1325832-A4106-K009	6
YEACTOR 1, 375KVA, 382V 50 HZ 1.2A	D203	2
RESISTOR 5 OHM 6,7A	3PY6001-4F	6
RESISTOR 1500 OHM 30 W	P 20	2
RESISTOR JE 4,7 OHM	P20- P20	2
TRANSFORMER 600 / 24V 7,2VA 50 HZ	4AM47 (EJ66/22)	4
TRANSFORMER 5/1A 15VA 50 HZ	2AM47 (EJ66/22)	4
TRANSFORMER 1.405KVA 50HZ	D20B	2
RECTIFIER 87V 16 , 2.A	SS16 DO4EKADB	2
CONTROLLER DODULE	SPRESYIS 6GA2 490 - 0A	2

<b>02-04-00236</b>	<b>EQUIPMENT: DIESEL GENERTOR</b> COMPANY/ MANUFACTURER: SIEMENS AG KHD QUANTITY: SITE: MEDICAL CITY / SERVIC BUILDING	
DESCRIPTION	PART NO.	QTY.
RADIATOR COOL UNIT 15 KW , 380V , 50HZ	GEA, 320 , 107 , 3601	8
ENGINE HEATER 12,1KW , 380V , 50 HZ	JKL 7301, 12,802, 0232, E1 , 1	2
COOLING WATER PUMP 11KW , 380V , 50HZ	EDUR, NUB 700G , 165L	2
PRE LUBRICAICATION PUMP 1.9KW , 380V , 50HZ	JKL41, 380, 3L , L , VWG- MZ , 14	2
PRESSURE MONITOR FOR LUBE OIL 307DC10 .4A	126, 2990KZ8742-32	2
LEVEL MONITOR FOR LUBE OIL PAN 40VD/1A	204, 7993KZ 099- 48	2
PRESSURE MONITOR FOR LUBE OIL 30VAC10 , 1A	126 2989 KZ 8742-32	2
TEMPERATURE SENSOR FOR LUBE OIL	126 2492 KZ 8942- 15	2
ELECTROMAGNET '' EMERGENCY STOP '' 24VDC , 48W	212 7648 ECE178- 17	2
STARTING , SOLENOID VALVE 3/2 WAY VALVE 24VDC , 0 ,83A	2076684 KZ 0199- 35	2
MOTOR SPEED CONTROL 220V , 0.08A	2127465 EZ 0178- 27	2
ELECTROMAGNET '' STOP '' 24VDC, 0.25A	2127456 EZ 0178 -27	2
TACHO- GENERATOR	1173290 KZ 8942-25	2
SPEED INDICATOR	1263232 KZ 8742- 25	2
START AIR COMPRESSOR 4KW, 380V 50 HZ	SAUER U.SOHN W193L - 100	4
PRESSURE SWITCH	SIEMENS 6KCZ	4
MAGETIC VALVE	JUNCUMATIC V201- F	4
PRESSURE FAILURE	SIEMNS 6KCZ	4

<b>02-04-00237</b>	<b>EQUIPMENT: OPEN CENTRIFUGAL CHILLER</b> MODEL: COMPRESSOR MODEL NO: 17FA561T SERIAL NO: 500629 ECONOMIZER: MODELNO: 17FA375 -219 SERIAL NO: 900669 ELLIOTT TURBINE: TYPY: 2CYRPQ-D SERIAL NO: B10 COMPANY\ MANUFACTURER: CARRIER. QUANTITY: 3 SITE: MEDICAL CITY\ LOCATION SERVICE BULLDINQ
--------------------	--

DESCRIPTION	PART NO.	Q TY
COMPRESSOR ASSY	500629	1
ECONOMIZER ASSY	900669	1
ELLIOTT TURBINE ASSY	B10	3
H-COUBLING ASSY		6
PUMP DOWN UNIT	890	3
SPEED TACHONETER 0-10000 RPN		6

<b>02-04-00238</b>	<b>EQUIPMENT: STEAM BOILER</b> MODEL: A-TTP -6448-6449-6450-6451  COMPANY\ MANUFACTURER: COCHRAN-NEI- SCOTLAND TELEX: 778183 (COCRAN G) QUANTITY: 4 SITE: MEDICAL CITY LOCATION: SERVICE BUILDING
--------------------	--

DESCRIPTION	PART NO.	Q TY.
FIRE TUBE O.D=2.5 INCH	LENGTH:-6M THICKNESS =3.6 M.M	2000
FIRE TUBE O.D=2.5 INCH	LENGTH:-6M THICKNESS =6.3 M.M	600

<b>02-04-00239</b>	<b>EQUIPMENT: - ABSORPTION CHILLER</b> MODEL: 16 JE 707-28 SERIAL NO: 28C 20065 COMPANY\ MANUFACTURER: CARRIER, JAPAN DD:- MAR -1982 QUANTITY: 6 SITE: MEDICAL CITY LOCATION: SERVICE BUILDING
--------------------	--

DESCRIPTION	Q TY.
EVAPORATOR TUBES	1 SET
CONDENSER TUBES	1 SET
GENERATOR TUBES	1 SET
ABSORBER TUBES	1 SET
HFAT EXCHANGER	2
HERMETIC SOLUTION PUMP	18
EVAPORATOR ELEMATOR	1
CONDENSER ELEMATOR	1
GENERATOR ELEMATOR	1
ABSORBER ELEMATOR	1
EVAPORATOR SPRAY NOZZLES	1 SET
ABSORPER SPRAY NOZZLES	1 SET
DIAPHRAGM VALVE 1/2 INCH	20
DIAPHRAGM VALVE 1 INCH	10
LITHUME BROMIDE SOLUTION	3000 LT.
INHIBITOR (LICRO4 )	10 LT.
OCTYL ALCOHL	50 LT

RETUBING TOOLS FOR ALL KIND OF CHILLER TUBES	2 SET
HIGH VACCUME PUMP	2
CONTROL STEAM VALUE	2
STEAM TRAPS	5
CONDENSATE SIGHT GLASS	6
CONTROL PANNEL	1
COMPLETE SET OF GASKET & SEALING STRIPS	10
TUBE CLEANING TOOLS (WATER & AIR)	2 SET

<b>02-04-00240</b>	EQUIPMENT: - SUBMERSIBLE DRINAGE PUMP MODEL: AS BELOW COMPANY\ MANUFACTURER: EUROPEAN QUANTITY: AS BELOW SITE: MEDICAL CITY LOCATION: GENERAL HOSPITALS	
DESCRIPTION	Q TY.	
ELECTRIC SUBMERSIBLE DRAINAGE PUMP WITH DOUBLE CASING AND WATER COOLED MOTOR 1.5 INCH PLIN SPIGOT 8 M HEAD , 100 L / MIN FLOW 240V , 1PH , 50 HZ	120	
AS ABOVE BUT : 2 INCH PLAIN SPIGOT 15M HEAD , 400 L / MIN FLOW 380V , 3PH ,50HZ	20	
AS ABOVE BUT: 3 INCH PLIN SPIGOT 15 M HEAD , 700 L / MIN FLOW	40	
SUBMERIBLE PUMP SUITABLE FOR CONTINUOUS OPRATION , SINGLE CHANNEL IMPELLER , SLOTTED FLANGE OUTLET (6 INCH ) 5.5 KW , 380V , 3PH , 50HZ , HEAD 12 M, FLOW 1250LT. / MIN.	20	

<b>02-04-00241</b>	EQUIPMENT: - ALKALINE BATTERIES FOR GENERATING SETS COMPANY\ MANUFACTURER: EUROPEAN QUANTITY: AS BELOW SITE: MEDICAL CITY AND GENERAL HOSPITALS	
DESCRIPTION	Q TY.	
NICKEL - CADMIUM BATTERY BLOCK , 24 VDC , 280 AMP.HR, SHIPPED DRY , WITH SUITABLE ELECTROLYTE SAPARATED. SUITABLE FOR GENERATOR STARTER.	80	
AS ABOVE BUT : 110 VDC , 100 AMP - HR SUITABLE FOR ELECTRICAL SWITCHGEARS	40	

<b>02-04-00242</b>	EQUIPMENT: - HOSPITAL LIFTS COMPLETE MODEL: COMPANY\ MANUFACTURER: EUROPEAN SUPPLIRES QUANTITY: AS BELOW SITE: MEDICAL CITY, GENERAL HOSPITALS	
DESCRIPTION		Q TY.
HOSPITAL , STANDARD , 24 - PASSENGERS PATIENT BED , SIDE OPEN DOORS , 21 FLOORS , STAINLESS STEEL DOORS , WITH ALL PARTS NEED TO REPLACE EXISTED LIFTS ( ERECTION AND OPERATION ) FOR MEDICAL CITY		1 PCs.
AS ABOVE BUT BED LIFT 4- FLOORS FOR SADDAM GENERAL HOSPITAL.		1 PCs.
AS ABOVE BUT 6 - PASSENGERS 4- FLOORS FOR SADDAM GENERAL HOSPITALS		2 PCs.
AS ABOVE BUT 6- PASSENGERS 7- FLOORS CENTER OPEN DOORS FOR CENTRAL CHILD HOSPITALS		3 PCs.
AS ABOVE BUT BED LIFT , 7- FLOORS FOR CENTRAL CHILD HOSPITALS		2 PCs.
AS ABOVE BUT 13 - PASSENGER 12 - FLOOR. MOH		1 PCs
CARGO LIFTS 2 FLOORS LOOD 4000 KG. SIDE OPENING DOORS. FOR BASRAH DRUG STORES.		1 PCs

<b>02-04-00243</b>	<b>Equipment: AIR HANDLING UNITS</b> MODEL: EUROPEAN MANUFACTURER: EUROPEAN QUANTITY: AS BELOW SITE: MEDICAL CITY /	
DESCRIPTION		QTY
V-BELT 92B		40
V-BELT 96B		80
V-BELT 120B		40
V-BELT 128B		40
V-BELT 144B		40
V-BELT 163B		20
V-BELT 39B		20
V-BELT 136B		40
V-BELT 89B		20
V-BELT 173B		20
V-BELT 49B		10
V-BELT 158B		10
V-BELT 78B		20
V-BELT 112B		20
V-BELT 45B		10
V-BELT 85B		20
V-BELT 130B		20
V-BELT 180C		20
V-BELT 166C		20
V-BELT 158C		20
V-BELT 925*9.5		20
V-BELT 1200*13		20
V-BELT 1500*17		20
V-BELT 1150*17		20
V-BELT 1525*13		20
V-BELT 1250*17		20
V-BELT 1450*17		20

V-BELT 1350*17	20
V-BELT 2400*17	40
V-BELT 1500 SPZ	20
V-BELT 1600 SPZ	20
V-BELT 900 SPZ	20
V-BELT 1600 SPA	20
V-BELT 1700 SPA	20
V-BELT 1800 SPA	20
V-BELT 1200 *9.5	20
V-BELT 1800*17	20
V-BELT 2430*17	20
V-BELT 2280*17	20
V-BELT 2400*17	20
V-BELT 1600*17	20

<b>02-04-00244</b>	<b>EQUIPIT: MEDICAL AIR COMPRESSOR</b> MODEL: V200A MANUFACTURER: COMPAIR INDUSTRIAL LIMITED QUANTITY: 3 SITE: MEDICAL CITY / SURGICAL HOSPITAL		
DESCRIPTION	PART NO.	QTY	
MOTOR / COMPRESSOR UNIT COMPLETE	V 200A .F3	1	

<b>02-04-00245</b>	<b>EQUIPMENT: duplex Base Exchange softening plant for boiler feed make up</b> MODEL: SS 3300 MDH COMPANY NAME: CLEAR WATER – ENGLAND QUANTITY INSTALLED: 2 SITE: MEDICAL CITY		
<u>Description</u>	<u>Qty</u>		
1/8 INCH SOLINOID VALVE ASSEMBLY MANUAL OVERRIDE	24		
4 INCH DIAPHRAM VALVE REPAIR KIT	16		
3 INCH DIAPHRAM VALVE REPAIR KIT	8		
2 INCH DIAPHRAM VALVE REPAIR KIT	32		
1 INCH DIAPHRAM VALVE REPAIR KIT	8		
PROGRAMED REGENERATION CONTROL BOARD	4		
CONTROL RELAYS	20		
POWER PACK KVA TRANSFORMER 380V 50 HZ TO 220 V -24V	6		
POWER PACK DC –220V AC-12V DC	4		
PANEL INDECATOR SIGNAL LUMPS	50		
MAIN LINE WATER FLOW METER	4		
ION EXCHANGE RESIN -TYPE STRONG CATHION	10 TONS		

<b>02-04-00246</b>	<b>EQUIPMENT: SOFTENING PLANT BULK SALT</b> MODEL: 18A COMPANY NAME: RESINFORM - LTD QUANTITY INSTALLED: 1 SITE: MEDICAL CITY
<u>Description</u>	<u>Qty</u>
BACK-WASHER FOR WATER INLET VALVE	6
GASGET FOR 4 INCH SALT FEED PIPE	4
FILTER SOCK ASSEMBLY	12

<b>02-04-00247</b>	<b>EQUIPMENT: SOFTENING PLANT- MANUAL SALT LOADING OF SATURATOR</b> MODEL: 18 A COMPANY NAME: RESINFORM -LTD QUANTITY INSTALLED: 1 SITE: MEDICAL CITY
<u>Description</u>	<u>Qty</u>
SCREW & BEARING	4
SEALING MATERIAL	30 FT
V-BELT	6
BUSH N- TAPER LOCK	4
CHAIN	2
STROKET	2
OIL SEALS	12
COMPLETE TELEMATIC CONTACTOR TYPE DO93 B	4
COMPLETE TELEMATIC CONTACTOR TYPE D163 B	4
OVER LOAD UNIT	2
INDICATOR LUMPS	20

<b>02-04-00248</b>	<b>EQUIPMENT: CHEMICAL DOSING PUMP</b> COMPANY NAME: RFC DOSING & CONTROL LIMITED \ UNITED KINGDOM QUANTITY INSTALLED: SITE: MEDICAL CITY
<u>Description</u>	<u>Qty</u>
DUPLEX HAED DOSING PUMP TYPE FEDOS TK-10S COMPLETE WITH SUCTION VALVE & DISCHARGE VALVE ASSEMBLY	2
DOSING PUMP TYPE FEDOS ZTK-10 COMPLETE WIEH SUCTION VALVE & DISCHAREG VALE ASSEMBLY	8
DOSING PUMP TYPE MINIDOSE TM8K FOR INHIBITOR DOSING COMPLETE	2
DOSING PUMP TYPE MINIDOSE TM8K FOR BIOCID	4
1\2 DOSING COplete	2
DOSING PUMP TYPE MINIDOSE TM24K FOR ACID DOSING COMPLETE	2
DOSING PUMP TYPE MINIDOSE TM24K FOR CAUSTIC DOSING COMPLETE	2
CONDUCTIVITY METER TYPE LTH	2
PH-METER TYPE LTH	2
PROBE TYPE LTH	2`
DOSING PUMP TYPE MINI DOSE TMK8K COMPLETE	2
DOSING PROGRAMER TYPE BCA	12
RESIN CATION	50 ton

<b>02-04-00249</b>	<b>Equipment: Boiler</b> Model: Nos. A/TTP/6448-49-50-51 Company name: Thompson Cochran Quantity installed: 4 Site: Medical City
--------------------	--

<u>DESCRIPTION</u>	<u>QTY.</u>
Burner motor 380-V 5.5 KW	2
FD fan motor 380-V 18.5 KW	2
Photocell - SAK W8	16
Photocell Amplifier	8
Servo motor	8
Sequence cam timer	8
Ignition electrode	8
Electrode insulators	8
Balance relay	16
Burner sky – 60	2
Ignition transformer	2
Modulation valve	4
Float magnetic switch	16
Tube brushes for plane tubes	40
Tube brushes for stay tubes	20

<b>02-04-00250</b>	<b>Equipment: Pumps</b> Model: ERP- 80, 3” NT Company name: WORTHINGTON SIMPSON LTD. Quantity installed: 6 Site: Medical City
--------------------	---

<u>DESCRIPTION</u>	<u>QTY.</u>
Boiler feed pump ERP- 80 Q= 150 m3/hr , H= 200m	2
Emergency boiler feed pump 3” NT 6 stage	4

<b>02-04-00251</b>	<b>Equipment: ABSORPTION CHILLER</b> Model: 16 JE 707- 28, 28C20065 Company name: CARRIER AIRCONDITIONING COMPANY Quantity installed: 6 Site: Medical City
--------------------	--

<u>DESCRIPTION</u>	<u>QTY.</u>
Solution pump	6
Refrigerant pump	2

<b>02-04-00252</b>	<b>Spare Parts for Mitsubishi Pager</b> Model Lo42vk J And Lo47 VHJ Engine 4G 54
--------------------	---

Description	Qty,
MD 101316 Engine assay-Short	10
MD 997063 Gasket Kit Engine Overall	30
MD 997022 Gasket Kit Upper	20
MD 997110 Liquid Gasket	20
MD 020718 Packing , Semi Circular	30
MD 026520 Head Assay, Cylinder	10
MD 026514 Seat,Valve inlet	40
MD 024546 Seat, Valve exhaust	40
MD 020561 Guide, Valve exhaust	40
MD 020551 Guide, Valve inlet	40
MD 072821 Packing , Circular	20
MD 026654 Gasket, Cylinder Head	80
MD 026815 Bearing Set Crankshaft STD	30

MD 02816 Bearing Set Crankshaft 0.25	20
MD 026817 Bearing Set Crankshaft 0.50	20
MD 069947 Oil Seal	20
MD 020347 Case,Timing Chain	20
MD 026921 Piston Wl Pin STD	40
MD 026932 Piston Wl Pin 0.50	40
MD 026933 Piston Wl Pin 0.75	40
MD 026934 Piston Wl Pin 1.00	40
MD 020855 Rod Assay , Connecting	10
MD 107813 Ring Set, Piston STD	60
MD 107815 Ring Set, Piston 0.50	60
MD 107816 Ring Set, Piston 0.75	60
MD 107817 Ring Set , Piston 1.00	40
MD 027474 Crankshaft	10
MD 024812 Gear Ring	20
MD 026786 Flywheel	10
MD 002613 Bearing Flywheel Ball	30
MD 026430 Bearing Set Connecting Rod STD	30
MD 026431 Bearing Set Connecting Rod 0.25	30
MD 026432 Bearing Set Connecting Rod 0.50	30
MD 021247 Gear,Distributor	20
MD 021246 Sprocket, Camshaft	30
MD 021230 Chain,timing	40
MD 021232 Guide,Chain Loose SID	30
MD 021213 Sleeve, Complete( Chain tensioned)	20
MD 020843 Sprocket, Crankshaft	30
MD 021231 Guide,Chain Tension Side	10
MD 023226 Arm, Rocker	40
MD 023151 Camshaft	30
MD 083851 Valve,Exhaust	20
MD 083849 Valve Inlet	20
MD 000508 Seal , Valve Stem	10
MD 092660 Gauge unit ,Oil Pressure	15
MB 436331 Insulator,Engine Support Front	10
MB260670 Insulator,Engine Support Rear	20
MB260677 Insulator,Transfer Support	10
MD031805 Filter Oil	30
MD025550 Pump Assy,Oil	20
MD025553 Rotor Assy,Oil Pump	10
MD021181 Sprocket,Oil Pump	10
MD021180 Sprocket,Oil Pump(Crankshaft)	10
MD025509 Chain,Oil Pump	30
MB248533 Tank,Fuel	5
MB408477 Gauge and Pipe Assy,Ful	10
MB129591 Strainer,Fuel	10
MD027080 Pump Assay, Fuel	30
MD023389 Insulator, Fuel Pump	20
MD092689 Crabbier Hour Assay	20
MB181201 Cable, Throttle	10
MB181331 Cable,Choke	20
MB221723 Hose,Radiator Lower	10
MB221722 Hose,Radiator Upper	10
MB221785 Shruod,Rad.Upper	20
MB221787 Shruod,Rad.Lower	20
MB008170 Tank Assy,Condenser	10
MD997203 Pump,Water	30
MD011149 Fan,Cooling	20
MD027458 V-Belt	60
MD603071 Elment,Air Cleaner	20



MD104576 Clutch,Fan	30
MD014607 Manifold,Exhaust	10
MD252453 Pipe ,Exhaust, Front	20
MD100431 Starter Assay	30
MD607997 Switch Assy,Solenoid	20
MD611372 Clutch, Overrunning	20
MD611365 Armature Set	20
MD607892 Bearing,Front	10
MD607903 Bearing Rear	10
MD607554 Brush,Starter	60
MD607556 Brush,Starter	60
MD611366 Yoke Assay	30
MD611364 Bracket Assay	20
MD109166 Alternator Assay	40
MD611343 Bearing,Front	30
MD611150 Bearing, Rear	30
MD611256 Rectifier Assay	30
MD11432 I.C Regulator	30
MD611516 Rotor Assay	20
MD611035 Brush, Alternator	30
MD602949 Cap Assay Distributor	20
MD607394 Support Assay (Point)	10
MD602758 Rotor Assay Distributor	20
MD109182 Cable Set,Spark Plug	10
MD026710 Cable Set, High Tension	10
MS851182 Plug,Spark	1000
MD003820 Coil Assy,Ignition	20
MD611517 Stator Assy,Alternator	20
MD603208 Resistor Assay	10
MD101250 Relay Wldiode	10
MD723861 Disc, Clutch	30
MD724736 Cover Assy , Clutch	20
MD719469 Bearing,Clutch Release	40
MD712383 Cylinder Assy, Clutch Release	40
MD997786 Repair Kit Clutch Release Cylinder	20
MB012098 Cylinder Assy, Clutch Master	20
MB012161 Cylinder Kit, Clutch Master	20
MD724273 Manual Transmission Sub.Assy(KM145-9)	10
MD997757 Gasket Kit ,Transfer	20
MD725129 Retainer,Bearing Front	20
MB012251 Hose. Clutch	40
MD725078 Pinion Assy .Main Drive	40
MD722888 Gear Assy.3rd Speed	20
MD703774 Gear Assy.2nd Speed	20
MD716103 Gear Assy.1st Speed	20
MD703980 Gear Assy.Overtop	20
MD717609 Gear Counter Shaft, Cluster	10
MD715769 Gear Counter Shaft, Reverse	10
MD703763 Gear Counter Shaft, Overtop	10
MD715770 Gear Reverse Idler	10
MD718407 Hub & Sleeve, Synchronizer	10
MD701465 Ring Synchronizer	10
MD717527 Ring Synchronizer	10
MD717528 Ring Synchronizer	10
MD715576 Bearing ,Input Shaft	20
MD716917 Bearing ,Main Shaft	20
MD717159 Counter Shaft, Cluster	20
MD703798 Counter Shaft, Cluster	20
MD701577 Bush,Control Lever	10

MD703555 Fronk,Shaft 3rd, 4 <sup>th</sup>	20	
MD718064 Fronk,Shaft 1ST, 2nd	10	
MD703865 Fronk,Shaft Rev,Overtop	10	
MD705466 Gear, Speedometer Driven	15	
MD721242 Transfer, Sub Assy	10	
MD704164 Oil Seal,Input Shaft	10	
MD724726 Gear, Input	10	
MD724729 Gear, Sub TIF	10	
MD704120 Bearing, Ball TIF	20	
MD154224 Shaft Assy , Propeller Front	10	
MB000393 Joint, Universal Front	10	
MB505060 Shaft Assy, Propeller Rear	10	
MB000267 spider Kit, Rear Prop Shaft	10	
MB526271 Joint & Shaft Kit RH	10	
MB526270 Joint & Shaft Kit LH	10	
MB526273 Repair Kit LH (Inner)	10	
MB526147 Joint Kit RH (Inner)	10	
MB393917 Shaft Assy (Inner)	10	
MB Bearing .Inner Shaft	10	
MB527404 Gear Set,Diff, Front Axle	10	
MB185456 Gear Set,Final Drive , Front Axle	10	
MB393001 Case Diffi, Front Axle	10	
MB092348 Bearing, Dive. Side ,Front Axle	10	
MB393883 Oil Seal ,Front Axle	10	
MB526395 Oil Seal, Front Wheel	10	
MB092749 Bearing, Front Wheel(Inner Outer)	20	
MB366466 Disc , Brake Front	100	
MB393852 Shaft Assy. Rear Axle	10	
MB092432 Bearing, Rear Wheel	20	
MB092288 Oil Seal, Rear Wheel	10	
MB527310 Gear Set Dive, Rear Axle	20	
MB 527247 Gear Set Final Drive , Rear Axle	20	
MB 393471 Bearing , Drive Pinion Front Rear Axle	10	
MB 393470 Rear Bearing , Drive Pinion Axle	10	
MB 160949 Seal Bearing , Drive Pinion Axle	10	
MB 393583 Case, Dive. Rear Axle	10	
MB 7250 Shaft Kit, Dive Rear Axle	10	
MB 527403 Shaft Kit, Dive Front Axle	10	
MB 534245 Drum, Rear Brake	10	
MB 241155 Arm Kit , Upper Left Hand	10	
MB 241156 Arm Kit , Upper Right Hand	10	
MB 109643 Bush, Pivot Upper	10	
MB 176309 Ball Joint Kit Upper	10	
MB 109647 Army. Lower Left Hand	10	
DESCRIPTION	PART NO.	QTY
ARM ASSY LOWER RH	MB109648	10
BUSHING LOWERARM (A)	MB109662	10
BUSHING LOWERARM (B)	MB109684	10
SHAFT LOWER ARM	MB109661	10
BALL JOINT KIT LOWER	MB176308	10
KNUCKLE ASSY.LH	MB430847	10
KNUCKLE ASSY.RH	MB430848	10
OIL SEAL,STEERING KNUCKLE	MB160850	10
BEARING ,NEEDLE STEERING KNUCKLE	MB160670	10
ABSORBER,FRT SHOCK	MB303366	10
ABSORBER REAR SHOCK	MB242815	10
TORISON BAR LH	MB349929	10
TORISON BAR RH	MB349930	10

HANGER,STABILIZER	MB109712	10
SPRING ,REAR	MB339052	10
BUSHING RUBBER REARSPRING	MB111071	20
BUSHING RUBBER REARSPRING	MT362394	20
BUSHING RUBBER REARSPRING	MB111203	20
PISTON BRAKE CALIPER	MB082335	20
REPAIR KIT,PAD	MB407216	20
REPAIR KIT WHEEL CYLINDER	MB277480	20
REAR		
BOOSTER KIT BRAKE	MB277480	20
VALVE BLEND PROPORATION	MB316477	20
BRAKE		
WHELL ASSY STEERING	MB701788	20
SHAFT STEERING INTERMEDIATE	MB412330	20
SHAFT ,STEERING LOWER	MB437283	20
GEAR ASSY ,P/S	MB350781	20
SEAL KIT ,P/S GEAR	MB350847	20
COVER ASSY ,SIDE P/S GEAR	MB350845	20
ARM KIT ,PITMAN	MB241973	10
ARM KIT IDLER	MB241830	10
END KIT TIEROD INNER	MB241206	10
END KIT TIEROD OUTER	MB241171	10
PUMP P/S	MB351969	10
SEAL KIT P/S PUMP	MB351156	10
CARTRIDGE KIT P/S PUMP	MB351156	10
V-BELT P/S	MB166411	20
CAP RESERVOIR P/S	MB288989	20
HOSE ASSY PRESSURE P/S	MB501301	40
BUMPER ASSY ,FRT	MB369621	40
SIDE BUMPER FRT LH	MB369581	40
SIDE BUMPER FRT RH	MB369582	20
FACE ASSY BUMPER REAR	MB 403850	20
SIDE BUMPER REAR LH	MB403553	20
SIDE BUMPER REAR RH	MB369554	10
BEZEL KIT LH	MB377401	10
BEZEL KIT RH	MB377402	10
PANEL HOOD	MB408462	10
CABLE,HOODLATCH	MB021373	20
SUPPORT H/L	MB408588	20
GLASS,W/S	MB198745	20
WEATHER STRIP W/S GLASS	MB198776	20
PILLAR ASSY ,FRT LH	MB274891	20
PILLAR ASSY ,FRT RH	MB274894	20
SWITCH,IGNITION	MB184367	20
REGULATOR FRT DOOR WDOLH	MB257901	20
LATCH FRT DOOR LH	MB365307	10
LATCH FRT DOOR RH	MB365308	20
MIRROR ASSY DOOR LH	MB198219	40
MIRROR ASSY DOOR RH	MB198220	40
PLATE BACK STEP	MB274672	10
REINF (A)BACK STEP	MB247670	10
SEALED BEAM	MS 820130	10
LENS ASSY FRT COMB LH	MB285909	10
LENS ASSY FRT COMB RH	MB285910	10
BULB,LAMP FRT COMB	MB084721	40
BULB,LAMP FRT COMB	MF820332	40
+REARCOMB		
BULB,LAMP ROOM	MF820512	40
BULB,LAMP LICENCE PLATE	MF820062	40

LENS ASSY REARCOMB LH	MB286913	40
LENS ASSY REARCOMB RH	MB286914	40
BULB LAMP REAR COMB	MB820038	40
BLADE ASSY W/S	MB184023	40
GAUGE OIL PRESSURE	MB521131	40
GAUGE VOLT	MB521129	20
SPEEDOMETER	MB281077	20
TACHOMETER	MB281080	10
GAUGE ASSYFUEL &TEMP	MB281084	10
DIGITAL CLOCK	MB521100	10
CABLE SPEEDOMETER	MB249239	10
SWITCH	MB434922	20
COLUMN(T/SIG+HL+WIPER)		
FLASHER UNIT	MB541186	20
RELAY INTERMITENT WIPER	MB196422	20
RELAY LIGHT CONTROL	MB046436	20
RELAYHEATER AC	MB084670	20
RESISTOR HEATER	MB272517	30
MOTORBLOWER HEATER	MB298018	30
CONDENSER A/C	MB239454	30
RELAYA/C	MB261260	20
SWITCH A/C(ON-OFF)	MB199890	20
SWITCH TEMP A/C	MB188771	20
SOLENOID VALVE A/C	MB272125	20
COMPRESSOR ASSY A/C	MB332577	20
CLUTCH MAGNETIC A/C	MB332578	20
BELT A/C	MB239498	20
HOSE A/C	MB380522	20
HOSE A/C	MB239462	20
RELAY POWER	MB332525	20
SEAL,COMPRESSOR SHAFT	MB438304	20
THERMOSTAT A/C	MB239484	10
SWITCH PRESSURE A/C	MB239485	10
PULLEY ASSY TENSION A/C	MB239493	10
RECIEVER	MB199882	10
VALVEEXPANSION	MB298891	10

<b>02-04-00253</b>	<b>Equipment : Meat cold store 5 Ton</b> company name : BRSTGOLD
- Compressor R5 O2	5

<b>02-04-00254</b>	<b>Equipment : Meat cold store 3 Ton</b> company name : BRSTGOLD
- Filter wire	10
-Fan motor	10
- Expansion valve 5 ton E+ Passion	2
- Solenoid valve 5 ton	2
- Main timer	3
- High low presser	4

<b>02-04-00255</b>	<b>Equipment : Meat cold store 2 Ton</b> ISPAIN
-Fan condenser	6

<b>02-04-00256</b>	<b>Equipment : Meat cold store</b> company name : Carl Wise ( Germany)
- Compressor	6

- Inter fan	6
- Outer fan	3
- Condenser net work	3
- Timer	6
- High low pressure	6
- Solenoid valve	6

<b>02-04-00257</b>	<b>Equipment : Meat cold store</b> <b>company name : Via (Germany)</b>	
- Low pressure	12	
- High pressure	12	
- Evaporator heater	15	
- Different fuses	50	
- Thermostat	12	
- Alarm part	3	
- solenoid valve	12	
- outer fan	12	
-inner fan	12	
- evaporator network	6	

<b>02-04-00258</b>	<b>Equipment : Vegetable Cold store</b> <b>Cmpton name : Omega ( Canada)</b>	
- compressor	6	
- inter fan	6	
- outer fan	6	
- high - low pressure	3	
- thermostat	3	
- timer	3	
- starter	6	
- condenser network	3	

<b>02-04-00259</b>	<b>Equipment : Blood refrigerator</b> <b>company name : FREGORY( Italy)</b>	
- compressor	20	
- Outer fan motor	20	
- inter fan motor	20	
- thermostat	20	

<b>02-04-00260</b>	<b>Equipment : Blood refrigerator</b> <b>Company name : FOSTER</b>	
- high - low pressure	10	
- inter fan	15	
- compressor	20	
solid-state relay	4	

<b>02-04-00261</b>	<b>Equipment : Plasma Deep freezer</b> <b>USA</b>	
- compressor R22	9	
- compressor R5 O3	9	
- Relay	9	
- timer	9	
- pressure bracer	9	
- solenoid valve R22	9	
- solenoid valve R5 O3	9	

<b>02-04-00262</b>	<b>Equipment : Corps refrigerator company name : THALHAIMER</b>	
- thermostat		9
- Expansion valve		10
- solenoid valve		10
- Motor for evaporator fan		10
- Motor for condenser fan		10
- worker timer		10

<b>02-04-00263</b>	<b>Equipment : corps refrigerator company name : DDR (Germany)</b>	
- outer fan motor		10
- inter fan motor		20
- starter 25 amp		15
- high - low pressure		10
- solenoid valve		10

<b>02-04-00264</b>	<b>Equipment : corps refrigerator TREEDING</b>	
- condenser net work		4
- filter dryer 1/2		10
- fan motor		12
- circle breaker		15
- sight glass		4
- compressor		8
- solenoid valve		10
- thermostat		6
-expansion valve		4

<b>02-04-00265</b>	<b>Equipment : Vaccine &amp; medicine refrigerator PMT</b>	
- evaporator fan motor		15
- condenser motor		15
- expansion valve		6
- thermostat		6
- worker timer		8
- high – low pressure		8
- starter		20

<b>02-04-00266</b>	<b>Equipment : medicine cold stor</b>	
Timer		2
outer fan		6
inner fan		6

<b>02-04-00267</b>	<b>Equipment : Vaccine cold store</b>	
company name: SMETCO		
compressor		4
Timer		4

<b>02-04-00268</b>	<b>Equipment : Vaccine &amp; medicine refrigerator SIMETCO COMPANY</b>	
- high low pressure		15
- starter		20
- expansion valve		10
- thermostat		6
- condenser fan motor		10

-evaporator fan motor	10
- solenoid valve	6
- main worker timer	15

<b>02-04-00269</b>	<b>Equipment : kerosene refrigerator</b>
company name: UNICEF V240 KE	10
Flame	
Glass	50
Heater	50

<b>02-04-00270</b>	<b>Equipment : Refrigerator ( 4 doors) TENICONTROL COMPANY</b>
- compressor 1/3 HP	6
- compressor 1/5 HP	100
- compressor 1/6 HP	75
- thermostat	150
- over load with relay	60
- condenser network	50
- ferine gas R12	15
- silver welding wire	20
-filter dryer	50
-lamp	30

<b>02-04-00271</b>	<b>Equipment : Freezer</b>
- compressor 1/3 HP	25
- compressor 1/4 HP	15
- condenser fan	10
- thermostat	60
- over load with relay	10
- Ferine R12	5 bottle
- motor 1/2 HP	30
- motor 1/3 HP	30
- motor 1/5 HP	30
- motor 1/4 HP	30
- motor fan TOSHIBA	40
- motor NATIONAL	45
- motor fan JEPSON	15
- motor fan GENERAL	20
- motor fan METSUBISHI	25
- lamp	40
-motor 1/6 HP	40

<b>02-04-00272</b>	<b>Equipment : Air condition 2 ton</b>
-compressor	600
- motor fan (Mitsubishi)	100
- motor fan (Toshiba)	100
- motor fan (general)	50
- motor fan (Jepson)	100
- motor fan ( golfer)	25
- switch off	300
- thermostat	410
- ferine 22 ( 13.5 kg / bottle)	140
- ferine 12 (13.5 kg / bottle)	130
-ferine 5 O2 ( 13.5 kg / bottle)	60
- compressor (general )	15
- compressor (different type)	50

fan ( different type)	50
Thermostat ( different type)	60
-compressor 3 ton	5
- compressor 1.5 ton	50

<b>02-04-00273</b>	<b>Equipment : Air cooler</b>
- motor	25
- water pump	25

<b>02-04-00274</b>	<b>Equipment : air condition 2.25</b>
- compressor	15

<b>02-04-00275</b>	<b>Equipment : Water cooler</b>
- compressor 1/4 HP	25
- compressor 1/3 HP	20
- thermostat	25
- worker switch	20
- condenser network	20
- fan motor	25
- ferine 12	15

<b>02-04-00276</b>	<b>Equipment : kitchen equipment</b>
power pile generator for tilting braising pan	3pcs
motor 2.5 ton	6pcs

<b>02-04-00277</b>	<b>Equipment : Mince machine</b>
- Mince Knife	6
- Mince motor	6

<b>02-04-00278</b>	<b>Equipment : Meat saw</b>
- Motor	6
- saw cutter	6

<b>02-04-00279</b>	<b>Equipment : Washing machine</b>
company name : ELECTROLIX	
timer	4
Motor	4

<b>02-04-00280</b>	<b>Equipment : laundry</b>
V- belt A- 65 laundry washer	8pcs
V- belt B- 64 laundry washer	4pcs
V- belt B-67 laundry washer	8pcs
V- belt A- 75 laundry extractor	14pcs
V- belt dryer tumbler	4pcs
V- belt B – 105 dryer tumbler	4pcs
V- belt B-60 dryer tumbler	4pcs

<b>02-04-00281</b>	<b>Equipment : Washing machine 50 kg</b>
company name : dboelerat ( sewed)	
- Blabbering set	9
- thermostat	9
- Drain	15
- starter 20 amp	100
- program	15
- timer	9
- balance switch	9



- solenoid	24
- worker switch	50
- motor 5.5 Kw	3
- motor 1.1 Kw	3
- set blabbering FIE 503	3
- card	6
- set blabbering FI403	3

<b>02-04-00282</b>	<b>Equipment : washing machine for surgical instrument Germany company G7735</b>
- card	12
Equipment : children clothes dryer -drying motor	6
Equipment : children clothes press -press Motor	6

<b>02-04-00283</b>	<b>Equipment : drying tumbler company name : ELECTROLIX</b>
Drying heater	20
main motor	5
heating sensor	4

<b>02-04-00284</b>	<b>Equipment : drying tumbler UNY- dish company</b>
- Heater type TT746	200

<b>02-04-00285</b>	<b>Equipment : steam dryer SWEED</b>
- Steam trap	10
- motor	3
- reveres timer	3
- radiator	1

<b>02-04-00286</b>	<b>Equipment : boilers</b>
Company name :ATLANTIC	
Program	2
Contactora 40 A 220 V	6 pcs
Convincing water pump 18.5 Kw rpm –1500	3pcs
hot water pump 3 Kw rpm = 1450	3pcs
centrifugal type U97128 220V 15 A	3pcs
Soave flex	3pcs
side glass temperature circular 30 cm	3pcs

<b>02-04-00287</b>	<b>Equipment : boiler CAM INDUSTRIES ING 18250 68TH AVENLE SOUTH KENT WASHING TON 98030</b>
heater 75 Kw long 50 cm	6

<b>02-04-00288</b>	<b>Equipment : Steam boiler</b> SWEED	
-Main control		50
- oil pump		25
- high tension transformer		20
- lighter cell		50
- water motor		5
- thermometer		10

<b>02-04-00289</b>	<b>Equipment : Incinerator</b> HOFAL COMPANY - SWISS	
- high pressure transformer		20
- relay 220 v		30
- solenoid valve		30
- lighter cell		25
- oil pump		15
- high pressure transformer cable		500
- electron		30
- nozzle		30

<b>02-04-00290</b>	<b>Equipment : Incinerator</b> Company name: HOFAN	
electric control circuit		2
Flame		4

<b>02-04-00291</b>	<b>Equipment : Air handling unit</b> ISPAIN	
- valve		90
- belt SPA 1500 LW		90
- belt SPA 1202 LW		75
- belt SPB 2300 LW		90
- belt SPB 2120 LW		45
- belt SPZ 1262 LW		30
- belt SPZ 1482 LW		45
- belt SPZ 1600 LW		60
- belt SPZ 1337 LW		45
- belt SPZ 1862 LW		45
- belt SPZ 1532 LW		30
- belt SPZ 1557 LW		30
- belt SPZ 1562 LW		45
- belt SPZ 1800 LW		60
- belt SPZ 1087 LW		45
- belt SPZ 1060 LW		45
- belt SPZ 1000 LW		45
- belt SPZ 750 LW		45
- belt SPZ 1400 LW		30
-filter paper		600
-supporter 45mm		27
- diagram DL 11011		450
- filter		600

<b>02-04-00292</b>	<b>Centrifugal chiller</b> Model :CVGA 150 KW 1989 - France - company/TRANE	
	Oil pump	1
	Contacteur 300A rattail at AC3 , 380 V , telemecanique	3
	Over Load 250A Telemecanique	1
	Rebuilt set for compressor contains all bearings and gaskets	1
	Circuit break 16A 2poles Marlingreen	6
	Isolator 500A Marlingreen	1
	Fuse 400A	6
	Guide vanes actuator	1
	Modulator on suction line	1
	Circuit breaker 3poles 5A	2
	Oil heater	4
	Chilled water temp sensor	4
	Cooling water temp sensor	4
	Operating card (electronic)	2
	Full information collage	2
	Flow switch	4
	Vacuum and pump down unit	1

<b>02-04-00293</b>	<b>Chiller ReciprocatingComp.</b> Company/ TRANE - France- model, 1989,- 300 ton , air cooled 4-compress	
	Contacteur AC3 380 V 90 KW telemecanique	6
	Contacteur AC3 380 V 55 KW telemecanique	6
	Contracteur AC3 380 V 22 KW telemecanique	3
	Operating Card(electronic)	2 set
	Pressure Switch(high)	4
	Pressure Switch(low)	4
	Pressure Switch(Oil)	4
	Pressure Switch(high)	4
	Pressure Switch(Low)	4
	Pressure Switch(oil)	4
	Solenoid valve for unloaded	12
	Solenoid valve on liquid line	4
	Chilled Water Sensor (thermostat)	2
	Flow Switch	4
	Expansion Valve	4
	Service valve for compress on suction	4

Service valve for compress on distingue	4
Service valve on liquid line	4
Filter drier	4
Step controller type BT2	1
Vacuum and Pump down unit	1
Fan Thermostat	3
Over Load 105-75A	4
Over load 50-38A	3
Fuse 250A	15
Filter drier	14

<b>02-04-00294</b>	<b>Steam Boiler</b>	
	Company / . Wanson, Belgium- Model , 1982 -,Type 450- 5-Ton /hour	
	Ignition Transformer 2x5000 V/220 V	3
	Solnoid valve for gas 0.1	3
	Solnoid valve for Propane for ignition	3
	Photo cell	3
	Servomotor 24 V(modulator)	3
	Sight glass for water level	6
	Pressure gauge for steam 0-25 bar	3
	High pressure switch	6
	Differential pressure switch	3
	Float switch	3
	Gas oil pump 60 bar discharge 1"-1"1/4	3
	Water pump 5-stages	6
	Low level alarm electrode	3
	Thermometer for exhaust gases	6
	Steam Safety valve	3
	Pressure gauge for oil lobar	6
	Ignition electrode	3
	Complete mechanism for modulation	3
	Contacteur 80 A at AC3 rated Telemechanger	6
	Overload 36 A -25A	6
	Contacteur 20 Arrayed at AC3 Telemechager	6
	Overload 5A-10A	4
	Transformer 220V-380V 500VA	3
	Transformer 220V-24V 100VA	3
	Tinier30S	6
	Relay10A telemehanigue 220V Coil	20
	Block timer 30S	6
	Circuit breaker 100A	3
	Fusible link 25A TRIPLE	10

<b>02-04-00295</b>	<b>Boiler Comp.</b> Hanson , BelegiumModel , 1982, type 450 , 5 ton/hr	
	Fusible link 1 A	12
	Fusible link 5 A triple	5
	Fusible link 15 A triple	20
	Program timer	6
	Phase fair	3
	Alkaline battery alkyd type UHP 150 , France	40

<b>02-04-00296</b>	<b>Heat exchanger</b>	
	Steam trap 2"	3
	Pressure guage 15 bar (for water )	10
	Thermometer 100 C.	10

<b>02-04-00297</b>	<b>U.P.S Power supply</b>	
	Francemodel 1985	
	Alkaline battery type KPMP aft (1.2 v)	170
	Alkaline battery type aft 115 SLP1 (1.2 v)	82

<b>02-04-00298</b>	<b>Air hand</b> untitled , VSV170 REP.V	
	Air filter size 50cm x 62cm x 4.7cm	240
	Contactora 30 A rated at AC3	20
	Over load 13-18 A	20
	Over load 5-10 A	20
	Alkaline battery SAFT , SLP8	36

<b>02-04-00299</b>	<b>Lift</b> SORETEX/ THYSSEN , France model , 50711 , 50712 , 50713 , 50714	
	Electronic card no. 16	4
	Electronic card no. 18	4
	Electronic card no. 20	4
	Electronic card no. 24	4
	Transformer kit for control the field of generator	4
	Filter record	4
	Contacted collie with mechanical interlock 40 A telemecanique	8
	Contactora 25A , 4 poles with auxiliary 4 poles no. all telemecanique	8
	Black timer 30S	10
	Black timer 180S	5
	Contactora continuous current 80A telemecanique	10
	Contactora continuous current 50A telemecanique	10
	Overload 23-32 A telemecanique	5
	Overload 0.1-1A	5
	Overload for generator	5
	Motor field relay	4
	Variable resistance VR2	4
	Resistance 1K , RW 13 x 70	10
	Resistance 8.2K , RW 13 x 70	8
	Resistance 10K , RW 13 x 70	10
	Resistance 4K7 , RWA 13 x 70	5
	Circuit breaker 15A multi 9 marlin Gerona	10
	Phase filler	4
	Bridge rectifier	20
	Transformer saber 220-380-18-28-56-10-12-198-280-500VA	10
	Door Contactora AC3 8A 4KW 380V 4poles No double with mechanical inter lock	10
	Timer Cyrillic Bas12	10
	Overload 0.63-1A	10
	Relay 56V 12pin sorter	100
	Relay 56V 16pin sorter	50
	Relay 56V 24pin sorter	50
	Relay 56V 8pin sorter	50
	Relay for selector double coil 56V 24pin sorter	50

Overload relay with reset	10
Generator-motor set Enoch type F180	1
LRGY24,7KW 285V 86A No.-820 881/2	
Brushes for generator type Enoch F180 LRGY	20
brushes for haste motor.tacke generator type REO-444, Radio –Engine	
Hoist Motor type FA 180 LB Enoch 285V 86A 1200RPM	1
Berate coil	1
Banns for break	10
Oil for great box type(shell Macao oil220) or (BP Energy-GR-XP20) or(ESSO SPATAN EP220)or mobile gear 630	200
Upper & down limit switch	15
Traveler cable 12 line	100
	0m
Call switch	100
Double contacts with mechanical interlock 30A	10
Circuit breaker 70A multi marlin green	10
Earth leakage circuit breaker two poles 15A multi marlin green	10
Door motor Enoch type KA90 2DMK 220V single page 1.3A	5
Pilot lamp 60V	200
Pilot lamp 12V	200
Photo cell	10
Rollers for door	20
Door lock	10
Contact for door	20
Micro switch for speed of door motor	25
Compressor, tecumschJAH2510 J 1-5KW,3ph,200V 50/60HzR502	10
Motor fanVENTILATING FANPF-25A TBO34P2 mnhto 15119 m minifies 3 50/60Hz, 200V,0.025KW	20
Motor fan FW25 N6L- 2T200V 50/60 H2	20
Compressor , tecumschJAH 2460A1-5KW-R12-200V-50/6Hz	10

<b>02-04-00300</b>	Flood lighting fitting complete with integral gear ,sufficient housing , 6mm thermally hardened glass for metal halide , high presses sodium or high presses mercury lamps . Universal bracket for wall, ceiling or horizontal surface mounting working on 220V/50HZ.	100
<b>02-04-00301</b>	General purpose road lighting , white glass - fibber reinforced polypropylene canopies on glass - fib reinforced ploy carbonate farm , for Leigh pressure sodium or mercury lamps, Flexile mounting capability on post - top and side entry working on 220V/50H3	100
<b>02-04-00302</b>	Emergency lighting , of indoor and semi - out door applications , includes lamp , wall , and ceiling mounting , arrow pinto gram , 3-hour working on main fails .using 8-15 watt lamp .	100
<b>02-04-00303</b>	Photo cell sensing light for automate switching .	15
<b>02-04-00304</b>	Sodium lamp 150W	100
<b>02-04-00305</b>	Sodium lamp 250W	200
<b>02-04-00306</b>	Sodium lamp 460W	100
<b>02-04-00307</b>	Mercury lamp 125W	100
<b>02-04-00308</b>	Mercury lamp 250W	200
<b>02-04-00309</b>	Mercury lamp 400W	100
<b>02-04-00310</b>	Fluorescent lamp tube 36-40W 1200mm, Capable 13mm, O = 28mm.	200
<b>02-04-00311</b>	Fluorescent lamp 156-60W 1500mm Capable 13mm, O = 28mm.	500
<b>02-04-00312</b>	Control gear for 125, 150, 200, 250, 400,Watt merry and sodden lamp.	200

<b>02-04-00313</b>	<b>Equipment: Fuses for Motoi controls</b> Company /manufacturer: Simmons /West Germany Or Equivalent Site: Medical city /All Hospitals	
	<b>Part No.</b>	<b>Qty</b>
Low voltage Hrs switchgearfuse 50Amp	3ND8 020	200
Low voltage Hrs switchgearfuse 63A	3ND8 022	500
Low voltage Hrs switchgearfuse 80A	3ND8 024	500
Low voltage Hrs switchgearfuse 100A	3ND8 030	500
Low voltage Hrs switchgearfuse 125A	3ND8 032	200
Low voltage Hrs switchgearfuse 160A	3ND8 036	100
Low voltage Hrs switchgearfuse 200A	3ND1 140	50
Molded plastic L.V.HRC fuse link Size 00,500VAC , 6Amp	3NA4 801	600
As Above but, 10Amp	3NA4 803	450
AS Above but ,16Amp	3NA4 805	450
AS Above but 20Amp	3NA4 807	300
AS Above but 25Amp	3NA4 810	300
AS Above but 35Amp	3NA4 814	250
AS Above but 50Amp	3NA4 820	150
AS Above but 63Amp	3NA4 822	600
AS Above but 80Amp	3NA4 824	300
AS Above but 100Amp	3NA4 830	300

AS Above but 125Amp	3NA4 832	150
Low vol. Age Hrs fuse link	3NA1 011	150
Size 00,500VAC, 6Amp		
As Above but, 10Amp	3NA1 012	150
As Above but, 16Amp	3NA1 013	150
As Above but, 20Amp	3NA1 014	150
As Above but, 25amp	3NA1 015	150
As Above but, 32Amp	3NA1 001	150
As Above but,,35Amp	3NA1 003	150
As Above but, 40Amp	3NA1 002	150
As Above but, 50Amp	3NA1 017	150
As Above but, 63Amp	3NA1 018	150
As Above but 80Amp	3NA1 020	150
As Above but 100Amp	3NA1 021	150
As Above but 125Amp	3NA1 022	150

<b>02-04-00314</b>	<b>Equipment: Clock system</b>	
	Model : Simplex Company /Manufacturer: simplex time recorder co. (Gardner, Mass., 01441 USA) Quantity: 7 Site : Medical city/	
	<b>Part No.</b>	<b>Qty</b>
Master clock complete	2350	7
Solid state signal generator complete	2850	14
Transmission Module	556-845	10
Impulse module	556-850	10
Front panel BD	556-781B	10
CPU BD	562-003D	10
Powder supply	556-707E	10
Rechargeable Battery , 12V, 18AH		20
Precision oscillator	556-422A	10
Rectifier		10
Capacitor		10
Transformer		10
Amplifier BD	556-818	25
Oscillator control BD	556	14
Synch BD	562-0443	14



<b>02-04-00315</b>	<b>Equipment: AHU &amp; Motor, Bearings List-13</b> Model: Different Company/manufacturer: European Quantity: Sit: Medical city/	
	<b>Part No.</b>	<b>Qty</b>
Ball Bearing	6202 zz	40
Ball Bearing	6203zz	60
Ball Bearing	6204zz	40
Ball Bearing	6205zz	80
Ball Bearing	6206zz	120
Ball Bearing	6207zz	140
Ball Bearing	6208zz	200
Ball Bearing	6209zz	40
Ball Bearing	6212	150
Ball Bearing	6213	20
Roller Bearing	NU213	20
Ball Berating	6215	20
Roller bearing	NU215	20
Ball Bearing	6218	20

<b>02-04-00316</b>	<b>Equipment: Pumps, Motors And fans</b> Company /Manufacturer: Quantity: Site: Medical city/	
	<b>Part No.</b>	<b>Qty</b>
Roller Bearing	N218	20
Ball Bearing	6305zz	20
Ball Bearing	6308zz	20
Ball Bearing	6309zz	140
Ball Bearing	6311	50
Ball Bearing	6312	50
Ball Bearing	6313	10
Ball Bearing	6315	120
Ball Bearing	6316	20
Ball Bearing	6317	20
Ball Bearing	6318	100
Roller Bearing	NU319	100
Ball Bearing	6406	20
Ball Bearing	RMS11	20

<b>02-04-00317</b>	<b>Equipment: Pumps, Motors and fans</b> Company/Manufacturer: Quantity: Site: Medical city/		
	<b>Part No.</b>	<b>Qty</b>	
Backset Bearing	2306 kc3	100	
Backset Bearing	2307 kc3	100	
Backset Bearing	2308 kc3	100	
Ball Bearing	2309	20	
Ball Bearing	2313	50	
Bush	H306	100	
Bush	H307	100	
Bush	H308	100	
Ball Bearing	3308	20	
Ball Bearing	3213 k	50	
Ball Bearing	7312 B	50	
Ball Bearing	7313	20	
Ball Bearing	7618	40	

<b>02-04-00318</b>	<b>EQUIPMENT: Pumps, Motors and fans</b> Company /Manufacturer: Quantity: Site: Medical city/		
	<b>Part No.</b>	<b>Qty</b>	
Roller Bearing	UC310	100	
Double Ball Bearing	22309	20	
Ball bearing	478206	20	
Ball bearing	6304zz	100	
Backset Bearing 25mm		40	
Backset Bearing 50mm		40	

<b>02-04-00319</b>	<b>Equipment: Lighting system Interior and External LIST-12</b> Company: MANUFACTURER: THORNOR EQUIVELANT PHILIPS Site: Medicalcity /		
		<b>Qty</b>	
Fluorescent type :			
6'75/85W T12 cool white 4300k tubas		2000	
2' 13W T5 cool white 4300k Tubes		2000	
12' 8W T5 cool white 4300k tubes		2000	
9' 6W T5 cool white 4300k Tubes		2000	
4' 40w T12 cool White 4300k Tubes		8000	
40W TB cool White 4300K 'U' Tubes		1000	

<b>02-04-00320</b>	<b>Equipment: Lighting system interior and external</b> Company /Manufacturer: Thorn or Equivalent Philips Quantity: Site: Medical city/	
	<b>Qty</b>	
MBF/U Mercury type :		
400W e40 MBF/U lamp		1000
250W E40 MBF /U lamp		4000
125W E27 MBF/U lamp		500
80W E27 MBF/U lamp		500
Par Reflector type :		
220V 100W E27 Clear par 38 spot		500
220V 100W E27 Clear par 38 flood		500
220V 150W E27 Clear par 38 spot		500
220V 150W PC E27 Clear par 38 Flood		500
Tungsten type :		
220V 40W clear Glass lamp		500

<b>02-04-00321</b>	<b>Equipment: Lighting system interior and external List-12</b> Company /Manufacturer: thorn or Equivalent Philips Quantity: Site: Medical city/	
<b>Description</b>	<b>Qty</b>	
Fluorescent type :		2000
6' 75/85W T12 cool white 4300k Tubes		
2' 13W t5 cool white 4300k tubes		200
12' 8W cool white 4300k Tubes		200
9' 6W T5 cool white 4300k Tubes		200
4' 40W T12 cool white 4300k Tubes		8000
40W T8 cool white 4300K 'U' Tubes		1000

<b>02-04-00322</b>	<b>Equipment: Lighting system interior and external</b> Company /Manufacturer: Thorn or Equivalent Phillips Quantity: Site: Medical city /	
<b>Description</b>	<b>Qty</b>	
MBF /U mercury type:		1000
400W E40 MBF/U lamp		
250W E40 MBF/U lamp		4000
125W E27 MBF /U lamp		500
80W E27 MBF/U lamp		500
PAR reflector type :		500
2220v 100W E27 Clear par 38 spot		
220V 100W E27 Clear par 38 flood		500
220V 150W E27 Clear par 38spot		500
220V 150 E27 Clear par 38 flood		500
Tungsten type:		500
220V 40W BC clear Glass lamp		

<b>02-04-00323</b>	<b>Equipment: Pumps Motors and Fans</b> Company/Manufacturer: Quantity: Site: Medical city/	
<b>Description</b>	<b>Part No.</b>	<b>Qty</b>
Roller Bearing	N218	20
Ball Bearing	6305 zz	20
Ball Bearing	6308zz	20
Ball Bearing	6309 zz	140
Ball Bearing	6311	50
Ball Bearing	6312	50
Ball Bearing	6313	10
Ball Bearing	6315	120
Ball Bearing	6316	20
Ball Bearing	6317	20
Ball Bearing	6318	100
Roller Bearing	NU319	100
Ball Bearing	6406	20
Ball Bearing	RMS11	20

<b>02-04-00324</b>	<b>Equipment: Pumps, Motors and fans</b> Company/Manufacturer: Quantity: Site: Medical city/		
<b>Description</b>	<b>Part No.</b>	<b>Qty</b>	
Bracket Bearing	2306 kc3	100	
Bracket Bearing	2307 kc3	100	
Bracket Bearing	2308 kc3	100	
Ball Bearing	2309	20	
Ball Bearing	2313 k	50	
Bush	H306	100	
Bush	H307	100	
Bush	H308	100	
Ball Bearing	3308	20	
Ball Bearing	3311	20	
Ball Bearing	3213k	50	
Ball Bearing	7312 B	50	
Ball Bearing	7313	20	
Ball Bearing	7618	40	

<b>02-04-00325</b>	<b>Equipment::Pumps, Motors and fans</b> Company/Manufacturer: Quantity: Site: Medical: Medical city/		
<b>Description</b>	<b>Part No.</b>	<b>Qty</b>	
Roller Bearing	UC310	100	
Double Ball Bearing	22309	20	
Ball Bearing	478206	20	
Ball Bearing	6304zz	100	
Bracket Bearing 25mm		40	
Bracket Bearing 50mm		40	

<b>02-04-00326</b>	<b>Equipment: High voltage switch Gear</b> Company/Manufacturer: Simmons-West Germany Quantity: 14 Site: Medical City/service Building		
<b>Description</b>	<b>Part No.</b>	<b>Qty</b>	
Vacuum circuit Breaker 12kv , 25 630A	3AF1741-4EH40-8BA2	6	
Vacuum circuit Breaker 12kv, 25kA 630A	3AF1741-4EH40-6BA2	6	
Operating Machine –Eke Motor Drive 110v DC		12	
Tripping Relay Set 110V DC	7VH1604	20	
Theorem-Delay oversold Relay , 3-Pole	3UC3860-1C	6	
Alarm Relay	7PG2460-3EBO	20	
Glow Lamp 220, Clear BA 95	35x1701	100	
Inland-Lamp BA95, 110-130V 2.5W	35x 1731	100	

<b>02-04-00327</b>	<b>Equipment: Suction pump</b> Model: Engl. universal Company /manufacturer: Amada Site: Medical city /surgical Hospital –Amasser Hospital	
<b>Description</b>	<b>Part No.</b>	<b>Qty</b>
O-Ring 8,1*1,6 (Packing-Unit 100 PCs)	477000	8
Spring ring 4,3/8* 0.5	00360403	8
Spring Ring 8,1/12,7*2	00340806	8
Tube *14	0081411	(1,5M)*10
Cylinder Compel Universal 45	99110411	5
Gearing Motor 220V/50Hz	86405011	5
PCV Tube 5*10	00081211	(1,5M)*10
Vacuum Connection T	38109811	15
Vacuum connection L	38117911	15
Spring Ring 5,1/8,8*1,6	00340510	15
Valve	47601411	15
Reinsertion spring	42602011	15
Rubber seal	47120811	15
Unit Universal 451 Ap220V/50Hz	99110217	3
Ball Bearing	00823011	30
Plain Washer 5,3/15*1,6	0031056	30

<b>02-04-00328</b>	<b>Equipment: Generator</b> Detroit Diesel 149 MPC Model: 9163-7305 –16Vfan –IO-Flywheel, Turbocharger En .Set Spare patriots for Engine series: 16E-7060, 6060, 7059,7064,7058,7006,7007,7009,7008,7057,70062,7063	
<b>Part Name</b>	<b>Goop/part No</b>	<b>Quantity</b>
Cylinder head	1.200	6
Crank shaft	1.300	3
Vibration damper and up complete	1.300B	3
Crank shaft pulley	1.300C	12
Flywheel	1.400A	3
Connecting rod and piston complete	1.600	6
Camshaft	1.700	3
Idler gear	1.7222	18
Camshaft gear	1.7200	12
Blower drive gear	1.7430	12
Crank shot timing gear	1.3142	12
Camshaft drive flange	1.7007	12
Camshaft intermediate bearing	1.7040	12
Camshaft gear bearing	1.7204	12
Idler gear bearing	1.7225	12
Blower drive gear pushing	1.7431	12
Engine Complete		2
Alternator complete		2

<b>02-04-00329</b>	<b>Equipment: Generator</b> Cummins Egging No. 33106983 Con No.: D283011 DX 02-00 Model: KTL 3067 G2 Date of M.F>G 30/6/82	
Article	Part No.	Qty
Big-End Bearing 0.25mm		16 set
Big-End Bearing 0.25mm		16 set
Big-End Bearing 0.25mm		16 set
Big-End Bearing 0.25mm		16 set
Big-End Bearing 0.25mm		16 set
Small -End Brush		16
Piston Assembly std		16
Cylinder liner STD		16
Overhaul gasket set		2set
Crank shaft		1
Cam shaft		2 set
Cam shaft Bush		17
Connecting rod		16
Water pump		1
Repair kit water pump		2set
Fuel pump	0343-840- D418189A	1
Electric governor (Actuator)	AGD-130E-4 CEO 3019635	2
Electric governor (control unit)	C4 643C-23 serial. No. 2R24640	2
Complete starter Motor		2
Chugging dynamo		1
Cylinder head		1 set
Exhaust valve		Complete set
Intake valve		Complete set

<b>02-04-00330</b>	<b>Equipment: Generator</b> Petbow Petbow Brushless Alternator Serial No. AG 7010CA/22 Frame: 788 Rating cot: B55000 Date: 2-83 KVA: (1016.25)(Volt, 380 Amp 1544 P.F 0.8 Hz50	
Article		Qty
A.V.R		2
Rotating Rectifier		2set
Voltage suppressor		3

<b>02-04-00331</b>	<b>Equipment: Generator</b> (pet bow) 1016KVA SERIAL NO: NMSP 1644 CONTRAL SYSTEM : 380 V, 1600A, (50-60)HZ	
Automates control panel TYPE :TNO 8-1600 AMP with main and alternator Circuit breaker		2

<b>02-04-00332</b>	<b>Equipment: Generator</b> Hitzinger (630,250,100,50) kV	
Article	Part No.	Qty
Coupling for 100KVA(B1040)	F2 size 75	3
Coupling for 100kvA(B1308)	CF-D276-60-11-107	15
Coupling for 250kvA(B1307)	CF-D276-60-14-93	30
Coupling 630KVA(B1041)	SV9HE 18"-400th-GG	1
Coupling for 50KVA(B563)		4

<b>02-04-00333</b>	<b>Equipment: Chiller 100T</b> Company Name: Digger-Japan	
Article		Qty
Compressor model 8HC752LB-YE 3phase 50 Hz 380V R22		2

<b>02-04-00334</b>	<b>Equipment: generator</b> Company Name: Dotes-Germany	
Article		Qty
Circuit breaker Huh/1250A		2
Battery charge 24V-10A		3

<b>02-04-00335</b>	<b>Equipment : Generator</b> Company Name Hitzinger-Scan	
Article		Qty
ENGINE Type DS 1441 Variant A20T		3

<b>02-04-00336</b>	<b>Equipment: Plasma refrigerator</b> So-low Environ-Mental Equipment 10310 Spartan DRIVE Cincinnati OH10 15215 Model No.PR120-12 SER. No.8990223	
Article		Qty
Compressor 2Ton		4
Solid-state Relay		4
Ferine R503		25 kg

<b>02-04-00337</b>	<b>Equipment: Food refrigerator</b> Company Name: Via -Germany	
Article		Qty
Compressor DWM Copeland type DL SGB/401/EWI/000 Far. NR. 140654 Abuja 1984 KW 3.0ph/3/50 n1450		4
Ferine R502		150kg

<b>02-04-00338</b>	<b>Equipment: Boiler</b> CAM. INDUSTRES ING 18250 68 <sup>TH</sup> AVENUE sooth KENT WASHIING TON 98030	
Article		Qty
HEATER 75 KW (L.50cm)		6



<b>02-04-00339</b>	<b>Equipment : Chiller</b> Company Name: YORK DIV OF BORG WARNER CORP YORK PA17405	
Article		Qty
Compressor model JS 63N Seer No. 6101407 Volt 4801415 R22 Hz 50 RLA 102 LRA 495 Vtol. RANGE 414-506 342-440		2

<b>02-04-00340</b>	<b>Equipment: Motor with gearbox</b> Company Name: SABEEM Italy	
Article		Qty
ZIEHL-ABGG NR. 6917019 type Su 180c2-6124 u/min 920,210 P11 Gear Box ARGANO BT3 RAPP 2.50 IMP 8194 ANNO 1969 Steal Rob (Diameter 13mm) Steal Rob (Diameter 11mm)		2  1000m 1000m

<b>02-04-00341</b>	<b>Equipment: Air-condition 2 ton</b> Company: National, Toshiba, and General	
Article		Qty
Compressor		305
Thermostat		220
Switch		80
Fan motor		180
Serbs		125
Fan		45

<b>02-04-00342</b>	<b>Equipment: Refrigerator</b> Company name: Phillips	
Article		Qty
Compressor		55
Thermostat		10

<b>02-04-00343</b>	<b>Equipment: Freeze</b> Company: Phillips	
Article		Qty
Compressor		10
Thermostat		30
Ferine R11		800 kg
Ferine R12		330 kg
Ferine R22		239 kg
Ferine R502		2 bottle

<b>02-04-00344</b>	<b>Equipment: Chiller 60 ton</b> Company: Feathers – American	
Article		Qty
Compressor		4
Oil pump		4
Dryer filter		8
Expansion		2
Presser breaker		4

<b>02-04-00345</b>	<b>Equip met: seplitunit 2 ton</b> Company: national –heaths	
Article		Qty
Compressor		45
Fan motor		20
Condenser		15
Switch and regulator		31
Heater		15

<b>02-04-00346</b>	<b>Equipment:: water cooler y3</b>	
Article		Qty
Compressor		5
Condenser		5
Thermostat		5

<b>02-04-00347</b>	<b>Equipment: Air-condition 1 ton</b> Company: national, Toshiba, Hitachi	
Article		Qty
Compressor		15
Fan coil		5
Thermostat		5

<b>02-04-00348</b>	<b>Equipment: generator 1012 kV</b> Company: dotes –Germany Motorrtype: slab 16 m 816	
Article	Part No.	Qty
Seal	3470281	3
Drive shaft	3375119	3
Drive disc	4004088	3

<b>02-04-00349</b>	<b>Equipment: generator 100 kV</b> Company: swan- Motorrtype: Volvo t1070g Equipment generator 250 kV Company: sap Matter tee: vow Lao 12fg	
Article		Qty
Cylinder head		1
Injection pump		1

<b>02-04-00350</b>	<b>Equipment: generator 570 kV</b> company : dotes - Germany –deal –108836 –5-0198	
Article	Part No.	Qty
Commix electronic u 90	377. 3413	1
Battery regulator charger	376. 0195	1

<b>02-04-00351</b>	<b>Equipment: electrocute lift</b> D-c -26 passenger Type: 2sp 2bp 2w2k2qa 3sl pg. Company: bologna -lately -7447 -7449	
Article		Qty
Generator Tachometric	seer : 2670 Type : 335 / kola V/H : 0.06 N max : 6000 A max : 0.25	1
Regulator		5 card
Motor generator : N 382656	KW 17.38	
Armature : V 362	A 48	1
	V 376	
	A 100	
Comotater : Eccitaz	V 47162	1
	A 8.1 / 1.01	
	Centric V 215/1.07	
	A 5.3/1.06	
<b>02-04-00352</b>	<b>Equipment: Pump Hegira I13</b>	
Article		Qty
Electric motor 3kw 380 V/50 Hz		3
SealingJoint		6
Shaft sealing		6
<b>02-04-00353</b>	<b>Equipment Softening plant BA-9 CH</b>	
Article		Qty
Timer		2
Automatic switch over valve		2
Way solenoid valves 3/8" 32		3
Way solenoid valves 1/4" 311		3
Water meter ND80 W.W.K		1
Floater valves ND 3/4"		2
Yanking valves ND 3/4"		2
Ball non return valve ND 1		3
Diaphragm		6
<b>02-04-00354</b>	<b>Precut filter, Strataflow 10</b>	
Article		Qty
Pressure gauge 0-6 bar		3
Valves		3
Precut support		2
Ball Valves ND 50		2
Ball valves ND 32		2
Ball valves ND 25		2
Ball Valves ND		2
Stereo valves		3
Recalculation pump grundfos		1
Non return valves		2
Backwash valves		3
Thermos regulator Tec 112		2

<b>02-04-00355</b>	<b>Autistic</b>	
Article		Qty
Thermos regulator Tec 11		3
Flow –meter 0-6300 l/h		1
Set of regeneration valves		2
Set of Manuel valves 676 ND 25/ND 22		1
Diaphragm pressure gauge 0-10 bar		3
Flow- meter HDL 0-200 kg /h		1
Set of Manuel valves ND 15 –32		1
Float switch Morbid		2

<b>02-04-00356</b>	<b>Dosing systems</b>	
Article		Qty
Dosing pump M 6-10 (Raw water)		1
Dosing pump M 6 –10		1
Float switch Morbid		3
Dosing pump M 6-10 (Osmophos		1
Dosing pump PM 6- 10 (Cooling tower )		1
Water meter WW –KAE		1
Dosing pump M 6 –10 TL		1
Timer 9400 (Weekly )		3

<b>02-04-00357</b>	<b>M High assure tubesDivorces</b>	
Article		Qty
Sets of valves 676 ND 15- 50		2
Valves SISTO ND 80		5
Valves serrate		2
PG 11		3
Non return valves ND 40		2
Blow down valves 501		3
Kg Grease for valves		10
Sol. Valve		1
Precut filter		5

<b>02-04-00358</b>	<b>OSMOSTIL 100 / 3 D</b>	
Article		Qty
Reverse osmosis key BG – 0840- 15S		4
High pressure pump CEHY 3104		1
Flow control valve , Clayton		1
Filter cartridge 5 /um		40

<b>02-04-00359</b>	<b>OSMOCLEANER CR- 2</b>	
Article		Qty
Pump HYGL IANA 1/3		1
Pressure gauge 0-10 bar		4
CF 4 Filter		3
Float switches Jo sap 4		2
Mauna valves ND 15 ,ND 40		3
Ball VA lees ND 15		3
Flux- pump 407 K		1

<b>02-04-00360</b>	<b>Water storage tank</b>	
Article		Qty
Float switch Morbid		4
Float switch Joel SSP 4		1
Pump HYGIANA 1/3		1
Non – return valves ND 32		2
Manual-valves ND 25		2
Manual-vales ND 32		2
Manual – valves ND 50		2
Ball valves ND 15		2
Diaphragm pressure gauge 0 10 bar		3
Thermometer 0 60 C		3

<b>02-04-00361</b>	<b>Equipment: corps Refrigerator Japan</b>	
Article		Qty
Compressor		2
Trans former		1
Fan condenser		2
Fan evaporator		4
Magnetic uzlve		1
Filter gas		2

<b>02-04-00362</b>	<b>Equipment: Generator 1000 KVA Germany</b>	
Article		Qty
Automatic working card		2
Charger Transformer 220 / 24V		2
Rectifier		2
Connector 220V		4
Connector 24V		4
Filter gas		4
Oil Filter		4
Automatic works		1
Electric card for charger		2

<b>02-04-00363</b>	<b>Equipment: Generate 250 KVA Denmark</b>	
Article		Qty
Rely 220V		5
Rely 24V		5
Charger 220 / 24V		2
Gas filter		4
Oil filter		4
Relay 12V		4

<b>02-04-00364</b>	<b>Equipment: Washing machine 50 K g Sewed</b>	
Article		Qty
Motor 3ph		2
Blabbering		3

<b>02-04-00365</b>	<b>Equipment: Drying Tumbler 50 Kg</b>	
Article		Qty
Motor 3ph		2

<b>02-04-00366</b>	<b>Equipment: Blood Bank refriyeralor</b> Company: Electoral	
Article		Qty
Compressor		4
Thermostat		4

<b>02-04-00367</b>	Equipment: Window unit 2 Ton	
Article		Qty
Compressor		50
Motor fan Condenser		75
Automatic		75

<b>02-04-00368</b>	<b>Equipment: Refrigerator</b>	
Article		Qty
Compressor 1/5		50
Compressor 1/3		10
Compressor 1/4		20

<b>02-04-00369</b>	Equipment: Water cooler	
Article		Qty
Compress 1 1/2 Ton		12

<b>02-04-00370</b>	<b>Equipment: Generator</b> Duets Engine No.: 5862959 Engine Type: 34x Ba16M816 Your Inquiry Dated 14.07. 1998 Comida/MSG NR. 4812/6 Validity Till 31.10.1998	
Article	Part No.	Qty
Wellendichtring Rot shaft Lip SE (015)	1221 0682 EY0172-01	68
Ablasshahn Drain cock 3.706KG(015)	0112 0690 Du8833-02	34
Zyinderrohr cylinder liner 5 116, 320 Kg(015)	0400 1561 EB0172-01	544
Sechshantschraube Hexagon Bolt 7,344 kg(015)	0111 2322 Ey8820-70	612
Sechskantschraube Hexagon Bolt 0,340 kg(015)	0111 3207 EE8820-07	34
Sperrkantring spring lock wash 3,400 kg (004)	0117 7981 Es8922-01	340
Sechskantschraube hexagon bolt 5,746 kg(015)	0111 2333 Eu8820-07	442
Rillenkugellager Ball bearing 12,580 kg (015)	0110 9051 Ey8844-50	68
Sicherungsring circle 0,816 kg (004)	0110 7844 Fu8822-74	68
Dehnchraube wasted bolt 2,448 kg (015)	0116 6837 EF8920-16	68
Stewing. Damper vibration 1802,00 kg (015)	0405 2569 ED0172-05	34
Pleuelbuchse Big end bush 83,776 kg (015)	0215 3244 ed0172-06	544
Sechskantschraube Hexagon bolt 163,200 kg(015)	0215 3291 EE0172-06	108
Pleuellager big end bearing 138,176 Kg (015)	0400 9621 kz0172-06	8
		544

Kolbenringsatz set of pits .Erin 103,360 kg (004)	0405 4307 kyo150-77	544
Kolben piston 1596,640 kg (015)	0400 9723 kZ0172-07	272
Ventilfeder valve spring 81,600 kg (015)	0215 4473 ED0170-08	544
Klemmkegelhaelfte taper collate pie 4,352kg(015)	0116 8819 Es8970-20	217 6
Federteller spring cap 28,288 kg (015)	0337 3427 EE0170-08	544
Persuader parallel kA 0,068 kg (015)	0111 7933 fu8825-25	34
Stephen Plug 22,848 kg (015)	0116 5837 EF0150-03	544
Stephen plug 3,264 kg (015)	0116 5831 EF8928-60	272
Stephen plug 1,904 kg (015)	0116 5828 EF8928-60	272
Stephen plug 3,536 kg (015)	0116 6649 EF 8928-59	727
Ventilstzring valve seat insure 32,096 096kg (015)	0400 0011 EE0150-44	544
Vetilsitzering valve seat insure 26,656 kg (015)	0400 0010 EE0172-08	544
Ventilfuehrung valve guide 144,704 kg (015)	0400 6076 EE0172 -08	108 8
Sechskantschraube hexagon Bolt 19,584 kg (004)	0111 1184 EU8820-01	544
Einlassventil inlet valve 187,136 kg(015)	0400 7099 ED0172-08	544
Auslassventil exhaust valve 198,56 kg(015)	0405 2409 ED0172-08	544
Vorkammerunterte pre-chamber base 81,872)kg(015)	0400 7202 EZ0172-08	272
Scheme plain washer1,632 kg (004)	0121 6118 EF0150-54	544
Dehnschraube wasted Bolt 214,336 kg (015)	0400 6799 EE0150-70	544
Zyl.Kopfschraube cylinder head Bo 182,240 kg (015)	0400 8811 EE0172-08	544
Rillenkugellager ball bearing 30,736 kg (004)	0117 4495 ES8944-61	68
Sicherungsring circle 1,496kg(015)	0110 7855 EE882-74	68
Persuader parallel key 0,408kg(0150)	0111 8002 ES8825-25	68
Feeding lock washer 6,800 kg (015)	0110 2800 Eu8822-01	340 0
Sechskantschraube hexagon bolt 5,508 kg (015)	0111 2429 Eu8820-07	204
Sechskantschraube Hexagon bolt 11,764 kg (015)	0117 8912 ES8920-08	68
Sechskantschraube Hexagon Bolt 4,488 kg(004)	0111 2308 Eu8820-07	408
Ventilstoessel valve tappet 241,236 kg (015)	0337 3533 FE0170-11	108 8
Strobe screw/Bolt 13,056 kg (015)	0337 3568 FE0170-11	544
Sechskantmutter hexagon nut 3,808 kg(015)	0121 6006 EF8921-19	544
Sechskantschraube hexagon bolt3,196 kg(015)	0115 3767 E9999-99	68
Strobe hexagon Bolt 6,392 kg (015)	0113 3909 Ey8820-10	136
Spannbuchse clamping bush 0,816 kg (015)	0116 7269 EF8923-41	272
Filterensatz filter insert 34,374 kg (015)	0116 1212 EE8941-19	102
Siebmantel strainer 34,612 kg (015)	0210 4881 EZ0171-15	34
Feeder spring 1,156 kg (004)	0210 4887 Ez0171-15	34
Heels sleeve 0,952 kg (015)	0210 4893 EZ171-15	68

Verschlussraub screw plug 2,312 kg (015)	0111 0445 ES892-01	34
Thermostat thermostat 15,232 kg (015)	0117 2667 KZ8942-55	136
Ueberdruckventil relief valve 6528 kg (015)	0336 1348 FU0146-01	544
Zylinderschraube Hexagon screw 11,968 kg (015)	0111 0560 ES8920-35	108 8
Feeding lock washer 1,088 kg (004)	0111 9611 ES 8822-02	108 8
Rohrverbinder Pipe union 15,504 kg (015)	0117 1953 kz8931-44	68
Uebergangsstutzen Adapter Nipple 1,088 kg (015)	0111 9144 ES8931-22	34
Gummipufferrubber stop 0,204 kg (015)	0121 6316 EF8975-65	68
Sechskantschraube hexagon bolt 4,080kg (015)	0111 2322 EY8820-07	34
Einspritzpumpe fell infect um 649,400 kg (004)	0400 3276 kz0172-17	34
Foerderpumpe supply pump 86,700 kg (015)	0126 1834 kz8747-11	68
Einspritzpumpe fuel infect pump 969,000 Kg(004)	0215 8031 kz0172-17	34
Einspritzventil fuel injector 268,192 kg (015)	0401 5876 kz0172-19	544
Dues Nozzle 20,672 kg (015)	0400 6236 EZ0172-19	544
Rundgummiring O-Seal 0,544 kg (015)	0116 4124 EE8929-27	544
Dichtscheibe sealing washer 4,352 kg (015)	0401 5509EE0172-19	544
Filtereeinsatz filter insert 18,224 kg (015)	0116 8407 Ez8941-15	68
School auchleitung hose assembly 11,594 kg (015)	0124 4838 KZ8934 -68	34
School auchleitung hose assembly 12,512,Kg (015)	0123 0072 kz8934-68	34
Howl strobe hollow screw 1,598 kg (015)	0111 9250 es8931-02	34
Ueberstroemventil overflow valve 1,496 kg (015)	0215 9068 ee0171-21	34
Hohlschraube hollow screw 1,904 kg (015)	0111 9246 es8931-02	68
Schl auchleitung hose assembly 10,914,kg (015)	0124046850kz 8934-68	34
Ueberdruckventil relief 2,210 kg (015)	0337 9645 kz0199 -17	34
Schlauchleitung hose assembly 777,280 kg (105)	0126 6182 kz 8934 -68	34
Gummimuffe rubber sleeve 1,836 kg (015)	0121 9790 EF8975-65	204
Gummimuffe rubber stop 0,306 kg (015)	0121 6316 EF88975-65	102
Schl auchleitung hose assembly 12,512 kg (015)777	0123 0072 KZ 8934-60	34
Einspritzleitung high pressure pi 7,140 kg (105)	0400 1240 ky0172-21	34
Gummimuffe rubber sleeve 2,176 kg (015)	0400 4205 EZ0172-21	108 8



Gummimuffe rubber sleeve 0,680 KG (015)	0400 4204 EZ0172-21	680
Einspritzleitung high pressure PI 6,800KG(015)	04001241 KY0172-21	34
Einspritzleitung high pressure PI 7,140 kg (015)	0400 1242 ky 0172-21	34
Einspritzleitung high pressure PI 6,800 kg (004)	0400 1243 KY172-21	34
Einspritzleitung high pressure PI 6,800 KG (015)	0400 1244 ky0172-21	34
Einspritzleitung high pressure PI 6,800 KG (004)	0400 1245 KY 0172- 21	34
Einspritzleitung high pressure PI 7,140 KG (004)	0400 1246 KY 0172-21	34
Einspritzleitung high pressure PI 6,800KG (015)	0400 1247 KY 0172-21	34
Einspritzleitung high pressure Pi 6,800KG(004)	0400 1248 KY0172-21	34
Einspritzleitung high pressure PI 6,800 KG(004))	0400 1249 KY0172-21	34
Einspritzleitung high pressure PI6,800KG(004)	0400 1250 KY 172-21	34
Einspritzleitung high pressure PI 6,800 KG (015)	0400 1251 KY0172-21	34
Einspritzleitung high pressure 9,520 KG(004)	0400 1252 KY 0172-21	34
Einspritzleitung high pressure PI 6,800KG (004)	0400 1253 KY0172-21	34
Einspritzleitung high pressure PI 7,480 KG (015)	0400 1254 KY0172-21	34
Einspritzleitung high pressure PI 9,520 KG(015)	0400 1255 KY0172-21	34
Schlauchleitung hose assembly 6,494 KG (015)	0124 4390 KZ8934-68	34
Hohlschraubehollow screw 0,816 KG(015)	0111 9231 ES8931-02	102
Doppelhohlschraub banjo bolt 4,862KG(015)	0117 8622 ES8931-03	442
Gummituelle rubber grommet 0,136 KG(004)	0116 7406 EF8929-28	136
Gluekerze glow plug 39,712 KG(015)	0116 2543 EE8976-31	544
Rillenkugellager ball bearing 12,580KG(015)	0110 9051 EY8844-50	68
Wellendichtring rot .shaft lip SE1,020 KG(015)	0116 2725 ER8929-40	34
Rillenkugellager ball Bering 13,328KG(015)	0117 4298 ES8944-61	68
Wellendichtring rot.shaft llipSE0,612 KG(015)	0116 2568 EF 8929-40	34
Rillenkugellager ball bearing 7,140 KG (015)	0117 4603 ES 8944-61	68
Wellendichtring rot. Shaft lip SE 0,612 KG (015)	0117 1430 EE8929-40	34
Gleiteringdichtungfloating seal 2,074 KG (015)	0123 6294 KZ8929-18	34
Rohrverbinder pipe union 48,892 KG(015)	0116 2388 KZ8931-44	68
Gummimuffe rubber sleeve 7,412 KG (015)	0116 2744 EY8934-30	68

Gummimuffe rubber sleeve 5,474 KG(015)	0116 1235 EE8934-30	34
Sechskantschraube hexagon bolt 11,560 KG(004)	0113 7390 EY 8820-07	340
SSSSicherungsmutter locking nut 3,740 KG((015)	0113 7393 EY8821-32	340
Sechskantschraube hexagon boil 78,336 KG (015)	0337 5455 FF0171-41	217 6
Scheme plain washer 23,936 KG((015)	0336 3938 EF 0150-44	217 6
Reparaturatz repair KIT 29,648 KG(015)	0130 7064 EE0172-43	68
Leafier rotor/ impeller 89,080KG (015)	0400 5727 EZ0172-93	68
Teilesatz set of parts 4,760 JG(004)	0131 9503 Ey0172-43	68
Verdichterrad wheel 21,284 KG(004)	0400 6111 EZ0172-43	68
Schal tgeraet switching device 3,060 KG(015)	0126 2509 KZ8742-15	34
Temperature Gerber temper. T4ransmitt 7,174 KG(015)	0126 2492 KZ8742-15	34
Glue lamp incandescent lam 0,038 KG(064)	0112 1423 FU8876-45	34
Anzeigeleuchte indicator light 0,374 KG(015)	0117 6456 ES8214-03	34
Rillenkugellag ball bearing 2,584 KG(015)	0110 1585 EY 8844-50	68
Heizkoerper radiator / heater 29,682 KG(015)	0126 0671 KZ8776-28	34
Dichtungssatz gasket set 561,000 KG (015)	0291 1562 TY0172-00	34
Dichtungssatz gasket set 138,176 KG(015)	0291 1558 TY0172-00	544
Dichtungssatz gasket set 49,844 KG(015)	0291 1571 TY0172-00	68

02-04-00371	<b>Duets engine –no: 6536269</b> Engine type: 10-x bai2m816 Your inquiry dated 14-07-1998 kimadia / msg. NR .4812 /6 Validity thll 31-10-1998		
Gummimuffe rubber sleeve 1,650 KG(015)	0116 5398 EU8934-30	10	
Wellendichtring rot. Shaft lip se 1,440KG(015)	0116 7487 EF8929-39	10	
Wellendichtring rot- shaft lip se 1,900KG(015)	1221 0682 EY0172-01	10	
Ablasshahn drain cock 1,090 KG(015)/	0112 0690 DU8833-02	10	
Zyinderrohr cylinder liner 1 128,600 KG(015)	0400 1561 EB0172-01	120	
Sechskantschraube hexagon bolt 2,160KG(015)	0111 2322 EY8820-07	180	
Sechskantschraube hexagon bolt 2,160 KG(015)	0111 2307 EE8820-07	10	
Sperrkantring spring lock wash 1,000KG(004)	0117 7981 ES8922-01	100 0	
Sechskantschraube hexagon bolt 1,690 KG(015)	0111 2333 EU8820-07	130	
Rillenkugellager ball bearing 3,700KG(015)	0110 9050 EY8844-50	20	
Sicherungsring circles 0,240 KG(004)	0110 7844 FU8822-74	20	
Dehnchraube wasted bolt 0,720 KG(015)	0116 6837 EF8920-16	20	
Schwings .damper vibration damper 530,000 KG(015)	0400 9469 ED0172-05	10	
Pleuelbuchse big end bush 18,480 KG(015)	021 3244 ED0172-06	120	
Sechskantschraube hexagon bolt 36,000 KG(015)	0215 3291 EE0172-06	240	
Pleuellager big end bearing 30,480 KG(015)	0400 9621 KZ0172-06	120	
Kolben piston 352,200KG(015)	0400 9723 KZ0172-07	60	
Kolbenringsatz set of pist. rin 11,400KG(004)	0405 4307 KY0150-77	60	
Scheibe plain washer 0,240 KG(004)	0121 6118 EF0150-54	80	
Dehnchraube wasted bolt 39,400KG(015)	0400 6799 EE0150-70	100	
Zyl-kopfschraube cylinder head bo33,500 KG(015)	0100 8811 EE0172-08	100	
Ventilfeder valve spring 18,000,KG(015)	0215 4473 ED0170-08	120	
Klemmkegelhaelfte taper collate pie 0,480KG(015)	0116 8819 ES8970-20	240	
Federteller spring cap 6,240 KG(015)	0337 3427 EE0170-08	120	
Passfeder parallel key 0,020 KG(015)	0111 7933 FU8825-25	10	
Stopfen plug 5,040 KG(015)	0116 5837 EF0150-03	120	
Stopfen plug 0,720 KG (015)	0116 5831 EF8928-60	60	
Stopfen plug 0,420 KG(015)	0116 5828 EF8928-60	60	
Stopfen plug 0,780 KG(015)	0116 EF8928-59	60	
Ventilstzring valve seat insure 7,080 KG(015)	0400 0011 EE0150-44	120	
Ventilstzring valve seats insure 5,880KG(015)	0400 0010 EE0172-08	120	

Ventilfuehrung valve guide 31,920 KG(015)	0400 6076 EE0172-08	240
Sechskantschraube hexagon bolt 4,320 KG(004)	0111 1184 EU8820-01	120
Einlassventil inlet valve 41,280 KG(015)	0400 7099 ED0172-08	120
Auslassventil exhaust valve 43,800 KG(015)	04052409 ED0172-08	120
Vorkammerunterte pre-chamber base 18,060 KG(015)	0400 7202 ez0172-08	60
Rillenkugellager ball bearing 4,5220 KG(004)	0117 4495 ES8944-61	10
Sicherungsring circlip 0,440 K G(015)	0110 7855 EE8822-74	20
Passfeder parallel key 0,120 KG(015)	0111 8002 ES8825-25	20
Federring lock washer 2,000KG(015)	0110 2800 EU8822-01	100 0
Sechskantschraube hexagon bolt 1,620 KG(015)	0111 2429 EU8820-07	60
Sechskantschraube hexagon bolt 3,460 KG(015)	0117 8912 ES8920-08	20
Sechskantschraube hexagon bolt 1,320 KG(KG)	0111 2308 EU8820-7	120
Strobe screw/bolt 1,440 KG(015)	0337 3568 FE0170-11	60
Sechskantmutter hexagon 0,420 KG(015)	0121 6006 EF8921-19	60
Sechskantschraube hexagon bolt 1,880 KG(015)	0115 3767 EF9999-99	40
Strobe hexagon bolt 1,880 KG(015)	01136909 EY8820-10	40
Spannbuchse clamping bush 0,180 KG (015)	0116 7269 EF8923-41	60
Ventilstoessel valve tappet 51,600KG(015)	0400 7541 ED0172-11	240
Rillenkugellager ball bearing 0,400 KG (015)	0112 2272 EY8844-50	20
Sicherungsring circles 0,020 KG(015)	0110 7815 ES8822-74	20
Sicherungsmutter locking nut0,020 KG(015)	0113 3500 EY8821-32	10
Hohlschraube hollow screw 0,130 KG(015)	0111 9237 ES8931-02	10
Siebmantel strainer 10,180 KG(015)	0210 4881 EZ0171-15	10
Flitter insatz filter insert 6,740 KG(015)	0116 1212 EE8941-19	20
Feeder spring 0,340 KG(004)	0210 4887 EZ0171-15	10
Hulls sleeve 0,280 KG(015)	0210 4893 EZ0171-15	20
Verschlussraub screw plug 0,550KG(015)	0111 8985 EY8828-01	10
Manschette sealing sleeve 0,750 KG(015)	0210 5020 EZ0170-15	10
Mutter nut 0,120 KG(015)	0210 4998 EZ0170-15	10
Augenschraube eye bolt 0,250KG(015)	0113 8954 ES8920-56	10
Knebelkerbstift grooved pin 0,120 KG(004)	0111 5280 ou8824-54	10
Thermostat 4,480 KG(015)	0117 2667 KZ8942-55	40
Ablasshahn drain cock 2,180 KG(015)	0123 5127 EF8933-20	10
Doppelstutzen twin nipple 0,280 KG(015)	0111 9119 ES8831-21	10
Hohlschraube hollow screw 0,280 KG(015)	0111 9246 ES8931-02	10

Hohlschraube hollow screw 0,130 KG(015)	0111 9237 ES8931-02	10
Ueberdruckventil relief valve 1,440 KG(015)	0336 1348 FU0146-01	120
Zylinderschraube hexagon screw 2,640 KG(015)	0111 0560 ES8920-35	240
Federring lock washer 0,240 KG(004)	0111 9611 ES8822-02	240
Rohrverbinder pipe union 4,560 KG(015)	0117 1953 KZ8931-44	20
Uebergangsstutzen adapter nipple 0,320 KG(015)	0111 9144 ES8931-22	10
Gummipuffer rubber stop 0,060 KG(015)	0121 6316 EF8975-65	20
Sechskantschraube hexagon bolt 1,200 KG(015)	0111 2322 EY8820-07	100
Hohlschraube hollow screw 0,190 KG (015)	0331 5353 EC8931-03	10
Buechse bush 0,480 KG (061)	0210 6417 EU0170-17	80
Scheibe plain washer 0,200 KG (016)	0210 6415 EU0170-17	40
Federring lock washer 0,200 KG(015)	0111 9612 FE8822-02	100
Einspritzpumpe fuel inject .pump 285,000 KG(015)	0400 6664 KZ0172-17	10
Foerderpumpe supply pump 12,750 KG(015)	0126 1834 KZ8747-11	10
Foerderpumpe supply pump 11,340 KG(015)	0126 3109 KZ8949-11	10
Rillenkugellager ball bearing 3,440 KG(701)	0112 2281 EY8844-50	10
Rillenkugellager ball bearing 9,800 KG(015)	0110 9052 EY8844-50	50
Wellendichtring rot .shaft lip se 0,300 KG(015)	0116 2725 EF8929-40	10
Sicherungsring circler 0,200 KG(015)	0110 7850 FU8822-74	10
Persuader parallel key 0,060 KG(015)	0111 8002 ES8825-25	10
Wellendichtring rot .shaft lip se 0,230 KG(015)	0117 4356 EC8929-40	10
Einspritzventil fuel injector 59,160 KG (015)	0401 5876 KZ0172-19	120
Rundgummiring 0-seal 0,120 KG(015)	0116 4124 EE8929-27	120
Dichtscheibe sealing washer 0,960 KG(015)	0401 5509 EE0172-19	120
Schlauchleitung hose assemble 2,840 KG(015)	012 6178 KZ8934-68	10
Filtereinsatz filter insert 5,360 KG (015)	0116 8407 EZ8941-15	20
Schraubstutzen screw connector 0,500 KG(015)	0121 0187 EF8931-20	10
Schlauchleitung se/assembly 11,040 KG(015)	0123 0072 KZ8934-68	30
Verbindungsstutze union 0,490 KG(015)	0111 6710ES8831-21	10
Hohlschraube hollow screw 0,470 KG(015)	0111 9250 ES8931-02	10
Ueberstroemventil overflow valve 0,440KG(015)	0215 9068 EE0171-21	10
Hohlschraube hollow screw 0,280 KG(015)	0111 9246 ES8931-02	10
Schl auchleitung hose assembly 2,120 KG(015)	0126 6182 KZ8934-68	10

Schlauchleitung hose assembly 3,210 KG (015)	0124 4685 KZ8934-68	10
Gummimuffe rubber sleeve 0,630 KG(015)	0121 9790 EF8975-65	70
Gummipuffer rubber stop 0,030KG(015)	0121 6316 EF8975-65	10
Gummimuffe rubble sleeve 0,010KG(015)	0337 2269 ED0155-21	10
Schlauchleitung hose assembly 3,680 KG(015)	0123 0072 KZ8934-68	10
Gummimuffe rubber sleeve 0,300KG(015)	0400 4549 EE0172-21	60
Gummimuffe rubber sleeve 0,720 KG(015)	04004205 EZ0172-21	360
Gummimuffe rubber sleeve 0,360 KG(015)	0400 4204 EZ0172-21	360
Einspritzleitung high pressure pi 2,940 KG(004)	0400 1227 KY0172-21	10
Einspritzleitung high pressure pi 2,800 KG(015)	0400 1228 KY0172-21	10
Einspritzleitung high pressure pi 4,000 KG(004)	0400 1229 KY0172-21	10
Einspritzleitung high pressure pi 4,000KG(015)	0400 1230 KY0172-21	10
Einspritzleitung high pressure pi 4,000KG(004)	0400 1231 KY0172-21	10
Einspritzleitung high pressure pi 2,500 KG (015)	0405 0066 KY0172-21	10
Einspritzleitung high pressure 2,800 KG(004)	0400 1233 KY0172-21	10
Einspritzleitung high pressure pi 2,800 KG(015)	0400 1234 KY0172-21	10
Einspritzleitung high pressure pi 2,800KG (015)	0400 1235 KY0172-21	10
Einspritzleitung high pressure pi 2,800 KG(004)	0400 1236 KY0172-21	10
Einspritzleitung high pressure pi 4,000KG(015)	0400 1237 KY0172-21	10
Einspritzleitung high pressure pi 4,000KG(015)	0400 1238 KY0172-21	10
Schl auchleitung hose assembly 1,910 KG(015)	0124 4390 KZ8934-68	10
Wartungsschalter Maine indicator 0,2290 KG(015)	0118 0697 EZ8941-37	10
Unterdruckanzeige service gauge 1,380 KG(015)	1215 3479 EF0120-00	20
Filterpatron filter cartridge 31,540 KG(015)	0216 5054 EZ0199-22	10
Filzscheibe felt washer 0,010kg(004)	0336 3577 EE0150-22	10
Gummimuffe rubber sleeve 4,00 kg (004)	0224 0773 EE0171-22	20
Gluehkerze glow plug 8,760 kg (015)	0116 2543 EE8976-31	120
Winkelgelenk ball joint 0,260 kg (015)	0117 5511 E88936-03	10
Steuergeraet control unit 12,260 kg (004)	01263225 kz8942-53	10
Wellendichtring Rot. Shaft lip se 0,180 kg (015)	0116 2568 EF 8929-40	10
Rillenkugellager Ball bearing 2,100 kg (015)	0117 4603 ES8944-61	20

Wellendichtring Rot.shaft lip se 0,180 kg (015)	0117 1430 EE8929-40	10
Gleitringdichtung floating seal 0,610 kg (015)	0123 6294 kz8929-18	10
Rohrverbinder pipe union 14,380 kg (015)	0116 2388 kz8931-44	20
Gummimuffe Rubber sleeve 2,180 kg (015)	0116 2744 EY8934-30	20
Gummimuffe Rubber sleeve 1,610 kg (015)	0116 1235 EE8934-30	10
Keilriemensatz set of V-Belts 7,100 kg (015)	0116 1701 EF8937-01	10
Rillenkugellager ball bearing 4,440 kg (015)	0110 9122 EY8844-50	20
Isolierung insulation 15,800 kg (015)	0215 2141 ku0171-41	10
Isolierung insulation 20,400 kg (015)	0215 2034 kz0171-41	10
Sechskantschraube hexagon bolt 16,560 kg (015)	5455 FF0171-41	460
Scheibe plain washer 5,060 kg (015)	0336 3938 EF 015-44	460
Sechskantschraube hexagon bolt 3,400 kg (004)	0113 7390 EY8820-07	100
Sicherungsmutter Locking 1,10 kg (015)	0113 7393 EY8821-32	100
Reparatursatz repair kit 2,420 kg (015)	0130 7514 EY0172-43	10
Schaltteil Switch element 0,40 kg (015)	01176117 Ez8230-90	10
Regular Schuster regulator cut-ou 20,160 kg (015)	0116 9102 EF8976-15	10
Anzeigeleuchte indicator 0,120 KG(015)	0117 6454 ES8214-03	10
Gluehlampe incandescent lam 0,020 KG(064)	0112 1423 FU8876-45	10
Anzeigeleuchte indicator 0,110 KG(015)	0117 6456 ES8214-03	10
Rillenkugellager ball bearing 0,760 KG(015)	0110 1585 EY8844-50	20
Hubmagnet solenoid 25,260 KG(015)	0118 0814 KZ8241-10	10
Geraetesteckdose connector 0,300KG(015)	0108 8676 ES8239-74	10
Dichtung gasket 0,010 KG(015)	0224 6723 EE0199-48	10
Letting pipe/line/lead 0,050 KG(015)	0224 5884 EE0199-48	10
Flachoichtung flirt gasket 0,020 KG(015)	0117 4494 ES8239-74	10
Heizkoerper radiator/heater 8,730 KG(015)	0126 0671 KZ8776-28	10
Dichtungssatz gasket set 103,000 KG(015)	0391 15611 TY0172-00	10
Dichtungssatz gasket set 30,480 KG(015)	0291 1558 TY0172-00	120
Dichtungssatz gasket set 14,660 KG(015)	0291 1571 TY0172-oo	20

<b>02-04-00372</b>	<b>( 2 ) Complete set of tools SPECIAL TOOL SET BAM 816</b>	
Compression tester		2
Connecting sleeve		2
Adjusting sleeve		2
Dial gauge		2
HP pump		2

Container	2
Device for measuring angle degrees for Conroe and main bearings	2
Tester for piston cooling nozzles	2
Measuring device for aligning injection pump	2
Dial gauge	2
HOLDER	2
Measuring flanges	2
Wrench for nozzles	2
Wrench for fuel filter	2
Puller for coupling flange injection pump	2
Wrench for cylinder head bolts	2
Valve lifter	2
Valve reface inlet	2
Valve refaced exhaust	2
Pilot bar	2
Holder for milling cutter	2
Additional part for holder	2
Assembly arbor valve guide	2
Reamer for valve guide	2
Arbor for valve set inlet	2
Arbor for valve set exhaust	2
Prechamber Puller	2
Extractor for liners	2
Draw- plate	2
Piston ring pliers	2
Piston compressor	2
Arbor for piston pin bushes	2
Trapezoidal groove wear gauge for pistons	2
Device for crankshaft seal	2
Assembly/disassembly device for camshaft bearing bushes	2
Roll-in tool for main oil gallery	2
Roll-in tool for piston cooling	2
Extracting device for injector	2
Extractor for injector	2
Spreader for bearing cap	2
STANDARO TOOL KIL	
Gedore box ½	2
Gedore box ¾	2
Set of wrenches for socket head cap screws	2
Set of forked wrenches 6/7 –30/32	2
Set of ring wrenches 6/7 –30/32	2
Set of ring –forked wrenches 6-32	2
Water pump pliers	2
Combination pliers	2
Side cutting nippers	2
Side cutting nippers	2
Pincers	2
Set of files	2
Valve gauge	2
Triangular scraper	2
Flat scraper	2
Set of screwdrivers	2
Hammer 500 g	2
Hammer 800 g	2
Flat chisel	2
Bolt chisel	2



Turning tool wrench ½' 80-100 NM	2
½' 40-20 NM	2
Tool box 305-00-	2

<b>02-04-00373</b>	<b>C-STANDARD ELECTRICAL TOOLS VDE</b>	
Tool bag electrical tools 3251-0		2
Combination pliers		2
Side cutting nippers		2
ST of screwdrivers		2
Flat nose pliers		2
Round nose pliers		2
Telephone pliers		2
Angled telephone pliers		2
Stripping tongs		2
Stripping knife		2

<b>02-04-00374</b>	<b>Equipment : Refrigerator 9foot</b> Company name: Arston-Italy	
Door chamber		15
Freezer		10

<b>02-04-00375</b>	<b>Company name : Arston –Italy</b>	
Door chamber		15
Silver tube ¼		5roller
Silver tube 3/16		5 roller
Kampry tube 3/16		5 roller
Thaouzen		10 Box

<b>02-04-00376</b>	<b>Equipment: Refrigerator 14foot</b> Company name: Virginia-France	
Door chamber		5

<b>02-04-00377</b>	<b>Equipment: Refrigerator 14foot</b> Company name: Marblec-Spain	
Door chamber		5

<b>02-04-00378</b>	<b>Equipment: Freezer</b>	
Motor ¼(withrelay + overload)		10
Motor 1/5(withrelay + overload)		10
Automatic V55		125
Door chamber (12foot)		5
Door chamber (16foot)		5

<b>02-04-00379</b>	<b>Equipment: Refrigerator Japan</b>	
Motor 1/5 with (Relay +over load)		50
Motor 1/6 with (Relay +over load)		50
Motor 1/8		50
Automatic VP4		50
Automatic VCI		50
Feruon R12		200k
		g

<b>02-04-00380</b>	<b>Equipment: Wattle cooler Japan</b>	
Motor 1/5 with (Relay over load)		50
Motor ½ with (Relay over load)		50
Motor 1 with (Relay +over load)		50
Motor 2 with (Relay +over load)		50
Tube water glass		25
Automatic		50

<b>02-04-00381</b>	<b>Equipment: Air condition Japan</b>	
Motor 1Ton		150
Motor 1.5 Ton		50
Motor 2Ton		100
Motor 9Ton		4

<b>02-04-00382</b>	<b>Equipment: Air-condition 2 Ton Japan</b>	
Fan 50Hz, 1PH, CAP 10.001370		40
Fan working 5 witch		200
Automatic A28		100
Blower		70
Interior fan		50
Behind fan		20

<b>02-04-00383</b>	<b>Equipment: Boiler HOFAl-Germany</b>	
Motor 3PH		10
Oil pump		10
Electrode		10
Thermostat		10
Contactora 16A		20
Over loud		10
Relay		15
Photocell		10
Nozzle		10
Air regulator		10
Tube 2"		400
Tube 1"		50
Tube ½"		200

<b>02-04-00384</b>	<b>Equipment: Generator 250 KVA</b>	
Battery 12V-60A		20
Battery 12V-90A		20
Battery 12V-135A		15

<b>02-04-00385</b>	<b>Equipment: Freezers Japan</b>	
Automatic k54-p1102 80-45-5p		50

<b>02-04-00386</b>	<b>Equipment: drying tumbler Vniwash –Sweed</b>	
Heater 2000W-T6220 EchEN		50

<b>02-04-00387</b>	<b>Equipment: Air cooler Wasting house</b>	
Motor 1/2Hp		100
Motor 3/4HP		100
Water pipe		200
Belt 1525		200
Belt 1550		200
Blower		50

<b>02-04-00388</b>	<b>Equipment: Electric Fan Sanyo-Japan</b>	
Working regulator		100
Capaster		120

<b>02-04-00389</b>	<b>Equipment: Incinerator HOFAL-Germany</b>	
Blower t.k.v.008MU		10
(OFF-ON) switch		10
Transformer 24V		10
Timer		10
Heating gauge		100
Control		100
Micro switch K.K. p50-85		40
Bush -bottom		40

<b>02-04-00390</b>	<b>Equipment: Generator 250 KVA Hitzinger</b>	
Voltage regulator		20
Regulator card		20
Selector switch		10
Charger Transformer		10
Solinoid valve 24V		10
Gas Filter		100
Oil Filter		100
Relay 24V		40
Electric board		20
Relay k19		15
Relay k14		15
Amp-gauge		10
Voltage-gauge		10
Oil gauge		10
Heating gauge		10
Gauge		10

<b>02-04-00391</b>	<b>Spar parts for cold stores and blood bank Refrigerator (for warehouse)</b>	
Compressor type :H2-28/4-074/12		20
Compressor coplemate type : MRB1-0500-TFD, 380/3/50		50
Compressor DWN-coplend type : DLSGB-40/-EWL,380/3/50		50
Compressor type : 1195-89J28-TAH-2466A, 380/30/50(hermitic)		40
Really type: ESSEX 134-20303-333 12FLA60 LRA, 18A,USPAT286,765, 49724,977		100
Compressor ,coplematic type : 9RB1-0505-ESL, 3/50/380		30
Compressor ,Bitzzer(W.G) 7.5HP,380/50/3		10
Timer,15021-172,microplash		20
Compressor ,Tecumsuh,50HZ JAH2150J,1.5kw,3ph,200V,R502		40
Compressor, Tecumseh, 50HzJAH2460A,1.5KW,200V,h12		40
Compressor 1/3HP,for flood bank refrigerator with overload and revay and capacitor		500
Compressor ¼ Hp, for blood tank refrigerator with over load and relay and capacitor		500
Evaporator fan motor for toad tank refrigerator		100
Hi-low pressure cutely		100
Oil press, curtail		100
Compressor ,Frigopol type : D40100,3/50/380		30
Compressor ,Tecumsch,220V,40Hz type: GAJ 4492,R12		40

<b>02-04-00392</b>	<b>EQPMENT: DIMMING LIGHTING MODEL : ES 6090 SERIES COMPANY / MANUFACTURER : ES 6090 SERIES QUANTITY : 99 SITE : MEDICAL CIT</b>	
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
DIMMER MODULE	ES6259	70
DIMMER MODI;E	ES6459	100
DOUBEL POLE 15 AMP, MCB		150
SINGLE POLE 15 AMP., MCB		150
PUSE 20 AMP.		150
FUSE 5 AMP		50
DOUBLE POLE ISOLATOR 100 AMP		25
TP & N ISOLATOR 120 AMP.		25
CLOCK		100
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
PATIENT LIGHT LENS, 30 W SWITCH	A-43116-007-02	3000
BED BUMPER NIGHT LIGHT BULBS	GE # 25T 10250V	3000
EXAM LIGHT BULB, 12V, 20W	SUNNEX # 1220	1500
20 AMP, 2-POLE PRIMARY BREAKER	QIL-220	50
20 AMP, 2-POLE SECONDARY BREAKER	QO-220	50
DIMMER SWITCH 220V/ 50HZ	ATMOS # LC62- 220/50	20
CLOCK/ FOHOYS; EOYJ NSYYRTU	MTC-32B	500
FUSE FOR CLOCK OR LIM 3AGC, 1/4A, 250V	43199-004-07	500
FUSE FOR EXAM LIGHT	BUSS GLR-2	500
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-TRA	2

BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G- CONNTRA	2
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G- 38LFS18B20	2
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G- 38LES19B19	2
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-101	2
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525GLEM8 (AJG SL)	6
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-10	10
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-33	4
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-37	2
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-50	2
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-LFM15 (AJCSL)	2
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-22	2
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-FEMB9	2
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-513G-30	5
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-513G-6	5
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-513G-29	5
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-513G-18	5
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-513G-19	5
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-516G-RBA	2
CIRCUIT BREAKER 277/480V, 3P4W	PBLA36400,GN	5
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
INVERTER MODULE	200100-A	100
BATTERY CHARGER/ TRANSFER ASSEMBLY	200101	75
TRANSFER RELAY	92724	50
SWITCH, LOAD	90767	10
TEST SWITCH, SPRING LOADED, TOGGLE	92780	50
CHARGER TRANSFORMER	92741-A	50
277VAC METER, AC LOAD CURRENT	92741	30
METER, BATTERY VOLT	92763	30
NIFE NI-CAD BATTERY	92886 (L405)-5	500
CONTROL PANEL ASSEMBLY	700111	20
FISE 100 AMP		25
<b>DESCRIPTION</b>		<b>QTY.,</b>

AC POWER STATION 1.5 KVA COMPLETE WITH BATTERIES. VOLTAGE INPUT : 220 VAC OUTPUT : 220 VAC FREQUENCY : 50 HZ TRANSFER TIME : 50 – 100 MS FULL RATED LOAD FOR 90 MINUTES MINIMUM LOAD POWER FACTOR 0.85 LAY OR 1.0 LEAD		14
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
AIR- COOLED CONDENSING UNIT	MALS 300-B2-75	5
AIR-COOLED CONDENSING UNIT	MALQ 200-B1-75	5
AIR-COOLED CONDENSING UNIT	MAKP 150-B1-75	5
AIR-COOLED CONDENSING UNIT	MAKM 75-A1-38	5
AIR-COOLED CONDENSING UNIT	MALQ- 200-B1-75	9
AIR-COOLED CONDENSING UNIT	MAKN-100-A2-38	5
AIR-COOLED CONDENSING UNIT	KAKO-150-B1-75	3
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
CP,[RESSPR DWM-COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DKMB-50	2
CP,[RESSPR DWM-COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DKJ-75	8
CP,[RESSPR DWM-COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DLEG-401	2
CP,[RESSPR DWM-COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DLFB-201	10
CP,[RESSPR DWM-COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DKL-150	4
CP,[RESSPR DWM-COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DLL-301	2
FILTER DRIER	ADK-163	100
FILTER DRIER	ADK-164	200
EXPANSION VALVE, EXTERN-EQUALIZED	TCE 4RW	4
EXPANSION VALVE, EXTERN-EQUALIZED	TCE 5RW	4
EXPANSION VALVE, EXTERN-EQUALIZED	TCE 3RW	4
EXPANSION VALVE, EXTERN-EQUALIZED	TCE IFW	4
EXPANSION VALVE, EXTERN-EQUALIZED	TCE 3FW	4
EXPANSION VALVE, EXTERN-EQUALIZED	TCE 2FW	4
HIGH/LOW PRESSURE SWITCH		12
SOLINOID VALVE 12		5
SOLINOID VALVE 10		5
ROOM THERMOSTAT	FFL-114-3	20
CONDENSER FAN COMPLETE	RCN1-6	30
CONDENSER FAN COMPLETE	CEV14-15	30
EVAPORATOR FAN COMPLETE	ARBT 14	40
EVAPORATOR FAN COMPLETE	AP 5	40

SERVICE STATION (FSV 101) EVACUATING AND CHARGING STATION WITH VACC. PUMP, CHARGING CYLINDER, MANIFOLD, VACC. AND PRESS GAUGES		4
VACUUM PUMP 16 CBM/HR, 220V- 1-50 COMPLETE WITH MOTOR, BASE, HANDLE		8
VACUUM PUM 6 CBM/HR, 220V-1- 50 RESISTENT TO LITHIUMBROMIDE		2
CHARGING MANIFOLD		10
SOLDER PISTOL 100W		15
FLAING TOOL SET UPTO 5/8 IN		15
TUBE CUTTER 6-22 MM		15
CLAMP METER AMP, OHMS, VOLTS MEASUREMENT		15
DIGITAL-POCKET A-V-O METER		15
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
EBCO WATER COOLER COMPLT VALVE	EP8F 023546	20 150
CONDESNER	026757	10
BLADE, FAN	124033	100
MOTOR, FAN	016490	120
CONTROL, COLD	020319	100
HEAT EXCHANGER	025624	150
COMPRESSOR ASSEMBLY	017980	150
GASKET	008983	150
WASHER-FRICTION	009281	150
SCREW, VALVE SPUD	017335	150
GASKET (UNDER TOP)	010545	150
STRAINER – BRONZE	024435	150
GASKET- WASTE	011416	150
TAIL PIECE, WASTE	025862	150
TUBE, COOLER TO VALVE	024409	50
TUBE, WATER SUPPLY	024425	50
FITTING, MALE FLARE	007317	50
<b>DESCRIPTION</b>		<b>QTY.,</b>
MOTOR/COMPRESSOR UNIT COMPLETE FULL AUTOMATIC OPERATION 10800 L/M, 12 BAR, 45KW,		3
MOTOR/COMPRESSOR UNIT COMPLETE FULL AUTOMATIC OPERATION 4000 L/M, 12 BAR, 37KW,		2
MOTOR/COMPRESSOR UNIT COMPLETE FULL AUTOMATIC OPERATION 2300 L/M, 12 BAR, 21KW,		2
AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 520 L/MIN, 8 BAR, 2 X 2.2KW		3
AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 2120 L/MIN, 8 BAR, 2 X 11KW		2
AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 4600 L/MIN, 12 BAR, 2 X 21KW		2
HIGH PRESSURE AIR COMPRESSOR 40 BAR, 11KW		4
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
VACUUM PUM UNIT COMPLETE FREE AIR DISPLACEMENT AT ATMOSPHERIC PRESSURE 760MMHG 1350 L/MIN VOLUMETRIC THROUGH PUT AT LINE VACUUM 4050 L/MIN, 7.5KW-MOTOR		2

VACUUM PUM UNIT COMPLETE FREE AIR DISPLACEMENT AT ATMOSPHERIC PRESSURE 760MMHG 900 L/MIN VOLUMETRIC THROUGH PUT AT LINE VACUUM 2700 L/MIN, 5KW-MOTOR		2
VACUUM PUM UNIT COMPLETE FREE AIR DISPLACEMENT AT ATMOSPHERIC PRESSURE 760MMHG 6750 L/MIN VOLUMETRIC THROUGH PUT AT LINE VACUUM 20250 L/MIN, 40KW-MOTOR		3
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
WASHING LIQUID PUMP	5-653- 213205.2	4
HIGH PRESSURE PUMP SA05/02	28587.4	4
MICROSWITCH WITH ROLLER ¾” 50HZ	9-468- 1524656	20
FOOT MOUNTED MOTOR 7.5KW, 3000 RPM	32282.6	1
COUPLING HIGH PRESSURE PUMP MOTOR	29957.8	1
VOLUME PUM AKHA 6101	28593.2	2
FOOT MOUNTED MOTOR 7.5KW, 1500 RPM	32283.4	1
COUPLING VOLUME PUMP MOTOR	29956.0	1
GEAR MOTOR 0.75KW, 50HZ, 40 RPM	29955.2	1
GEAR MOTOR 0.75KW, 50HZ, 48 RPM	299636	1
RUBBER PROSESSOR	30492.3	6
PROGRAMME PROSESSOR FOR TRANS EF	2-014- 2886073	1
3 PHASE AC MOTOR, 1.5KW, 1000 RPM	9-651- 1556800	3
V-BELT	6-816- 0039357	30
PIPE HIGH PRESSURE PUMP- VALVE	30726.4	2
SOLINOID VALVE WATER 0.5-10 ATU R ½” , 24VINW10	28600.5	2
SOLINOID VALVE WATER 0.5-16 ATU, R ½”	29763.6	2
MAGNETIC LIMIT SWITCH	35135.3	20
LIMIT SWITCH FOR CLUTCH SIGNAL (ROLLER LEVER ZC2-SY11)	29914.9	4
LIMIT SWITCH (BELOW) AT 11-S-J	28490.1	4
SOLINOID VALVE 24V, 50HZ, NW12	29942.0	8
SCREWING WE8 R 1/8”	35276.5	10
SCREWING WE8 ¼”	35288.8	12
SCREWING TE8 R ¼”	35289.8	4

<b>02-04-00393</b>	DRYING MACHINE MACHINE NO.: 28.962 TYPE : 253.15D , 1982 ENGLEHARDT & FORSTER WEST GERMANY 4 MEDICAL CITY/	
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
FLANGED MOTOR 11KW, B5 V1, G160M, 1500 RPM	26540.5	2



FLANGED MOTOR, 2.2KW, 220/380V	24347.7	1
TIME RELAY SCHLEICHER 10 SEC.		8
RELAY 220 VOLT 11 PIN		20
GEAR MOTOR 380V, 50HZ, 2.2KW	35014.0	1
MOTOR PROTECTIVE SWITCH PKZMO-6	35027.2	2
MOTOR PROTECTIVE SWITCH PKZMO-2.4	35235.3	4
TIME RELAY KZTH11, 10SEC	33217.1	10
TIME RELAY KZTH11, 30SEC	33179.3	10
TIME RELAY KZTH11, 100SEC	33180.1	10
TIME RELAY TESCH VS 30PL 125	22556.5	5
CONTACTOR DILOA-22	29788.7	15
CONTACTOR DILOO-52	23294.2	10
SWITCH AT-3-11-S/J/DR	29895.0	6
END SWITCH AT-11-S/I	28490.1	5
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
½ IN THERMO STEAM TRAP	TD 42-L	50
½ IN TRAP	FT 10-4.5	100
¾ IN TRAP	FT 10-4.5	100
1 IN TRAP	FT 10-10	50
1 ½ IN TRAP	FT 10-10	50
SIGHT GLAS	GS 253	100
PRESS GUAGE WITH SYPHON AND COCK	0.1.6 BAR	100
PRESS GUAGE WITH SYPHON AND COCK	0-4	200
PRESS GUAGE WITH SYPHON AND COCK	0-10	200
PRESS GUAGE WITH SYPHON AND COCK	0-16	50
PRES. RED. VALVE. REPAIR KITS FOR MODEL:	DP 2"	10
	DP 2 ½"	10
	DP25 8"	5
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
3" SIZE		10
4"		10
5"		10
6"		10
8"		10
10"		10
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
1"		20
2"		20
2.5"		20
3"		20
4"		20
5"		10
6"		10
8"		10
10"		10

<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
2 ½ IN LENGTH 12 IN		20
3 IN LENGTH 14 IN		20
3 ½ IN LENGTH 15 IN		20
4 IN LENGTH 16 IN		10
5 IN LENGTH 18 IN		10
6 IN LENGTH 20 IN		10
8 IN LENGTH 22 IN		5
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
SIZE: 2" x L 4 1/8" 4 HOLES		50
3" x L 5 1/8" 4 HOLES		50
4" x L 5 3/8" 8 HOLES		50
6" x L 7 1/8" 8 HOLES		30
8" x L 8 1/8" 8 HOLES		30
10"x L 9 3/8" 12 HOLES		30
12" x L 10 ¼" 12 HOLES		30
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
FUEL PUMPS (COMPLETE)		16
GOVERNOR (COMPLETE) ((UG8) TYPE)		1
SHUTDOWN SOLENOID FOR UG GOVERNOR		1
INLET AND EXHAUST VALVES (SET)		1
NOZZELS OF FUEL SYSTEM		16
SEAL OUT SHAFT (COMPLETE)		2
CAM SHAFT		2
LINK SYSTEM GOVERNOR (COMPLETE)		1
TURBO CHARGERS (VTR 250 W3P)		1
LUBRICATING OIL PUMP (COMPLETE)		1
COOLING WATER PUMP		1
FUEL FEED PUMP (TYPE DRACHTFM VR -1/15-R ½		1
TACHOMETER ALTERNATOR TYPE BARBER COLMANDYNT 10100		1
TEMP. SWITCH AND PRESS SWITCH AMOT 4145		5
AIR FILTER		3
SOLENOID VALVE FOR STOP LUCIFER 131 A04		1
TEMP. GAUGES		10
PRESSURE GAUGES		10
MAIN BEARINGS		2
PISTONS		5
CONNECTING ROD		5
INDICATOR VALVE		10
GASKETS (ALL TYPES IN THE ENGINE)		50
GLOW PLUGS		10
MAGNETIC SPEED SENSOR		1
SEAL OUT PUT SHAFT		1
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
SEAT PVC		6
WHEEL AND TYRE ASSEMBLY (PNEUMTIC)		24

BATTERY UNIT , DRY CHARGED COMPLETE		6
CONTROL UNIT	4032093.1	4
FUSE LINK		25
BOARD (SNI - 0528930489)	3022100	8
BOARD (SNI - 0525990789)	3027825 - 001	12
BOARD (SNI - 0518150289)	3025983 - 001	8
HEAD LIGHT SET (LENS , BULB HL , BULB SL)		10
LAMP INDICATOR (LENS , BULB)		10
SWITCH - PUSH BUTTON		6
HAND BRAKE MICRO SWITCH		10
HOSE ASSY H/PRESSURE (FOR STEERING UNIT - BRAKE)		12
MASTER CYLINDER ASSY FOR FOOT BRAKE		12
BRUSH AND SPRING KIT FOR DRIVE MOTOR		10
BEARING FOR DRIVE END		6
BEARING FOR COMMUTATOR END		6
WHEEL BOLT FOR AXLE DRIVE		30

<b>02-04-00394</b>	<b>STEERING AXLE UNIT:</b>	
A. AXLE - STUB		6
B. HUB - STEERING		6
C. BEARING - TAPER ROLLER		6
D. BRAKE PIPES - STEERING UNIT		6
E. CHAIN - SIMPLE		3

<b>02-04-00395</b>		<b>BRAKE :</b>	
A. WHEEL CYLINDER			12
B. BRAKE SHOE L.H			12
C. BRAKE SHOE R.H			12
D. SPRING (TWO TYPES)			24
E. SCREW – BLEED			24
F. WHEEL CYLINDER REPAIR KIT (AR)			12
BRAKE PIPES AND FITTINGS ASSY.			6
DESCRIPTION	PART NO.	QTY.,	
A. HYDROLIC CONTROL VALVES AND LEVERS ASSEMBLY			8
B. BRAKE MICROSWITCH			6
C. HYDROLIC SWITCH ASSY.			6
D. SWITCH-KEY			3
E. LAMP-WARNING			3
SEAT C\W SUSPENSION UNIT-PVC			3
WHEEL AND TYRE ASSEMBLY-DRIVE (PNEUWMATIC IF POSSIBLE)			12
WHEEL AND TYRE ASSEMBLY-STEERING AXLE (PNEUWMATIC IF POSSIBLE)			12

<b>02-04-00396</b>		<b>DRIVE AXLE PARTS AS FOLLOWS</b>	
BEARING (COMPLETE SET)			3
OIL SEAL			3
WASHER-LOCKING			6
RING-LOCKING			6
CYLINDER COMPLETE FOR BRAKE			6
KIT-REPAIR FOR BRAKES			12
SCREW-SKT.HD. FOR BRAKES			6
RING-SPRING FOR BRAKES			6
SPRING ALL SIZES FOR BRAKE			6

<b>02-04-00397</b>		<b>FOOT BRAKE AND ACCELERATOR PARTS AS FOLLOWS :</b>	
MASTER CYLINDER ASSEMBL			3
REPAIR KIT FOR MASTER CYLINDER			6
RUBBER PEDAL (TWO SIZES)			6
ROCKER			6
BRAKE PIPES AND FITTINGS COMPLETE			3
CONTROL UNIT COMPLETE (SN : 89074768)	4032178.1		3
BOARD ASSY (SN : 0525710789)	3100915-002		6
BOARD ASSY (SN : 0526810789)	3022100		3
BOARD ASSY (SN : 0527760889)	3022096		3
HORN			3
PUSH-HORN			3
HYDROLIC PIPING FOR STEER CIRCUIT (COMPLETE SET)			3
HYDROLIC PIPING (COMPLETE SET)			3
PUMP COMPLETE			1
PRESSURE PLATE FOR PUMP			3
CARTRIDGE KIT			3
GASKET KIT			3

TANK-HYDROLIC OIL PARTS AS FOLLOWS :SET OF FILTERS ASSY		3
SEAL BONDED		6
O-RING		3
MAST UNIT PARTS AS FOLLOWS :		6
PAD ALL TYPES		
FLOW CONTROL VALVE		6
HOSE		6
PIPE ASSY		6
TOOL KIT AS FOLLOWS :		3
GUN GREASE		
FILLER-BATTERY		3
HYDROMETER		6
LOG BOOK-BATTERY		3
SLIDING T		3
EXTENSION PIECE		3
SOCKET		3
SOCKET SET (METRIC		6
BATTERY UNIT COMPLETE-DRAY CHARGED		4
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
DAMPERED SEAT ASSY		5
WHEEL CASHION RUBBER		20
BRAKE SHOE C\W LINING (CALL TYPES)		3
WHEEL CYLINDER –BRAKE		3
MASTER CYLINDER-BRAKE		3
CHAIN-STEERING		2
BATTERY ASSY-DRAY CHARGED		5
BATTERY CONNECTORASSY		5
CONTROL UNIT ASSY		5
MODULE (SN: 3785\128\2-06.89)	59.160.00.0 0-007	5
LOOM WIRING		5
PANEL ASSY.		5
VENTILATOR KIT		5
CABLE (ALL TAPES USED)		3
HORN		5
FUSE-CONTROL		20
FUSE-POWER (TWO SIZES)		10
LOOM WIRING FOR CONTROL UNIT		2
HOSE ASSY (ALL SIZES USED FOR HYDRAULIC SYS.)		3
<b>DESCRIPTION</b>	<b>PART NO.</b>	<b>QTY.,</b>
VACUUM CIRCUIT BREAKER 12KV, 25KA, 630A	3AF1741- 4EH40- 8BA2	6
VACUUM CIRCUIT BREAKER 12KV, 25KA, 630A	3AF1741- 4EH40- 6BA2	6
OPERATING MECHAN-EK MOTOR DRIVE 110V DC		12
TRIPPING RELAY SET 110V DC	7VH1604	20
THERM-DELAY OVERLOAD RELAY, 3- POLE	3UC3860- 1C	6
ALARM RELAY	7PG2460- 3EB0	20
GLOW LAMP 220, CLEAR BA 95	35X1701	100

INCAND-LAMP BA95 , 110-130V, 2.5W	35X1731	100
-----------------------------------	---------	-----

<b>02-04-00398</b>	<b>Air condition 2 Ton Japan, Toshiba, Mitsubishi</b>	
Compressor 220 V		108
Automatic		50
Fr R 22		150 Kg
On – Off switch		25
Fan coil		10
Compressor 220 V		108

<b>02-04-00399</b>	<b>Refrigerator</b>	
Compressor 1/6 hp		20
Compressor 1/5		50
Compressor 1 / 4		9
R 12		200 kg
Automatic ran		50
Filter dryer		80

<b>02-04-00400</b>	<b>Blood bank refrigerator Electoral</b>	
Compressor 450 W 220V		6
Automatic		10
R 12		50 kg

<b>02-04-00401</b>	<b>Air cooler</b>	
Motor 1/2 hp		102
Water pump		10

<b>02-04-00402</b>	<b>Kerosene refrigerator Sweed</b>	
Heater		120

<b>02-04-00403</b>	<b>Air condition 2 ton</b>	
Compressor		45
Fan ( general )		10
Fan ( Mitsubishi)		20
Fan ( Hitachi)		10
Thermostat ( Mitsubishi )		70
Selector switch ( Mitsubishi )		20
Cirrus 20 ampere		20
Fan motor ( general)		10
Fan motor ( Mitsubishi)		20
Fan motor ( Hitachi)		10
Gas R 12		5 bottle/13 kg
Gas R 22		5 bottle/13 kg
Gas R 502		5 bottle/13 kg
<b>02-04-00404</b>	<b>Refrigerator</b>	
Compressor 1 /5 hp Japan		45
Thermostat (rang)		30
<b>02-04-00405</b>	<b>Freezer Japan</b>	
Compressor 1/3 hp		15
<b>02-04-00406</b>	<b>Cooling room</b>	
Contactora 30 amp		4
Thermostat - 50 ___ + 50		2
Motor fan size 16		4
Thermostat ( Mitsubishi)		70
<b>02-04-00407</b>	<b>Water cooler fan</b>	
Fan size 10		14
Compressor 1/6 hp Japan		14
<b>02-04-00408</b>	<b>Refrigerator Japan</b>	
Compressor 1/5 hp		40
Automatic		29
Over load		29
<b>02-04-00409</b>	<b>Water cooler Japan</b>	
Compressor 1 /4 hp		24
Automatic		24
<b>02-04-00410</b>	<b>Freezer Japan</b>	
Compressor 1/3 hp		29
Automatic		29
Over load		29
<b>02-04-00411</b>	<b>Lifts Italy</b>	
Lifts rope		100 m
Cabal		100 m
Transformer ( 380 – 60 ) V		30
Rectifier 16 V		30

<b>02-04-00412</b>	<b>Washing machine Sweed</b>	
	Timer	20
	Micro switch	20
	Washing motor	30
	Control board	20
<b>02-04-00413</b>	<b>Corpse cold store U.S.A</b>	
	Control relay	30
	Gas R 502	30
	Timer	30
	Expansion – valve	30
<b>02-04-00414</b>	<b>Blood refrigerator U.S.A</b>	
	Compressor 1/5 hp	20
	Automatic	20
<b>02-04-00415</b>	<b>Hot water boiler Hovel</b>	
	Timer	20
	Starve motor	20
	Photo cell	30
<b>02-04-00416</b>	<b>Steam boiler Hovel</b>	
	Timer	20
	Starve motor	20
	Photo cell	30
<b>02-04-00417</b>	<b>Chiller Hitachi – Japan</b>	
	Changing valve	20
<b>02-04-00418</b>	<b>Cooling water Spain</b>	
	Motor 10 hp	30
	Belt ( 2407 x 17)	30
<b>02-04-00419</b>	<b>Meat deep freeze Germany</b>	
	Expansion valve	30
	Gas R 502	30
<b>02-04-00420</b>	<b>Dairy refrigerator Germany</b>	
	Expansion valve	30
	Gas R 22	30
<b>02-04-00421</b>	<b>Vegetable cold store U.S.A</b>	
	Expansion valve	30
	Gas R 22	30
<b>02-04-00422</b>	<b>Generator( Germany , UK, housetrain)</b>	
	Oil filter	30
	Dingo	20
	Belt	20
<b>02-04-00423</b>	<b>Fan coil unit Spain</b>	
	Filter	30



<b>02-04-00424</b>	<b>Electric drying HOFAL</b>	
Heater		20
Air- circulating motor		20

<b>02-04-00425</b>	<b>Electric iron HOFAL</b>	
Compressor		20

<b>02-04-00426</b>	<b>Air condition</b>	
Compressor 2 ton		35
Compressor 1 ton		30
Compressor 1.5 ton		25
Gas R 22		10

<b>02-04-00427</b>	<b>Spelt unit</b>	
Compressor 5 ton		10
Gas R 22		10

<b>02-04-00428</b>	<b>Package unit Japan</b>	
Compressor 7.5 ton		4
Gas R 22		10

<b>02-04-00429</b>	<b>Lifts Shingled Spain</b>	
Motor (open- close the door)		10
Main robs seat		10
Main over load		15
Gear box for main motor		18
Fazes changer		10
Micro switch for open and close the door		20
Main relay for main board		20
Secondary relay for main board		30
Stopper part ,35 for main door		20
Micro switch for main board		18
Magnetic shoe (capital)		4
Magnetic shoe ( small)		4

<b>02-04-00430</b>	<b>Location central laboratory equipment center fugal chiller</b>	
	Model ECVGAO 17AHACBM BABC	
	Serial no E53O75 E53O76 E53O77 <b>E53O78</b>	

DESCRIPTION	Pag no.	Qty
1- Complete compressor & Motor		2
2- Over holing kit for compressor motor		3
3- Genral assembly compressor		4
4- Sterner	2	5
5- Valve sonoloid	3	5
6- Charting valve	5	4
7- sight glass	6	3
8- Valve	8,9	2
9- O ring oil tank	11	8
10- Oil filter assumes.	12	12
11- Valve	14	4
12- O ring	17-27	4
13- Valve sonoloid	28	4
14- Motor actuator	30	2
15- Switch	36	2
16- Coil holding 220- 50 J.E	28	2

<b>02-04-00431</b>	<b>Head part</b>		
1- Switch hand bulb well	1		4
2- Motor oil pump	3		4
3- Them meter	4		2
4- Valve	6		2
5- Heater	7A		8
6- Thermostat high temp. control	8		4

<b>02-04-00432</b>	<b>Evaporator Part</b>		
1- O ring	5		10
2- Charting valve	6		2
3- Evaporator tube			150 tube

<b>02-04-00433</b>	<b>Condenser part</b>		
1- Condenser tube			100 tube
2- Completed condenser			2

<b>02-04-00434</b>	<b>Control panel part</b>		
1- Anti recycle timer	1		2
2- low pressure control	2		2
3- High pressure control	3		2
4- Oil pressure control	4		2
5- Oil pressure gauge	5		4
6- Low pressure gauge	6		2
7- High pressure gauge	7		2
8- Control relay	8		16
9- Transformer	9		2
10- Fuse 2 Amp	10		24
11- Control light oil temp.	11		12
12- Switch	12		1
13- Resistor ( Shunt)	13		2
14- Module Control	14		8
15- Hour counter	15		2
16- Start counter	16		2
17- Bulb neon	18		24
18- Rest switch	19		2
19- Switch on / off	20		2
20- Comp. Motor temp. control	22		3
21- Comp. Start time delay 15 s	23		2
22- Oil pump time delay 1 s	24		2

<b>02-04-00435</b>	<b>Starter Pant part</b>		
1- Manual Disconnected switch			4
2- Conjecture dealt			4
3- Conjecture line			4
4- Conjecture star			4
5- Over load really			12
6- Oil for over load			1 liter
7- Current transformer( load limit control)			1
8- Resistance's			12
9- Oil pump start & over load			2
10- Contactor ( start – point )			2
11- AMP mater			2
12- Fuses			24

<b>02-04-00436</b>	<b>Oil</b>		
1- Oil for chiller taxes caplet – D			360 liter

<b>02-04-00437</b>	<b>Cooling tower</b>		
1- Cooling tower cap. 200 ton ref. Installation and maintenance and operation and guaranty for one year for the chiller the job will done by manufacture engineering Treeing for our engineer in the manufacture factor supply catlike and maintenance for the equipment			4

02-04-00438	Compressor Model /WN114 F-260KW olla Free Type
Teflon Pistonring 2 <sup>nd</sup> Stacie coods No. E238201	20
Teflon Piston ring sits stage cood No. E148201	16
Bull Ring 2 <sup>nd</sup> Stage cood No. E238202	12
Piston Assy Its stage cood No. E141600	2
Discharge valve seat	100 pcs
inlet valve seat	80
I- Typethermometer (0-100C)	5
L- Type Thermometer (0-200C)	6
THRENAY SOLENOIO VALVE	10
Oil preserve	5
Chain over suttee	5
AIR Pressure switch cood No. G319968	5
Temperature switches (120-215C) cood no. G631301	5
Crank shat Assy cood No. D266700	2
Oilier PIN cood No.	15
Retaining Ring cood No. D26706	15
Bearin6 collar cood No. D260707	15
Bearing Coeur cood No. D260708	15
Collar cood No. D260709 Flintier	15
Filigree cood no. D260710	15
Bolt cood no. D110711	15
Key cood No. D260712	15
Oilier sleeve cood no. D260713	15
Bearing cood No. 0.0260714	15
Bearing cood No. D260715	15
Connecting Rods cood No. D111400	15
Ding end Bolt cood No. D111403	15
Caste Nut Cood No. D111404	15
Crank pin Bearing Cood. No. D111406	15
Wrist P/N Metal cood No. D111407	15
Cloture P/N cood No. D961814	15
Cross Head Assy Cood No. D111300	15
Wrist P/N covers cood No. D111 303	15
Wrist P/N D111304	15
Lockwasher Cood no. D111305	15
Bolt Cood No. 0430765	15
Destine Rod cood No. E121606	15
Precision control thick meter	15
0-3005 Freq. 0-4000	
Thermos couple for outlet and inlet Tem.	15
Tem. Controller T 675A	15
Ceramic filter	15
Flexible hose for tank lorry	2
Ball valve for pump (tank lorry)	2
Pump Assy for tank lorry	5
Flexible hose for filling station	2
Complot O2 valve for oxygen cylinder type G11	120

02-04-00439	Spare part for GMW High volume air Samplers model 2000 H& model 2000 as follows:-
0.6 LP motor(180-240 V)(50 HZ)	10
Brushes B-1	100
Fiber glass filter paper (24.5x20.3) cm air sampler	40 Box (100 filter /box)
Motor housing 2007	5
Mounting Plate motor cover(2002)	10
Motor Cushion (2005)	20
Power cord assembly (2011)	20
Spare parts for Co analyzer type –Co 11 M (Group environment S.A co.) As follows:-	5 boxes(25 filter/box)
Membrane filters for inlet dust filter (SAV-K-00042-A)	
Fuses (220V 3x1 ATD /1x0.5 ATD/-)	5 sets(5 fuse/set)
Fuses (110V 2x2 ATD /1x0.5 ATD/1x1 ATD)	5 sets(fuse/set)
Palladium for refilling internal “Zero” filter (01-000g-A)	(5x60 g)
Wise air pump kit (VO2-K-113-909-A)	5
Acrylic dust filters for aeration grids(FO5-5003-A)	5 set(2 filter/set)
IR Source with cable and connector(MO3-0004-A) (FO5-5003-A)	5
Standard CO gas cylinders(50 PPM)	2
Spare parts for SO2 analyzer(AF 21M-LCD UV fluorescent Sulfur Dioxide)grape Environment S.A co. as follows:-	5 box(25 filter/box)
Diaphragm filter holder(SAV-K-G00042-A)	
Acrylic dust filter for general fan(FO5-5003-A)	5 set(2 filter/set)
Refilling material for internal Zero air filter(F0-0061-A)	5x60g
Air pump kit(Vo2-k-113-909 A)	5
Ultra time delay fuses for 220 V kit(DITD/1A-Dai-5x20mm So1-TT 01-00A)	10
Ultra time delay fuses for 220 V kit(DITD/0.5A-Dai-5x20mm So1-TT 00.50A)	10
Ultra time delay fuses for 110 V kit110 V pump direct D1 TD/2A-dia.5x20mmSo1-TT02.00A)	5
Ultra time delay fuses for 110 V kit110 V pump direct D1 TD/1A-dia.5x20mmSo1-TT 01.00A)	5
Ultra time delay fuses for 110 V kit110 V pump direct D1 TD/0.5A-dia.5x20mmSo1-TT00.50A)	10
Ultra time delay fuses for 110 V kit-220 V pump auto transformer (D1 TD/2A Dai 5x20 mm S01-TT 02.00A)	15
Ultra time delay fuses for 110 V kit-220 V pump auto transformer (D1 TD/0.5A Dai 5x20 mm S01-TT 00.50A)	10
Standard SO2 gas cylinder for calibration	2
Accessories for rotor analysis model 400-CO analyzer (Rotor co.):-	
Manual for Model 400 Dual beam infrared analyzer	1
Calibration gas Cylinder(50ppm)	1
Calibration gas Cylinder for SO2 Ambient Analyzer Type 477 (Rotor co0)(below 1 PPM)	1
Rechargeable nickel-cadmium battery for noise level analyzer type 4426	24
Sulfuric acid	20 L
Nitric acid	20 L
Hydrochloric acid	20 L

<b>02-04-00440</b>	<p>Equipment: cooling tower fans  Model: ceramic cooling tower  Job no. CT – 975  Capacity: 3000 REF tons  Quantity: 5  Site: medical city</p>	
<p>Supply or replace parts of a 2 speed cooling tower fans made by Hudson products USA  Fan is 32 FT DIA 101700 ACFM , AT SP 5.57 in H2O driven by 200 HP motor 380 V 3PH 50 HZ  Work shall cover supply of all necessary parts adjustment installation and run for full satisfaction efficient and Dave operation  Site survey by specialist is necessary before bidding to check detailed requirement with drawings and catalogues</p>	5	
<b>02-04-00441</b>	<p>Equipment: open drive cent chiller  Model: carrier 17 DA 74 – 139-2  Drive motor: out put 2240 KW – 11000 V , 3 PH , 1488 R .P.M 13 8A  S/N: 32294, 32295  Quantity: 2  Chilled water in 12.5 C to 4.4 C  Flow: 311.6 LPs  Site: medical city</p>	
<p>Supply replace install and adjust all missing damage worn-out and improper prates and materials  In order to run machine for full satisfaction efficient and safe operation  Site bidding a detailed offer</p>	2	
<b>02-04-00442</b>	<p>Equipment: central telephone exchange TTC  Model: telecom SL- 1  Company / manufacturer: northern telecom  Belleville Ontario  CANADA  Site: medical city</p>	
<p>Required is to update existing system with shall exceed original features and services using same building wiring system and same telephone sets</p>	2	

<b>02-04-00443</b>	Equipment: nourishment station Model: NIM – 984 Company / manufacturer: market forge / Mississauga Ontario CANADA Quantity: 57 Site: medical city		
Article Standard ice maker Water reservoir Ice maker Motor Heavy demand ice maker Ice maker assembly Thermal state- ice bin level Indicator knob Control low pressure cut out Capacitor ice dispenser motor Diffusion panel (upper) Diffusion panel (lower) Ballast (upper) Ballast (lower) Microwave oven (optional unit) 240 hot plate Compressor –condenser unit Evaporator Capillary tube Refrigeration temp. control Klaxon over load relay Deforest timer Start relay Thermal eye switch front 7- position heat switch rear Adapter	Part no. 45-1858 10-3178 10-4300 10-5262 45-1952 10-4291 10-6538 10-4486 10-6540 10-5954 10-4495 10-4496 10-5257 10-4497 10-5956 10-5270 10-6541 10-6539 10-6537 10-6542 10-6980 10-6680 10-6981 10-5275 10-5279 10-6869	Qty 20 30 10 20 20 10 20 20 10 20 15 15 10 10 25 25 25 25 15 10 20 20 10 20 20 20 20	

<b>02-04-00444</b>	Equipment: nourishment station Model: NIM 972 Quantity: 20 Company / manufacturer: market forge / Mississauga Ontario CANADA Site: medical city / hospital		
Article	Part no.	Qty	
Ice maker assembly	45-800	10	
Gear motor and ice maker	10-6559	5	
Water reservoir	10-4296	15	
Pilot light assembly	45-5775	30	
Control low pressure cut out	10-6540	10	
Capacitor ice dispenser motor	10-5959	10	
Main Contactor relay	10-6552	10	
Position heat switch front	10-5279	10	
Thermal eye switch rear	10-5275	10	
Adapter	10-6869	10	
Compressor condenser unit	10-5979	20	
Evaporator	10-3113	10	
Capillary tube	10-5977	10	
Refrigeration temp control	10-5524	10	
Killeen over load relay	10-5413	20	
Start relay	10-5919	20	

<b>02-04-00445</b>	Equipment: motors (380V 3PH 50 HZ squirrel cage induction motor ) splash proof Company / manufacturer: any European Quantity: as below Chilled water in 12.5 C to 4.4 C Flow: 311.6 LPs Site: medical city / hospital		
KW	RPM	QTY	
30	1480	9	
22	1480	3	
4	2900	3	
5.5	2900	3	
11	2900	5	
7.5	1480	6	
9	2900	4	
55	1500	4	
11	1480	6	
7.5	2900	4	
3.7	1480	8	
5.5	1480	5	
15	3000	3	
37	1500	5	
18.5	1500	5	
15	1500	3	
75	1480	2	
90	1480	2	
.25	1500	25	
.55	1500	3	
2.2/1.1	2845/1445 tow speed	15	





02-04-00447		Equipment: V- belts for fans, compressor Quantity: as below Site: medical city	
Article	Part no.	Qty	
V- Belt	725*9.5	10	
V- Belt	725*9.5	15	
V- Belt	1050*9.5	15	
V- Belt	1090*9.5	10	
V- Belt	1100*9.5	20	
V- Belt	1125*9.5	20	
V- Belt	1200*9.5	10	
V- Belt	1250*9.5	10	
V- Belt	1400*9.5	10	
V- Belt	800*10	15	
V- Belt	1900*10	10	
V- Belt	1750*12.5	10	
V- Belt	1800*12.5	10	
V- Belt	1300*13	25	
V- Belt	1350*13	20	
V- Belt	1400*13	20	
V- Belt	1450*13	30	
V- Belt	1500*13	20	
V- Belt	1600*13	15	
V- Belt	1825*13	5	
V- Belt	1040*17	5	
V- Belt	1150*17	5	
V- Belt	1250*17	5	
V- Belt	1350*17	5	
V- Belt	1400*17	15	
V- Belt	1450*17	5	
V- Belt	1500*17	25	
V- Belt	1600*17	25	
V- Belt	1750*17	10	
V- Belt	1800*17	20	
V- Belt	1900*17	10	
V- Belt	1950*17	10	
V- Belt	2070*17	10	
V- Belt	2120*17	5	
V- Belt	2210*17	5	
V- Belt	2250*17	10	
V- Belt	2280*17	10	
V- Belt	2300*17	10	
V- Belt	2360*17	10	
V- Belt	2400*17	20	
V- Belt	2775*17	5	
V- Belt	63B	15	
V- Belt	85B	20	
V- Belt	89B	20	
V- Belt	91B	9	
V- Belt	96B	80	
V- Belt	120B	60	
V- Belt	128B	25	
V- Belt	130B	20	
V- Belt	136B	50	
V- Belt	144B	25	
V- Belt	163B	25	
V- Belt	150C	25	
V- Belt	158C	40	

V- Belt	166C	25
V- Belt	180C	25
V- Belt	2350*22	15
V- Belt	2500*22	15
V- Belt	1000LA	10
V- Belt	1125*12.5LA	10
V- Belt	5V1000/385	5
V- Belt	SPZ 1587 LW	10
V- Belt	10*1444LPZ*56	10
V- Belt	17*1800B/71	40
V- Belt	13*1188LIA 46	40

<b>02-04-00448</b>	Equipment: sterilize complete Model: V.sliding door Company: sybron / Dayton castle limited tweed road, clevadan Avon, BS12 6 RR England Quantity: 5 Site: medical city
Dayton castle ( 0.18 m3) , cylindrical utensil and instrument sterilize ( vertical sliding door )	3
Dayton castle (0.16 m3), laboratory variable time / temp. straight line sterilize ( vertical sliding door )	2

<b>02-04-00449</b>	Equipment: sterilize Model: horizontal sliding door (8.5 ft3, low temp. steam and Forman floor loading sterilize Company: sybron / Dayton castle limited tweed road , clevadan Avon , BS12 6 RR England Tel, clevadan ( 0272 ) 8/1331 Quantity: 3 Site: medical city	
Article	Part no.	Qty
½ “ 2- way MAG valve (w)	B 0124	10
¾ “ pervert P.A valve	B 5449	6
1 ¼ “pervert P.A valve	B 4312	6
¼” ASCII 3- way MAG valve (w)	B 12404	16
¼” silo 3-way valve	B 12957	5
½” sight flow glass	B0427	10
Vacuum pump Roland	B0610	10
Gauge pressure (0-4) bar 2 ¼” diameter	B12440	6
Gauge pressure (0-6) bar 2 ¼” diameter	B12441	6
Gauge pressure (0-16) bar 2 ¼” diameter	B 12438	6
Gauge Cambridge clear way	B 7047	6
Contacto Danes	B 3187	6
Over load 12-19 amp	B 6747	3
Over load 1.8- 2.8 amp	B9423	3

<b>02-04-00450</b>	Equipment: sterilize Model: horizontal sliding door (70 ft3 , low temp. steam and Forman floor loading sterilize Company: sybron / Dayton castle limited tweed road , clevadan Avon , BS12 6 RR England Tel, clevadan ( 0272 ) 8/1331 Quantity: 3 Site: medical city	
Relay A.C type	B3840	9
Timer 15 min. planet	B 4352	3
Timer 60 min.	B6258	3
Leeds switch	B 4296	3
Water circulating pump	B 5456	2

<b>02-04-00451</b>	<p>Equipment: sterilize  Model: vertical sliding door (8.5 ft3 , low temp. steam and Forman floor loading sterilize)  Company: sybron / Dayton castle limited tweed road , clevedan Avon , BS12 6 RR England Tel, clevedan ( 0272 ) 8/1331  Quantity: 14  Site: medical city</p>		
Controller MK8 20"	S10703	14	
Valve ¼" BSI ASCII 3- way	B12404	30	
Gauge temp. clear way (40-160C)	B8096	30	
Top 3" diaphragm	B5394	40	
Gauge pressure (0-4) bar 2 ¼" diameter	B24410	10	
Gauge pressure (0-6) bar 2 ¼" diameter	B12441	10	
Gauge pressure (0-16) bar 2 ¼" diameter	B12438	10	

<b>02-04-00452</b>	<p>Equipment: sterilize  Model: hinged door type (14 ft3 , porous load / natural cooling fluid sterilize)  Company: sybron / Dayton castle limited tweed road , clevedan Avon , BS12 6 RR England Tel, clevedan ( 0272 ) 8/1331 (10 lines)  Quantity: 8  Site: medical city</p>		
Water boost pump	B 9747	7	
Liquid ring vacuum pump 1 g/m type lobe 05501	B4171	6	
½" 2- way solenoid valve	B 0124	10	
¼" 3- way solenoid valve	B12404	20	
3" pervert direct acting top	B5394	30	
½" Dayton castle DA valve	S 3970	30	
Pervert diaphragm 5" diameter	B7017	40	
2.5 " pressure gage ( 0-4) bar	B1240	8	
2.75 " pressure gage ( 0-16) bar	B 12436	8	
2.5 " pressure gage ( 0-6) bar	B12441	8	
Water circulation pump	B5456	4	
6KW immersion heater	B6959	10	
2" pervert valve	B6921	20	
Cambridge clear way temp. controller (40-160 ) C0	B7047	10	
Edwards absolute pressure gage	B0899	10	
Timer 15 min. plant	B4352	10	
Timer 2 min.	B6258	10	
Timer 60 min.	B4824	10	
Relay A.C type BOGC 2 240V	B3840	10	
MK controller type "D"	9730	8	
Leeds switch	B4296	10	
Over load	B12722	20	

<b>02-04-00453</b>	Equipment: floor maintenance machine Company / manufacture: European Site: medical city	
Floor polishing and cleaning machine 3-brushes with all accessories , working diameter : 48 cm , RPM : 400 ,floor area covered per hour : 700 m2		60
Wet / dry vacuum cleaner equipped for easy emptying with all accessories 1500 watt motor with 3 –stage fan , 48 liter stainless steel container		30
Floor polishing and cleaning machine single brushes with all accessories , 2-HP motor 400RPM		30
Floor cleaning trolley with tow – 24 liter buckets mop compressor on a stainless steel frame		100
Mop with wooden handle		100
Wheeled portable electric extenuation cable 100 foot cable length 3X 2.5 mm , 3X13 amp socket outlet , BS fittings		30
Windows cleaning set consists of hand tools extenuation handles up to 6 m , brushes , rubber scribes , mops, punches		15

02-04-00454	Spare parts for 3 chiller carrier hermetic centrifugal (19) DG Design 2 model NO. 19DH3175CL	
Complot on heater and thermostat	1000 W 115V (50-60) HZ	6
Complete purge unit solenoid valve low	Type J21 KD rang (0_25) PSI	3
Solenoid valve low	20A (125-250) VAC dive ADJK	3
Solenoid valve high	Type J21 KD rang (0_25) PSI 20A (125-250) VAC dive 1.75 PSI	3
vacuum pump	Ittpenumcttve model no. BLV6ident no. 980024 man off auto 19D011-5266	3
switch on off		3
Switch on stop	Button with lamp	6
Switch start	Button with lamp	6
Switch oil pump	Button with lamp	3
Power lamp		3
Safety circuit lamp		3
Load recycle lamp		3
Program	HK 252D03D 50/60 62D - 7994	3
Oil filter		6
Capacity control model	32SM 500704 capacity control	3
Fuse	250 V Bussan 3	25
Control relay		
K1	- 211606- 23021H coil 120X (50-60)HZ AMF Mexico	2
K2	Ku93-4106 120V (50-60) HZ	2
K3	3A AT 250 VAC Y3 -211666- 23021H	6

02-04-00455	<b>Equipment: Chiller</b> type CLIMAVENETA / ITALY	
Compressor	Clopped type D8RH1-5000-EWM 83D far-NR I830.63316 Baujahr 1983 Kw 37 3ph 50hz RI 1450 min vol. Storm 151 m3/ hr 380/420 start max betray bestir 91A R22 blackierter retorts 448. A	12
Motor fan	HP 4 Kw 380 V 50 Hz 9.3 A R.P.M 1480	20
Pump motor	2.2 Kw 380 V 50 HZ 5.3 A .82 R.P.M 1410	20
Cooling tower motor	380V R.P.M 1440 9.2 A .83 50 HZ	10
Expansion valve	50 ton	10
Evaporator	50 ton length 2.1 cm thickness 14cm high 125 cm	5
Contactora	NCI-6c133 ,telemecanique , 125A,500V coil 220V.A.C 50 HZ, 75 KW	30
Low pressure switch	20 85 ib/in2	10
High pressure switch	100- 425 ib/in2	10
Oil pressure switch	10-60 pi	10
Summer thermostat	10-30 C 3-stage	10
Winter thermostat	15 – 30 C 3-stage	10
Block filter dryer	50 ton 681344-90089 cn1-fc133 ,80A 500 V 55KW coil 220 V A.C 50 HZ Contactora	10
Compressor	Hitachi 10 ton vertical v380 19.2 A R22	5
Expansion valve	10 ton	5
Motor	0.8 Kw 3ph 380 V 1.9A 50HZ	5
Motor	.9 Kw 380 V 3ph 50hz 1.1 50 Hz	5
Compressor	DIKEN model 6T55TAKsye power 3PH source R22 380 –415V 50HZ	2
Compressor	Carrier 25 Ton power 25.3 Kw Rev. 1500 380V M3.s 0.43 pressure 31 bar R22	2
Expansion valve	25 ton	5
Motor	P 5.5 W I 11.5 380V R.P.M 1430	5
Motor	P2 HP I 4.4A 380 V 3Ph 50HZ R.P.M 910 Kw 1.5	4
Refrigerant compressor	Model MSS- 12L motor in put 94 Kw 4P power supply 380 V 50HZ Mitsubishi electric Corp Japan	2



Magnetic Contactor	Mitsubishi S 150A 440 V 75 Kw 150A	5
Expansion valve	100 ton	5
Low pressure switch		5
High pressure switch		5
Oil pressure switch		5
Compressor	Tarn France type L2E5J no. 9kg5z 2468 220V 380V 96A R22	1
Expansion valve	60 ton R22	2
Block filter dryer	60 ton	2
Compressor		1
Compressor	45 Kw model 8HC752LB -yea 3PH 50HZ 380-415/400-440V R22 ref. Oil Sunnis 4Gsdid- Kmfng no. 6509840 date 1985-04 TP H 42kg/cm2 L 23 kg/cm2	3
Air handling unit motor	MSQuery , EUROPA S.P.A , ARICCIA (ROMA) ITALY UNIT MODEL EN 2205 HR65 serial 2/295 motor N1 H.P 10 380V 50HZ	York U.S.A 60 ton model JS83N-46AG serial no. FM 208167- 610190 380V /415 3ph 50HZ RLA 102 LRA 495 ref. R22
Tower pump motor	Daikin KOGOYO clotted JAPAN p 25 kg/cm2 model CXC2422-4-Z AP 25 kg/cm2 MFG NO. 609076 TP 38 kg/cm2 ,date 80 ref R22 vo.0.55 m3	2
Centrifugal pump	No. po260 277.8 type 100SGM head 1911M speed 1450 quanta. 1.14 m3/m date 1980	4
Centrifugal pump	No.BO260278-2 type 80FSGM head 27m speed 2900 QUANT. 0.95 m3/m Tokyo EBRA	4

<b>02-04-00456</b>	<b>Equipment: Vaccine refrigerator</b>	
	<b>Model: sicplant</b>	
	<b>Company: Italy</b>	
Compressor	½ HP	2
Condenser fan		4
Thermostat	_30 +30	2
Timer mint.		2
Deforest timer		2
Deforest heater		4
Expansion valve		2
Filter drier		2

02-04-00457	Equipment: air-handling unit	
Single phase motor	½ HP 220V RPM 1500 wetting house USA	160
Refrigerant		
R502		200KG
R22		2000KG
R12		2500KG
R503		20KG
R11		200KG
Refrigerant oil		
4GS		100liter
3GS		100 liter
caplet 68		200 liter

02-04-00458	Refrigerant requiring tools	
-Manifold gage(charging gage)		5
-Vacuum pump with accessories		3
-Piping kits tools		4
-Clamp digital meter		5
-Digital AVO meter torch		10
-Ox astillin welding torch		3
complot set		
-Gas leak detector electronic		3
type		

02-04-00459	<p><b>EQUIPMENT: ELEVATOR</b>  MODEL:  Make: OTICFRANCENIVEAVXSAPB  MAIN MOTOR  VOLT 220/380 AMPS 32/18K5 3PH.50 HZ  KW-8K2 GV-II TOUR - 1500/375  ORDER NO.: - 45W2818K MOTOR NO.3146 OR  2776K OR 45W2849K  LIESTE: - MCO9710 A72 OR  MCOA9716C9161/9716AB3/MCO9710A72  SERTAL NO.: - 8137 AC DRIVE TWOSPEED or  .8140. Or 81727  004306  CONTROLLER: - MAKE OTIS TYPE-MC 1682  VOLT: -380  PHASE: -3HZ: -50  CONTRACT NO.: -92NZ 5133 or 92 NZ5135  DIAGRAM NO. : -A 1592 NZ5131 or  A1592NZ5152  AUTO DOOR GEAR: - TYPE/ OTIS- FO358AF  BREAKE: - ELECTOR / MAGNET  LIMIT SWITCHES-MAKE-OTIS-NAS-MXA-  6098B-519  MXA-60988-520. 356098 K SERL-8007, 8103,8012  GOVERNER SAFETY: - BOTH ELECTRICAL  AND MECHANICAL  GOVERNER SAFETY - LIMIT ON CAR TAP: -  NO. CX - 6098-01  CAR GATE SWEITCH: - TYPE 9792-A2</p> <p>LANDNIG GATE LOCK BOX SWICHES TYPE: -  <u>27/FOB-9940-B-19</u></p> <p>FSERIAL-FO2  MAIN ROPE CAPACITY 36280 <u>KG</u>  4*9070KG</p> <p>BUEER SPRING FOR CAR AND COUNTER  WEIGHT: -SELF RESETED  SPEED CONTROL: -THYRESTOR OF MICRO  PROCESS: -CONTROLLED  Transmission part type VII LO. 9550 AN serial LO.1  Machine type MCO 9710A serial - M04  Hoist way door type 977B (9764C seri: FO2)  (191974C seri : FO.2)  COMPANY NAME: ASCINTER OTIS  QUANTITY INSTALLED: 24</p>																																				
<table border="1"> <thead> <tr> <th>Description</th> <th>Part No.</th> <th>Bage No.</th> <th>Qty.</th> </tr> </thead> <tbody> <tr> <td>Stationary contact</td> <td>150P27</td> <td>8</td> <td>60</td> </tr> <tr> <td>Stationary contact</td> <td>150P26</td> <td>8</td> <td>60</td> </tr> <tr> <td>P.C Board Function DDP</td> <td>9658AT7</td> <td>Sertal FO4</td> <td>30</td> </tr> <tr> <td>Bord Function for LRCU (RI811)with Photocell</td> <td>9661AK1/2</td> <td></td> <td>12</td> </tr> <tr> <td>Board Function for Emergancy car Light</td> <td>FOA6231D7</td> <td></td> <td>24</td> </tr> <tr> <td>Magnet Switch</td> <td>FO9559A</td> <td></td> <td>12</td> </tr> <tr> <td>Thermal Unipolar Circuit Breaker</td> <td>F0375G2</td> <td></td> <td>12</td> </tr> <tr> <td>Fuse 0.125 Amp</td> <td>F0375EI</td> <td>5</td> <td>100</td> </tr> </tbody> </table>	Description	Part No.	Bage No.	Qty.	Stationary contact	150P27	8	60	Stationary contact	150P26	8	60	P.C Board Function DDP	9658AT7	Sertal FO4	30	Bord Function for LRCU (RI811)with Photocell	9661AK1/2		12	Board Function for Emergancy car Light	FOA6231D7		24	Magnet Switch	FO9559A		12	Thermal Unipolar Circuit Breaker	F0375G2		12	Fuse 0.125 Amp	F0375EI	5	100	
Description	Part No.	Bage No.	Qty.																																		
Stationary contact	150P27	8	60																																		
Stationary contact	150P26	8	60																																		
P.C Board Function DDP	9658AT7	Sertal FO4	30																																		
Bord Function for LRCU (RI811)with Photocell	9661AK1/2		12																																		
Board Function for Emergancy car Light	FOA6231D7		24																																		
Magnet Switch	FO9559A		12																																		
Thermal Unipolar Circuit Breaker	F0375G2		12																																		
Fuse 0.125 Amp	F0375EI	5	100																																		

Main motor complete with Mechine 220/380V 3PH 50HZ KW:- 8 K5 Tour :- 1500/375		4
Limit Switch	MXA6098B51	60
	9	
Limit switch	MXA6098B52	60
	0	
Push button for Lift calling		60
Lock 9940G4		60
Lamp 5W – 24V		60
Car fan V=220V HZ=50, RPM= 2300- 2600 TYPE 132 156, d,b,37 seria E		12
FCO955OT	7,6	24
FCO955OT		12
FO358AG		12
FO2235A31		48
FO96DN1)	19	24
MC090T1	19	24
232 E 39	3	36

Put intend of it (Complot door Departure new model suitable to be fixed instead of old model (FC09550T) because of the old system have much troubles in plastic gear and the rode and new system must be installed by the supplier

- spare part for 5 years for the new system
- Send spare part catalog for the new system
- Mainintenc operation catalog

Fuse breaker 2Amp	60
Fuse breaker 3Amp	60
Fuse breaker 4 Amp	60
Fuse breaker 6 Amp	60
Thermal uniplak F0375H2	60
Thermal uniplak F0375H4	60
Contactora complete C6754A122	24
Relay F06164 BP 123	48
Relay F06164 BP 323	24
Contact for relay 150P4	24
Auxitiany Contactora F028527	24

02-04-00460	<b>Equipment: heidelberg to presses</b> Model: GTO/ 52 Quantity: 2 Place: press of ministry of health		
	Description	Part No.	Qty.,
	Transfer cylinder CPI .I	005.001F	6
	Hekagon bolt	005.035	24
	Gripper pad with	005.008	16
	Plat clamp	005.007	16
	Compression spring	012.012	86
	Chese - headed screw	520.0238	86
	Pinion gear with polt	011.009	86
	Rod	005.036	16
	Glas bead blanket	011.009	86
	Shaft	011.032	16
	Clamping piece	011.028	120
	Gripper	011.027	120
	Sisp.	012.020	16
	Recessed greas nipple DIN 3405 CM 8x1	600.0133	16
	Cam lever with Cam follower C6227/91F 52048	550.0436	16
	Recessed greas nipple DIN 3405 D6	530.0403	16
	Spring bolt with Needle busking C6221/01HkIDO	550.0001	16
	bolt	013.013	16
	Compression spring	010.090	16
	Spring support piece with	011.024	16
	disc	013.029	16
	disc	011.020	16
	Bearing with	011.016	42
	Cheese-headed screw DIN 912 M 6x30	520.0243	42
	Grease nipple D5213AM6	600.013	22
	Neelle bain C6211/01 NK1816	550.0032	22
	shim	011.017	22
	Bearing support D.S	012.090	6
	Retanier ring SN270BR90	580.0978	16
	Cheese -heded screw DIN 9/2 M 10X 25	520.0272	16
	Inner and outer ring C 6231/81F87	550.0786	22
	Needle bearing cage C 6231/81F87324	550.0787	16
	Space washer	011.460	6
	Circle DIN 47165x2.5	510.0110	16
	Circle SN 270 BR 90	580.0928	6
	Bearing support bushing O.S	012.091	6
	Retainer ring SN 270 BR 72	550.0537	16
	Cheese -headed screw DIN 912 M10X25	520.0272	16
	Cam	005.004	6
	Cheese -headed screw DIN 912 M6x60	520.0241	16
	Inner and outer ring C6233/99F -50048	550.0538	22
	Needel bearing cage O.S C6231/91F-50049	550.0428	22
	Spacer washer	006.026	12

Circlip SN 270PR72	550.0537	12
Thrust bearing C6241/99F52307	550.0433	22
Cheese -headed screw DIN912 N6x16	520.1046	22
Cup spring washer C7753 /01K6207	530.0350	22
Cam with	012.215	6
Cheese -headed screw DIN912N8x25	520.0254	16
Transfer cylinder II	005.201	6
Cylinder disk D.C	005.210	6
Cheese -headed screw DIN912M 10x35	520.0274	6
Bearing sleeve	012.091	6
Backing ring with	005.232	6
Cheese 912M6x6	520.1046	6
Retainer ring SN270BR 72	550.0537	6
Bearing support bushing DS	005.203	6
Cheese headed screw DIN 912 M10x35	520.0274	6
Retainer ring SN 270 BR110	550.0677	6
Cam with	520.0590	24
Cheese -headed screw DIN912M8x95		
Gripper foot with	005. 208	6
Cheese headed screw DIN912M8x30	520.0255	12
Gripper operation shaft	005.2096	6
Lever with	005.212	6
Cam follower C6227/91F52048	550.0436	6
Grease nipple D5213AM5	600.0121	6
Stop with	005.213	60
Stop bolt	005.0214	60
Clamping piece	011.028	60
Gripper with	011.027	60
Compression spring	011.026	60
Bearing with	011.016	12
Cheese headed screw DIN912M6x30	520.0243	12
Shim	005.227	12
Grease nipple D5213AM6	600.123	12
Needel bearing C6211/01NK1816	550.0032	12
Forked lever	005.211	6
Spring plunger with	011.023	12
Compression spring	010.090	12
Bolt	013.013	12
Disc	011.020	12
Disc	013.029	12
Needle bushing C6221/01HK1010	510.0001	12
Rod with	014.111	48
Compression spring	012.053	48
Star wheel	014.112F	336
Cooler	005.220	6
Spacer ring	006.026	6
Inner and outer ring C6233/99F50048	550.0538	12
Needle bearing cage C6231/91F50049	550.0428	20
Thrust bearing C6241/99F52307	550.0433	40
Cup spring washer C7753/01K6207	530.0350	20
Disk	005.0734	20
Cheese headed screw DIN912M8x25	520.0254	48
Inner and outer ring C6233/79F84785	550.0734	24
Needle bearing cage C6231/81F15085-20	550.0753	24

Disc	005.221	12
Circlip DIN 47180x25	510.0111	12
Transfer cylinder III .CPI	005.001F	12
Hexagon bolt	005.035	32
Bearing support DC with Retainer ring SN270BR90	005.303 580.0928	12 12
Cheese headed screw DIN6912M10x2.5	540.0160	12
Washer D.C	005.312	12
Spacer ring DC	005.313	12
Disc SN270-BR90	580.0928	12
Thrust disc DIN471 65x2.5	510.0110	12
Bearing support bushing O.S	005.302	12
Cam	005.304	6
Spacer ring O.S	005.311	6
Circlip SN 270BR90	580.0928	6
Disc with Cheese headed screw DIN912M8x25	005.240 520.0254	6 24
Blanket cylinder	006.001F	6
Blanket cylinder guard	006.250F	12
Clamp	006.002F	12
Clamp shaft front edge	006.007	12
Clamp shaft tail edge	006.008	12
Support bar	006.009	12
Bushing flange Bushing C411/01Nb1820 DU	006.025 580.0105	12 12
Claw	006.033	12
Stop	006.035	12
Bearing	006.027	12
Gear worm	006.029	12
Washer	006.030	12
Wore gear	006.031	12
Outer ring D.C	006.016	12
Flange D.C	006.102	12
Inner ring C6233/98F50048-11	550.0427	12
Spacer washer	006.026	12
Circlip DIN471 50x2	510.0106	12
Oil seal C6118 /01 6010 AV	550.0429	12
Flange OS	006.101	12
Outer ring OS	006.017	12
Needle cage C6236/01 AXK 4509	550.0196	12
Disc C6237/01WS81109	550.0137	12
Plate cylinder	007.001F	12
Plate cylinder guard	007.050F	12
Plate clamp front edge BE220	478.001F	12
Plate clamp front edge BE220 Plate clamp front edge without BC	478.201F	12
Bushing	353.658	12
Compression spring	011.042	12
Plate clamp tail edge	353.732	12
Hexagon nut	007.0011	12
Trip block	007.062	12



Compression spring	012.036	12
Threaded bushing	007.026	12
Cheese headed screw DIN912M6x70	520.0653	12
Hexagon nut DIN 934M6	520.0413	12
Threaded bushing	007.026	12
Connecting link	007.030	12
Bolt	022.127	24
Disc	015.039	12
Cup spring washer DIN 2093-B20	530.0077	12
Bearing support bushing DC/OS	012.090	12
Bearing support bushing DC/OS	007.090	12
Bearing ring DC/OS	007.089	12
Inner ring C6233/98F50048	550.0427	12
Needle bearing cage C6231/99F50049	550.0428	24
Disc S 50x62	510.0499	12
Disc	006.026	12
Disc DIN 988 50X62X0.5	520.1146	12
Disc	007.033	12
Retainer ring SN 240 BR 72	550.0537	12
Retainer ring SN 268WR 50	550.0751	12
Thrust bearing C6236/01AXK5070	550.0198	12
Disc C6237/02 LS5070	550.0752	12
Thrust bearing INAF52307	550.0433	12
Pinion gear	007.088	12
Straight pin DIN 7-6m 6X15	500.0310	12
Gear worm DS and OS	007.075	12
Disc DS and OS	007.079	12
Bearing DS and OS	007.078	12
Bearing DS and OS C6411/04-14/16/15F	580.0827	12
Cheese headed screw DS and OS DIN 912 M6x20	520.0241	12
Disc DS and OS	580.0016	12
Disc DS and OS	007.095	12
Adjusting ring DS and OS	530.0078	12
Tension sleeve DS and OS DIN 1481	007.096	12
4X18 Hose Adjusting nut DS	007.076	12
Disc Cheese headed screw DIN 912M	015.323	12
4x12 Disc SN 260 -4	520.0481	12
Hexagon nut	580.0036	12
Tension sleeve DIN 14181 3X12	007.074	12
	530.0301	12
Bearing DS	007.070F	12
Indicator plate	452.2299	12
Bearing OS	007.071F	12
Indicator plate	452.2399	12
Adjusting nun OS	007.080	12
Disc	015.323	12
Cheese -headed screw DIN 912M 4x8	520.0841	12
Disc SN 260-4	580.0036	12
Pinion gear	007.012	12
Indictor plate	452.0199	12
Indictor plate	442.3799	12
Screw DIN 963 M4X8	500.0430	24
Pinion gear inside	007.022	12
Pointer	007.048	12
pointer	007.018	12

Compression spring	004.025	12
Plunger	007.023	12
Spring	010.062	12
Scald bushing DIN14181 3X8	530.0446	12
Lever flange	007.020	12
Cheese headed screw DIN 912M10X6	520.1089	12
Scaled bushing DIN 148M 3X16	530.0276	12
cheese headed screw DIN 912M 8X20	520.0252	12
Disc SN 260-8	580.0028	12
Flange bolt	007.085	24
Cheese -headed screw DIN 912 M 6x16	520.1046	12
Disc SN 260-6	580.0016	12
Pinion gear OS	007.021	12
Bolt	007.016	12
Tension sleeve DIN 1481 5X45	530.03412	12
Cheese -headed screw DIN 912 M 8X25	520.0254	24
Disc SN 260 -8	580.0028	12
Spacer bushing	007.087	12
Rubber wash up blade	010.1915	12
Screw	010.182	12
Roller washing device CPI	010.192F	12
Indicator plate	654.0500	12
Ball bearing C6131/98W6001-2RS/K-444	520.1232	48
Ball bearing DIN 625 -601 2RS1	520.1143	48
Plate inking roller CPI D: 49mm - 115/16" yellow with 2 ball bearing	009.003F	48
Plate inking and distributor roller CPI D: 45mm -125/32" blue with 2 ball bearing	009.031F	48
Plate inking roller CPI D: 47mm - 127/32" white with 2 ball bearing	009.032F	48
Plate inking roller D: 51mm -2 red with 2 ball bearing	009.034F	48
distributor roller D60mm -2 3/8" length of distributor cylinder 467mm -18 3/8"	009.015F	48
Plate inking roller Q32 mm -11/4 "	431.390F	48
Distributor roller	431.175	48
Distributor roller , rubber Q32mm-1 1/4"	431.168	48
Distributor Steel , rubber Q32mm-1 1/4"	43.170	24
Distributor steel , rubber Q32mm-1 1/4"	431.165	24
Vibrator roller Q32mm -1 1/4 " ink fountain raller	431.110F	24
Consisting of : Wash -up sludge basin	010.191S	24
Rubber wash -up blade	010.180S	24
Screw	010.182	24
Indicator plate	010.182	24
Ballbearing DIN625-6001 2RS1	520.1143	48
Compression spring	011.026	66
Gripper	011.027	66
Clamping piece Hexagon -head screw DIN56I M^ x70 AK	011.028	66
Lever	013.003	12
Gripper lever shaft	013.004	12

Transfer gripper bar operating lever DS	013.005	12
Needle bearing C6211/01NK 1816	550.0032	24
Transfer gripper bar operating OS	013.006	12
Needle bearing C6211/01 NK 1816	550.0032	24
Support bar	013.008F	12
Gripper foot	0.13.020	12
Stud	013.009	19
TRANSFER GRIPPER shaft	013.010	12
Roller lever O.S	013.011	12
Roller lever D.S	013.012	12
Bolt	013.015	12
Support bracket O.S	013.021F	12
Needle bearing C6211/14 NK14535	550.0443	24
Support bracket D.S	013.023	12
Bearing Cap O.S	013.024	24
Torsion rod	013.026	12
Disc	013.027	12
Rod head	013.028	24
Trunnion O.S Gear	500.022F	48
Trunnion D.S Spacer bushing Washer		
Crown nut DIN937M16x 1,5		
Splint DIN 94 4x48		
Distributor roller us mm-1 7/8"	009 .022F	48
Distributor roller Q60 mm-2 3/8"		
Length of distributor cylinder 456mm-17 15/16"	009.016F	48
Trunnion o.s	009.018	48
Gear	009.013	48
Trunnion D.S	009.017	48
Spacer bushing	009.019	48
Washer	009.098	48
Crown nut DIN 937M16,1,5	520.1319	48
Ink fountain roller 60mm-2 3/8	008.001F	48
Dampening roller,CPI,q60mm-1 13/16" with plush coating Q49mm-159/64" and 2ball bearings	009.043F	48
Rubber roller,CPI.Q51mm1 15/16",for alcohol damping with 2ball bearings	272.009F	48
Rubber roller,CPI..Qu7mm-127/32" with 3M coating with 2 ball BEARINGSQ48 mm	272.001F	48
Distributor roller	030.o32F	48
Distributor roller	030.o1o1F	48
Trunnion D.s.	030.o1o2	48
Guide ring	030.o1o7	48
Trunnion o.s.	030.o11o	48
Gear	0o9.o13	48
Water fountain roller	030.o37oF	48
Water trough	030.o361	48
Valve D3111/o1-3/8"	580.o269	48
Rod head	022.129	24
Rod	022.13o	24
Spring rod guide	022.132	24

Spring	O22.o56	24
Safety nut C2238/o1M12	580.o723	24
Bearing	O22.121	24
Bolt	O22.127	24
Retainer spring	O13.1o2	24
Front guide	O13.1o3	24
Sheet smoother	O22.1o4	24
Adjustment knob	O13.1o7	24
Adjusting screw	O13.1o5	24
Roller guide rail	O22.138	24
Bar	O22.1o1	24
Whasher	O13.o35	24
Shaft	O22.1o9F	12
Roller shaft	O22.127	12
Bolt	O22.128	12
Stop	O22.136	12
Stop	O22.112	12
Rod head	O13.028	12
Spring	006.085	12
Spring rod	013.037	12
Bearing bracket	012.094	12
Bar	012.105	12
Bar	012.098F	12
Bearing sleeve	020.016	12
Bushing	580.313	12
Tapered pin DIN 14x32	500.0037	12
Driver	580.312	12
Tabered pin DIN 7978 8x30	540.0248	12
Torsion spring	580.319	12
Intermediate segment	580.317	12
Sheece –headed screw DIN 912M 8x20	520.o252	12
Tappered pin DIN 7978 8x24	540.0194	12
Circlip SN 260.58	580.0028	12
Indicator plate	452.0499	12
Connecting link	580.396	12
Eccentric tipping bolt	580.321	12
Cam D.S	580.304	12
Disc	012.062	12
Bolt	580.392	12
Bearing sleeve D.S.	005.303	12
Cam O.S.	580.306	12
Bearing sleeve O.s	005.302	12
Thrust bearing C 6241/99 F52307	550.0433	12
Needle bearing cage C 6231/80-F-87134	550.0807	24
Needle bearing cage C 6231/91-F-50049	550.0428	24
Inner and outer ring C 6233/99F 50048	550.0537	24
Inner and outer ringC 6233/76 F 87616	550.0805	24
Cam follower. CPI.C6227/78F 83814	550.0730	12
Csrew DIN 933M 10x60	600.0172	12
Gear I	580.370	12
Gear II	580.350	12
Clamping piece	580.327	12
Scale	479.0599	12

Clamping piece	580.324	12
Disc	580.325	12
Plunger	580.386	12
Compression spring	010.250	12
Tapered pin DIN 12x18	500.0007	12
Pinion gear D.S.	580.333	24
Pinion gear O.S.	580.334	24
Adjusting ring C2451 A18	600.0007	24
Bearing, CP1	580.332	24
Intermediate plate	580.344	24
Gripper, upper position	580.337	66
Gripper, lower	580.338	66
Bearing, CP1.	580.393	24
Needle bearings C 6211/14 NKI 1716	550.0681	24
Gripper holder	580.335	66
Compression spring	019.038	66
Tube	580.3285	12
Shaft,inside	580.329	12
Key	580.369	12
Stop D.S.	580.385	12
Tapered pin DIN 15x32	500.0264	24
Gripper, upper position	580.362	66
Gripper, lower	580.363	66
Segment gear,CP1	580.309	24
Cam	431.320	24
Cam L H	431.320	24
Cam R H	431.321	24
SC	431.322	24
Mounting ring	431.310F	24
Threaded Pin	431.319	24
Printing block holder 35x45 mm	431.330	24
Numbering shaft	431.370F	24
Printing block holder 45x45 mm	431.331	24
Printing block holder with magnet 45x45mm (undercut.037")	431.337	24
Straight numbering box,backward action 7 digits,4.76 mm(3/16") 6 depressable noughts(zeroes)	431.301/302	100
Bearing support	010.034F	24
Bearing support	010.032F	24
Bearing support	010.133F	24
Bearing support	010.035F	24
Bearing support O.S.	030.004	24
Straight pin DIN 78M 6x60	500.0412	24
Threaded pin DIN 916 M 6x6	520.0986	24
Bearing O.S.	030.001	34
Bolt	030.026	24
Bolt	030.029	24
Handle	010.061	24
Accentric tripping bolt	010.031	34
Compression spring	010.044	34
Screw	010.064	34
Bolt	030.129	34
Bolt	010.154	34

Dampening roller bearing O.C.	030.006	24
Straight pin DIN 78M6x30	500.0412	24
Bolt	030.028	24
Bearing bolt	030.041	24
Bearing support	010.029F	24
Dampener vibrator bearings D.S.	030.203	24
Bearing Suppor D.S	030.003	24
Motor: 2.2 KW Type: DVD 60 Revolution: 1420 r.p.m	L751319	6
Motor: Y 440V, o.6 7A, 50HZ Revolution: 1300 r.p.m Type: ZF10	154983	6
Washer	013.035	24
Spring rod	013.037	66
Washer	013.029	66
Compression spring	010.030	66
Collar	010.091	66
Screw DIN912-M5X20 plus	013.027	12
Ball bearing 160010/36234	520.1271	24
Circlip sn267A 50 x2V	510.0114	24
Cam follower C6227/91 F 52048	550.0436	24
Needle bearing C6211/14 NKI 45/35	550.0443	24
Gripper holder	014.005	284
Torsion spring	014.009	284
Gripper backing plate	014.041	284
Hexagon –head screw	014.043	284
Gripper	875.001F	284
Supporting roller C6226/96F-1618	550.0251	284
Shim plate	014.006	284
Shim plate	014.006	284
	014.007	84
Gripper	875.001F	284
Plate spring	022.038	24
Sheet smoother	022.046	24
Sheet steadier brush	022.069F	24
Holder CPI	022.069F	24
Sheet smoother hoder , screw Co172/01M6 x15	017.030,580.0 603	24
Holder Cpi.	022.016	24
Screw Co172/01M15	580.0695	24
Holder	022.014	24
Rod head	013.028	12
Washer	012.063	24
Flange	012.063	12
Pawl	022.104	
Bolt	022.111	24
Adjusting Screw	013.015F	
Spring rod	022.115	12
Lever	022.123	12
Roller shaft	022.127	12
Upper dampening roller bearing D.S	030.005	24

Bushing SN635-060608F	580.0786	24
Bearing D.S	030.001	24
Bolt	030.026	24
Motor : 440V ,3Kw, 50Hz,6.5A Type; F2.5H	3291709-1	4
Motor :n 440V , Q37kw , 1450 r.p.m type : CLFG 11V , 50 HZ	690822	5
Motor : 440V , 095A, 0.37kw 1420 rpm, 50Hz		6
Motor : 415, 3kw, 5.72A Type: kmer 100 L2		6
Motor : 415V, 50Hz Type : F06		6
Motor : Y 400-440V , 1.0A, 0.3KW 1410rpm,50Hz type : BR 03774-7		6
Motor : 380V ,4.5kw,1400rpm 20.5A,50Hz Type:VS 4/4	28524641	6
Motor : Y440 V ,1.8A, 0.55kw 50Hz,2800 rpm type: SKGS 200-2(70)	750043	6
Motor :415V, 1.2/1.45A, 50Hz Type: M05ES3,2800rmp	0059278	6
Motor : 440V, 2.25A, 055kw Type : SKGS 7002734, 2800 rpm	608436	6
Motor : 2.2kw Type : DVD 60 Revolution : 1420R.P.M	L751319	6
Motor : Y 44.V ,0.67A,50Hz Revolution : 1300 R.P.M Type : ZF10	154983	6

<b>EQUIPMENT : SPARE PARTS FOR MOTOR</b>		02-04-00461
CONTROL CENTRE		
COMPANY / MANUFACTURER : SIEMENS / GERMENY		
SITE: MEDICAL CITY		
Q'TY	PART NO.	DESCRIPTION
50	3TF2911-OA	CONTACTOR FOR SWITCHING MOTORS , 220VAC OPERATION , 3 PHASE , 50 Hz ,380 V , 2.2 KW
50	3TF2211-OA	AS ABOVE BUT 4KW
50	3TF4111-OA	AS ABOVE BUT 5.5KW
50	3TF4222-OA	AS ABOVE BUT 7.5KW
50	3TF4322-OA	AS ABOVE BUT 11KW
50	3TF4422-OA	AS ABOVE BUT 15KW
25	3TF4522-OA	AS ABOVE BUT 18.5KW
25	3TF4622-OA	AS ABOVE BUT 22KW
25	3TF4722-OA	AS ABOVE BUT 30KW
25	3TF4822-OA	AS ABOVE BUT 37KW
25	3TF4922-OA	AS ABOVE BUT 45KW
25	3TF5022-OA	AS ABOVE BUT 55KW
25	3TF5122-OA	AS ABOVE BUT 75KW
25	3TF5222-OA	AS ABOVE BUT 90KW
25	3TF5322-OA	AS ABOVE BUT 110KW
15	3TF5422-OA	AS ABOVE BUT 132KW
15	3TF5522-OA	AS ABOVE BUT 160KW
15	3TF5622-OA	AS ABOVE BUT 200KW
15	3TF5722-OA	AS ABOVE BUT 250KW
50	3TY7440-OA	CONTACTS WITH MOUNTING PARTS FOR CONTACTOR TYPE 3TF44 ( SET)
50	3TY7450-OA	AS ABOVE BUT TYPE 3TF45
50	3TY7460-OA	AS ABOVE BUT TYPE 3TF46
50	3TY7470-OA	AS ABOVE BUT TYPE 3TF47
50	3TY7480-OA	AS ABOVE BUT TYPE 3TF48
50	3TY7490-OA	AS ABOVE BUT TYPE 3TF49
50	3TY7500-OA	AS ABOVE BUT TYPE 3TF50
50	3TY7510-OA	AS ABOVE BUT TYPE 3TF51
50	3TY7520-OA	AS ABOVE BUT TYPE 3TF52
50	3TY7530-OA	AS ABOVE BUT TYPE 3TF53
50	3TY7540-OA	AS ABOVE BUT TYPE 3TF54
50	3TY7550-OA	AS ABOVE BUT TYPE 3TF55
50	3TY7560-OA	AS ABOVE BUT TYPE 3TF56
50	3TY7570-OA	AS ABOVE BUT TYPE 3TF57
50	3TX461-1B	75 mm STANDERD MOUNTING RAIL
5	3TE2000-OA	CONTACTOR CONBINATIONS FOR STAR- DEALTA STARTING , 220VAC OPERATION , 3 PHASE , 380 V ,50 Hz , 5.5KW
5	3TE4000-2A	AS ABOVE BUT 11KW
5	3TE4200-2A	AS ABOVE BUT 18.5KW
10	3UA5000-OK	THERMALY DELAYED OVERLOAD RELAY SETTING RANGE 0.8 1.25- A
10	3UA5000-1B	AS ABOVE BUT 1.25 2-A
10	3UA5000-1D	AS ABOVE BUT 2 3.2- A
10	3UA5000-1F	AS ABOVE BUT 3.2 5- A
10	3UA5000-1H	AS ABOVE BUT 5 8-A



10	3UA5000-1K	AS ABOVE BUT 8 12.5- A
10	3UA5800-2C	AS ABOVE BUT 16 25-A
10	3UA5800-2E	AS ABOVE BUT 25 40-A
10	3UA5800-2T	AS ABOVE BUT 40 57- A
10	3UA5800-2V	AS ABOVE BUT 57 70- A
10	3UA5800-8W	AS ABOVE BUT 70 88-A
5	3UA6000-2X	AS ABOVE BUT 80 110-A
5	3UA6000-3J	AS ABOVE BUT 110 135- A
20 SET	3UX1 221	LINKS FOR CONNECTION TO CONTUCTORS
20 SET	3UX1 210	LINKS FOR CONNECTION TO CONTUCTORS
20 SET	3UX1 211	LINKS FOR CONNECTION TO CONTUCTORS
5 SET	3UX1 218	LINKS FOR CONNECTION TO CONTUCTORS
30	3TF44 22- OABO	COIL 24 VAC, 50Hz FOR CONTACTOR SIZE 3TF44
50	7PU4020- 2AN20	SOLID STATE TIME RELAY VAC ( 1.5-30 ) SEC
10	7PU4020- 2AB30	SOLID STATE TIME RELAY VAC (1.5-30 ) SEC
10	7PU4520- 2BN30	SOLID STATE TIME RELAY VAC (1.5-30 ) SEC
10	7PU4620- 2BN30	SOLID STATE TIME RELAY VAC (5-100 ) SEC
15	7PU4720- 0AB30	SOLID STATE TIME RELAY VDC (0.5-10 )Hr
10	7PU4140- 2QN20	SOLID STATE TIME RELAY VAC (50-1000)SEC
10	7PU4020- 5AN20	SOLID STATE TIME RELAY VAC (1.5-30 )MIN
200	AA9943.11	UNDERVOLTAGE RELAY 220/380 ,50 Hz
50	55Z3420	N-EARTHLEAKAGE CB, 4 POLE, 25 A
50	55Z3440	N-EARTHLEAKAGE CB, 4 POLE, 40 A
50	55Z3460	N-EARTHLEAKAGE CB, 4 POLE, 63 A

<b>EQUIPMENT : MOTORS</b> 380V , 3PHASE , 50Hz INDUCTION MOTOR COMPANY / MANUFACTURER: BROOKE KROMPTON PARKINSON MOTORS AHAWKER SIDDELEY COMPANY. SITE : MEDICAL CITY		02-04-00462
<b>Q'TY</b>	<b>DISCRIBTION</b>	
6	340KW , 1475 RPM ,615 AMP , FRAME : C315L51, SN: 32496A2M	
10	265KW ,1475 RPM , 473 AMP , FRAME :LC315M, SN : L735B-1	
4	224KW , 1475 RPM , 405 AMP , FRAME :LC315M, SN: L739B-1	